

# Rhine

## Final Report

COMS W4115 - Programming Languages and Translators

*Stephen A. Edwards*

Gudbergur Erlendsson (ge2187) & Ramkumar Ramachandra (rr2893)

August 16, 2014

## Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
<b>2</b>	<b>Language Tutorial</b>	<b>4</b>
2.1	Program execution . . . . .	4
2.2	REPL . . . . .	4
2.3	Types and variables . . . . .	4
2.4	List and string operations . . . . .	4
2.5	Control flow . . . . .	5
2.6	Functions . . . . .	5
2.7	Writing to stdout . . . . .	5
<b>3</b>	<b>Language Reference Manual</b>	<b>6</b>
3.1	Lexical Conventions . . . . .	6
3.1.1	Tokens . . . . .	6
3.1.2	Comments . . . . .	6
3.1.3	Identifiers . . . . .	6
3.1.4	Special identifiers . . . . .	6
3.1.5	Operators . . . . .	6
3.1.6	Constants . . . . .	6
3.1.7	Integers . . . . .	6
3.1.8	FLOATS . . . . .	6
3.1.9	String literals . . . . .	7
3.1.10	Others . . . . .	7
3.2	Syntactic structure . . . . .	7
3.3	Program Structure . . . . .	7
3.4	Type System . . . . .	7
3.4.1	List type . . . . .	7
3.4.2	Type checking . . . . .	7
3.4.3	Type conversions . . . . .	7
3.5	Expressions . . . . .	8
3.5.1	Underlying representation . . . . .	8
3.5.2	Expression nesting . . . . .	8
3.6	Scope rules . . . . .	8
3.7	Control Structures . . . . .	8
3.8	Function definition and lexical bindings . . . . .	8
3.9	Operators . . . . .	8
3.10	List functions . . . . .	9
3.11	String functions . . . . .	9
3.12	I/O functions . . . . .	9
<b>4</b>	<b>Project Processes</b>	<b>10</b>
4.1	Planning, specifications and development . . . . .	10
4.2	Development Environment . . . . .	10
4.3	Timeline . . . . .	10

<b>5 Implementation and architectural design</b>	<b>11</b>
5.1 Pipeline . . . . .	11
5.1.1 Compilation . . . . .	11
5.2 Implementation details . . . . .	11
5.2.1 value_t . . . . .	11
5.2.2 Type conversion . . . . .	11
5.2.3 LLVM code generation . . . . .	11
5.2.4 Example generated code . . . . .	12
<b>6 Testing</b>	<b>14</b>
6.1 Test runner . . . . .	14
6.2 Tests . . . . .	14
<b>7 Lessons Learned</b>	<b>17</b>
7.1 Gudbergur . . . . .	17
7.2 Ramkumar . . . . .	17
<b>8 Standard library</b>	<b>18</b>
<b>9 Appendix</b>	<b>19</b>
9.1 Makefile . . . . .	19
9.2 ast.mli . . . . .	19
9.3 lexer.mll . . . . .	20
9.4 parser.mly . . . . .	21
9.5 main.ml . . . . .	21
9.6 toplevel.ml . . . . .	22
9.7 pretty.ml . . . . .	24
9.8 codegen.ml . . . . .	25
9.9 REPL: rrhine . . . . .	37
9.10 bindings.c . . . . .	39
9.11 run_tests.py . . . . .	44

## 1 Introduction

Rhine is a Lisp style language inspired by Clojure. The syntax uses S-Expressions enclosed in parentheses. It has dynamic typing with first class functions and automatic type conversion and it's built on top of LLVM. Although Rhine was originally designed to interact with a text editor, time constraints did not permit the implementation of that feature. Nonetheless the language supports a variety of features which will be explained in further detail in following chapters. The name Rhine is recursive acronym for "Rhine is not Emacs" - alluding to the origins of Rhine as a programming language to interact with a text editor.

## 2 Language Tutorial

This section is intended to teach the basics of Rhine with practical examples.

### 2.1 Program execution

Rhine programs are JIT compiled and can either be executed by feeding code straight to stdin of executable `rhine`, or interactive programming can be done using the included REPL called `rrhine` which also imports the Rhine standard library automatically.

### 2.2 REPL

A REPL is included called `rrhine`. It makes `rhine` interactive and executes then returns results for each entered S-Expression. Input is cumulative, so it's possible for example to define a function and then use it in following input. Multiline code can be pasted by entering "paste" and then ending the paste mode by entering Ctrl-C.

### 2.3 Types and variables

Rhine supports types such as integers, doubles, strings and lists. Because Rhine has dynamic typing, their types never need to be specified. Variables are defined with `let` and `def`. `def` should only be used in top level and variables are bound til end of file from where they are defined. `let` binds variables within the `let` S expressions and no more.

Listing 1: Types and variables

```
(println 5)
(println "this is a string")
(def c "This is a definition")
;; c is defined within let
5 (let [a "another string" b 5.0] (println a) (println b) (println c))
;; c is still defined, but a and b are not.
```

### 2.4 List and string operations

Rhine supports lists and types of values can be mixed, as well as operations on both lists and strings.

Listing 2: Lists and strings

```
; Strings built ins include str-split and str-join
; Prints "Hello world" after splitting and joining the string
(print (str-join (str-split "Hello world")))
```

```
5   ;; Built in list operations include first, rest, cons and length
;; Prints 4
(print (length [1 2 3 4]))
;; Adds 0 to front of list
10  (cons 0 [1 2 3 4])
;; Gets first element and then [2 3]
(first [1 2 3])
(rest [1 2 3])
```

## 2.5 Control flow

Rhine has number of control flow structures

Listing 3: Control flow structures

```
;; Prints "Hi!"
(if (= 1 2) (print "Nonono") (print "Hi!"))
;; Prints nothing
(when (<= 3.0 2) (print "Hi"))
5  ;; Prints 5 6 7 8 9
(dotimes [x 5] (print (+ x 5)))
```

## 2.6 Functions

Functions are defined with `defn` and they are first class citizens that can be passed around. Functions can be recursive.

Listing 4: Functions

```
;; functions are defined with defn
(defn addition [a b] (+ a b))
;; functions can be passed around
;; Prints 6
5  (defn plusone [a b] (a (+ b 1)))
(plusone print 5)
;; Recursion, prints 10th fibonacci number
(defn fib [n]
  (if (= n 0) 0
10    (if (= n 1) 1
        (+ (fib (- n 1)) (fib (- n 2))))))
(prinln (fib 10))
```

## 2.7 Writing to stdout

Listing 5: Print

```
;; Use print or println to write to stdout
(print 5)
(println "This adds linebreak after printing")
```

## 3 Language Reference Manual

This manual intends to describe the Rhine language. Its syntax and semantics will be described in detail in following sections.

### 3.1 Lexical Conventions

A program is entirely contained within a single file and fed into the `rhine` executable or entered using the included REPL called `rrhine`. Rhine files have the extension “.rh”. Rhine does not have a macro or pre-processor system like most Lisp syntax languages.

#### 3.1.1 Tokens

The tokens we have are identifiers, operators, constants, and separators. White space (which consists of newlines, spaces and tabs) is ignored by the tokenizer.

#### 3.1.2 Comments

The character sequence `;;` begins a comment, and it continues until the end of the line. There are no multi-line comments. Comments do not nest, and they do not occur within a string literals.

#### 3.1.3 Identifiers

An identifier (or symbol) is a sequence of so called symbol characters and digits, but cannot begin with a digit. Symbol characters include all letters as well as ?, -, +, \*, /, <, >, =, ., % and ^ . Identifiers are case-sensitive.

#### 3.1.4 Special identifiers

The following identifiers are special and may not be used to create functions or variables: `let`, `def`, `defn`, `dotimes`, `if`, `when`, `defn`.

#### 3.1.5 Operators

The following are builtin operators and are further described in table under section 10: + - % ^ / \* > < = >= <= and or not.

#### 3.1.6 Constants

Integers, floats, string literals, `true`, `false`, `nil` are all constants in Rhine. `true`, `false`, `nil` cannot be used for function or variable names.

#### 3.1.7 Integers

Integer constants are a sequence of digits that can optionally begin with - or + signs which signifies negative and positive integers.

#### 3.1.8 Floats

A floating constant consists of an integer part, a decimal point, a fraction part, an e, and an optionally signed integer exponent. The integer and fraction parts both consist of a sequence of digits. Either the integer part or the fraction part (not both) may be missing; either the decimal point or the e and the exponent (not both) may be missing.

### 3.1.9 String literals

A string literal is a sequence of characters surrounded by double quotes. Double quotes within a string must be preceded by a backslash to be included in the string.

### 3.1.10 Others

true, false and nil are regular constants.

## 3.2 Syntactic structure

The syntax consists of parenthesis and square brackets. The square brackets enclose a “list” that is not to be evaluated, while the parenthesis encloses a S-expression to be used for computation.

An S-expression looks like:

```
(first-argument second-argument third-argument ...)
```

To illustrate a list, the following forms are equivalent:

```
' (first-argument second-argument third-argument ...)
[first-argument second-argument third-argument ...]
```

## 3.3 Program Structure

A program in Rhine consists of a list of S-expressions, and those that are defined in top level are executed right away. S-expressions when there are many are evaluated from left to right. def and defn are only to be used in top level. let can be used within function definitions and can be nested.

## 3.4 Type System

Rhine has 6 fundamental types (that are described further above): Integer, Float, Boolean, Symbol, nil, String, and List. The first five are fundamental data types, while the last one is a composite. There is no type checking built into the language.

### 3.4.1 List type

Lists are essentially S-expressions that are not evaluated. They are internally represented by arrays of pointers to value\_t items, further described under implementation. They can contain elements of different data types, although care must be taken while mixing types.

### 3.4.2 Type checking

Functions have specific type signatures although they are not specified in the syntax: the arguments (or their conversions, which is described next) must conform to the types, or there’s a runtime error. Compile-time typechecking is much weaker, and can only catch certain types of errors.

### 3.4.3 Type conversions

Rhine does most common-sense implicit conversions. Integers get promoted to floats as necessitated by functions operating on them. Integers and floats are converted to Boolean as necessary. Nil is converted to the Boolean false. All types can be printed with print and println.

## 3.5 Expressions

Expressions are all S-expressions. A Rhine program consists of several S-expressions. Each S-expression can contain several other S-expressions, making a recursive structure. In this structure, the first element is a function, an operator, or a builtin, and the other elements are the arguments. S-expressions are evaluated from left to right when in a list.

### 3.5.1 Underlying representation

To illustrate how each S-expression is a cons cell:

```
(first-argument second-argument third-argument ...)
(cons first-argument '(second-argument third-argument ...))
(cons first-argument (cons second-argument '(third-argument ...)))
```

### 3.5.2 Expression nesting

To illustrate S-expression nesting, and the first argument being treated as a function:

```
(first-argument0 second-argument0 ...
  (first-argument1 second-argument1 ...
    (... 
      ...)))
```

## 3.6 Scope rules

All bindings in Rhine are lexically scoped. `def` and `defn` definitions extend to the end of the file from where they appear. `let` definitions extend to where the `let` parentheses ends.

## 3.7 Control Structures

Statement	Description
(if predicate sexpr1 sexpr2)	Evaluates predicate, if true sexpr1 is executed else sexpr2.
(when predicate sexpr)	Evaluates predicate and executes sexpr if predicate is true.
(dotimes [x n] sexpr)	Executes sexpr n-times with n bound to x.

## 3.8 Function definition and lexical bindings

Statement	Description
(def identifier sexpr)	Creates a variable with the name of the identifier and initializes to the sexp.
(defn identifier [arg*] sexpr*)	Defines a function with the given arguments, and binds it to an identifier.
(let [binding*] sexpr*)	Evaluates the expressions sexp with the bindings list bound in its lexical context.

## 3.9 Operators

All operators are left associative and since all operators must be enclosed within separate S-expressions there are no precedence rules.

Statement	Description
'sexpr	Returns the sexpr unevaluated.
(+ sexpr ...)	Adds together all the arguments.
(- sexpr1 sexpr2)	Subtracts the second argument from the first argument.
(* sexpr ...)	Multiplies together all the arguments.
(/ sexpr1 sexpr2)	Divides the first argument with the second argument.
(% sexpr1 sexpr2)	Returns the remainder of (/ sexpr1 sexpr2).
(^ sexpr1 sexpr2)	Returns result of sexpr1 in the power of sexpr2.
(> sexpr1 sexpr2)	Evaluates to the boolean sexpr1 > sexpr2.
(< sexpr1 sexpr2)	Evaluates to the boolean sexpr1 < sexpr2.
(= sexpr1 sexpr2)	Tests equality between sexpr1 and sexpr2.
(>= sexpr1 sexpr2)	Evaluates to the boolean sexpr1 >= sexpr2.
(<= sexpr1 sexpr2)	Evaluates to the boolean sexpr1 <= sexpr2.
(and sexpr1 sexpr2)	Evaluates to the logical and between sexpr1 and sexpr2.
(or sexpr1 sexpr2)	Evaluates to the logical or between sexpr1 and sexpr2.
(not sexpr)	Evaluates to the logical not of sexpr.

### 3.10 List functions

Statement	Description
(first list)	Returns the first element of the list.
(rest list)	Returns everything but the first element of the list.
(cons item list)	Returns the concatenation of [item] and list.
(length list)	Returns the length of the list.

### 3.11 String functions

Statement	Description
(str-split string)	Splits a string into a list of its characters.
(str-join list)	Takes a list of strings and returns them joined together in one string.
(str-length string)	Takes a string and returns length.

### 3.12 I/O functions

Statement	Description
(print sexpr)	Evaluates the sexpr and prints to stdout.
(println sexpr)	Evaluates the sexpr, prints to stdout and appends a newline character.

## 4 Project Processes

### 4.1 Planning, specifications and development

The project was big and the summer course was short so we met as much as we could, which was usually about 6-10 hours 4-5 times a week. During our meetings we discussed who was working on what and upcoming milestones. We then spent the time developing the language features using Git to pass commits between us, and created unit tests along the way. Our first meeting we decided on doing a Lisp style language on top of LLVM, and when we created the LRM we hashed out most of the specifications for the language.

We worked jointly on scanning and parsing as well as some other elements within the project. Ramkumar was responsible for most LLVM code generation such as arrays and operations on them, control flow structures and function/variable definition sequences while Gudbergur was responsible for the arithmetic and control sequence operators as well as automatic type conversion, the standard library, tests and the test runner and the REPL.

### 4.2 Development Environment


We both used Mac OS X for development, and OCaml, OCamllex, and OCaml yacc, LLVM bindings, LLVM MC Jit compiler and for the compiler itself. We used Git hosted on Github for version control. Test runner and the REPL were written using Python. We used make for compiling.

### 4.3 Timeline

- July 13th - Decided on Lisp style language with Clojure-like features
- July 14th - Proposal
- July 23rd - LRM due date
- July 30th - Dynamic typing and tests working
- August 10th - Compiler is working and most features except strings are working
- August 14th - All tests pass and almost all features from the original LRM have been implemented
- August 15th - Final report due

## 5 Implementation and architectural design

### 5.1 Pipeline



#### 5.1.1 Compilation

A Rhine program can be executed either with `rhine` binary, which executes code directly or the `rrhine`, the included REPL which makes `rhine` interactive and automatically imports the standard library. The code is run through an Ocamllex program for tokenization, which is then run through Ocamlyacc for parsing. At this point an AST tree has been generated and the code generation then takes over which either generates native LLVM functions or calls to C functions that are defined in `bindings.c` and called directly from LLVM. LLVM's new JIT compiler, MC JIT then takes over, compiles the bindings and the generated LLVM code, and executes it.

### 5.2 Implementation details

#### 5.2.1 value\_t

`value_t` is the struct responsible for all values. It is not a tagged union, but a tagged struct that has the following fields: `type_tag` (`i32` type), `integer` (`i64` type), `bool` (`i1` type), `string` (`pointer`), `array` (`pointer`), `array/string length` (`i64` type), `double` (`double` type), `function` (`pointer`). All values defined within Rhine are saved in one of these fields and `type_tag` (and sometimes `array/string length`) is set appropriately. We defined functions that handle the boxing and unboxing of these values into/from the `value_t` struct.

#### 5.2.2 Type conversion

Integers are automatically upgraded to floats when arithmetic operations get at least one double as a parameter. The type conversions are done in the C bindings.

#### 5.2.3 LLVM code generation

For every top level S-expressions we define an anonymous function in LLVM IR that is called immediately.

LLVM codegen statements all have side-effects. In most places, order in which variables are codegen'ed are unimportant, and lets can be moved around; but in conditionals, statements must be codegen'ed exactly in order: this means let statements can't be permuted, leading to ugly imperative-style OCaml code.

Ã—

Since LLVM IR is strongly typed, it is possible to inspect the types of llvalues from OCaml at generation-time. However, there is no way for the codegen-stage to inspect the values of variables while the program

is running. This has the unfortunate consequence that a loop hinged upon an lvalue must be implemented in LLVM IR; hence, for functions that require iterating on variable-length arrays, we end up writing tedious LLVM IR generation code instead of an equivalent OCaml code.

Debugging errors from LLVM bindings is hard. Using ocamldebug does not work, since the callstack leading up to an LLVM call in C++ is not owned by OCaml. The alternative is to use lldb, but matching up the C++ call with a line in the OCaml code is non-trivial.

#### 5.2.4 Example generated code

Running this code in rhine:

```
(println (rest [1 2 3]))
```

Generates this LLVM IR code:

```
define i64 @0() {
entry:
%ar = alloca [3 x %value_t*]
%value = call i8* @malloc(i64 ptrtoint (%value_t* getelementptr (%value_t* null, i32 1) to i8*)
%malloc_value = bitcast i8* %value to %value_t*
%boxptr = getelementptr inbounds %value_t* %malloc_value, i32 0, i32 0
%boxptr1 = getelementptr inbounds %value_t* %malloc_value, i32 0, i32 1
store i32 1, i32* %boxptr
store i64 1, i64* %boxptr1
%value2 = call i8* @malloc(i64 ptrtoint (%value_t* getelementptr (%value_t* null, i32 1) to i8*)
%malloc_value3 = bitcast i8* %value2 to %value_t*
%boxptr4 = getelementptr inbounds %value_t* %malloc_value3, i32 0, i32 0
%boxptr5 = getelementptr inbounds %value_t* %malloc_value3, i32 0, i32 1
store i32 1, i32* %boxptr4
store i64 2, i64* %boxptr5
%value6 = call i8* @malloc(i64 ptrtoint (%value_t* getelementptr (%value_t* null, i32 1) to i8*)
%malloc_value7 = bitcast i8* %value6 to %value_t*
%boxptr8 = getelementptr inbounds %value_t* %malloc_value7, i32 0, i32 0
%boxptr9 = getelementptr inbounds %value_t* %malloc_value7, i32 0, i32 1
store i32 1, i32* %boxptr8
store i64 3, i64* %boxptr9
%arptr = getelementptr inbounds [3 x %value_t*]* %ar, i32 0, i32 0
store %value_t* %malloc_value, %value_t** %arptr
%arptr10 = getelementptr inbounds [3 x %value_t*]* %ar, i32 0, i32 1
store %value_t* %malloc_value3, %value_t** %arptr10
%arptr11 = getelementptr inbounds [3 x %value_t*]* %ar, i32 0, i32 2
store %value_t* %malloc_value7, %value_t** %arptr11
%value12 = call i8* @malloc(i64 ptrtoint (%value_t* getelementptr (%value_t* null, i32 1) to i8*)
%malloc_value13 = bitcast i8* %value12 to %value_t*
%lenptr = getelementptr inbounds %value_t* %malloc_value13, i32 0, i32 5
store i64 3, i64* %lenptr
%boxptr14 = getelementptr inbounds %value_t* %malloc_value13, i32 0, i32 0
```

```
%boxptr15 = getelementptr inbounds %value_t* %malloc_value13, i32 0, i32 4
store i32 4, i32* %boxptr14
store %value_t** %arptr, %value_t*** %boxptr15
%load = load i64* %lenptr
%rest = getelementptr inbounds [3 x %value_t]* %ar, i32 0, i64 1
%restsub = add i64 %load, -1
%value18 = call i8* @malloc(i64 ptrtoint (%value_t* getelementptr (%value_t* null, i32 1)
%malloc_value19 = bitcast i8* %value18 to %value_t*
%boxptr20 = getelementptr inbounds %value_t* %malloc_value19, i32 0, i32 0
%lenptr21 = getelementptr inbounds %value_t* %malloc_value19, i32 0, i32 5
%boxptr22 = getelementptr inbounds %value_t* %malloc_value19, i32 0, i32 4
store i32 4, i32* %boxptr20
store i64 %restsub, i64* %lenptr21
store %value_t** %rest, %value_t*** %boxptr22
%call = call %value_t* @println(%value_t* %malloc_value19)
%boxptr23 = getelementptr inbounds %value_t* %call, i32 0, i32 1
%load24 = load i64* %boxptr23
ret i64 %load24
}
```

## 6 Testing

### 6.1 Test runner

The testrunner was written in Python. It accepts and looks in the tests/ directory for "Rhine Test files" that are files that contain both a Rhine program, and expected output from that program, seperated by three hyphens or "—". We created individual tests for every feature of the language.

### 6.2 Tests

Listing 6: Our tests

```
;; Types
(prinln 5)
(prinln 5999999)
(prinln 2.7)
5 (prinln 2e-5)
(prinln .2)
(prinln 2.)
(prinln "hello")
(prinln nil)
10 (prinln true)
(prinln false)
(prinln [])
(prinln [1 2 3])
(prinln ["a" "b" "c"])
15

;; Arithmetic operators
(prinln (and true false))
(prinln (and true true))
(prinln (or true false))
20 (prinln (or false false))
(prinln (not false))
(prinln (+ 2 (- 1 5)))
(prinln (+ 2 5 10 60))
(prinln (* 2 5 10 60))
25 (prinln (+ (+ 2 (- 1 5)) 10))
(prinln (- (+ 2 (- 1 5)) 10))
(prinln (* 2 (/ 1 5)))
(prinln (* 2 4))
(prinln (* 6 5))
30 (prinln (* .2 (/ 2.0 5)))
(prinln (+ .2 (- 2.0 5)))
(prinln (+ 1e2 (- 2.0 5)))
(prinln (% 5 4))
(prinln (% 23 4))
35 (prinln (% 5 4))
(prinln (% 5 4))
(prinln (^ 2 4))

;; Conditional operators
40 (prinln (= 4 4))
(prinln (= 1 1))
(prinln (= 0 0))
```

```

  (println (= 2 4))
  (println (= [] []))
45 (println (= [1] [1]))
  (println (< 2 4))
  (println (> 1 6))
  (println (> 3 4))
  (println (<= 3 4))
50 (println (<= 4 5))
  (println (<= 5.0 4.0))
  (println (<= 4 4))
  (println (>= 5 4))
  (println (>= 5.0 4.0))
55 (println (>= 4 4))
  (println (>= 1 3))
  (println (< 1.0 4))
  (println (< 1 4))
  (println (> 1.0 4.0))
60 (println (> (* 2 2.0) (* 5 5)))
  (println (< (* 2 4.0) (* 9 5)))
  (println (= true true))
  (println (= false true))
  (println (= false false))
65 (println (= true false))

;; Lists
70 (println (cons 1 [2 3 4]))
  (println (cons 1 [2.5 3.0 4]))
  (println (cons "str" ["s" 3.0 "x"]))
  (if (= [] []) (print "OK!") (print "NO"))
  (if (= [1] [1]) (print "OK!") (print "NO"))
75 (print (nth 1 [1.0 "string" [1 2 3] 4 5 6]))
  (print (nth 2 [1.0 "string" [1 2 3] 4 5 6]))
  (print (nth 3 [1.0 "string" [1 2 3] 4 5 6]))
  (print (nth 4 [1.0 "string" [1 2 3] 4 5 6]))
  (print (length [1 2 3 4]))
80 (println [1 2 3])
  (println (first [66 2 4 5 6]))
  (println (first ["asd" "ad" "ll"]))
  (println (first [2.0 4.0]))
  (println (rest [2.0 4.0]))
85 (println (rest ["asd" "ad" "ll"]))
  (println (rest [1 3 5 6]))


;; Print
90 (print "hello")
  (print 83)
  (print 2.0)
  (println 3.0)
  (println 2)
  (println [1 2 3])

```

```

100  (print [1 2.0])
    (println true)

105  ; Strings
    (println "this is a string")
    (println "this
is
a
string")
    (println "this is a \"string\" with a \\"")
    (print "the end")
    (println (str-join ["f" "o" "o"]))
    (str-length "foom")
110  (print (str-join (str-split "hello"))))
    (println (str-split "foo"))

115  ; Def, Defn, Let and Dotimes
120  (def test 5.0)
    (print test)
    (defn test1 [b] b)
    (defn test2 [a b] (+ a b))
    (defn test3 [a b c] (if true (* a b c) []))
    (print (test1 55))
    (print (test2 55 66))
    (print (test3 55 66 22))
    (dotimes [x 10] (print "hello world!"))
    (dotimes [x 4] (print (* x (+ x 5))))
125  (defn foo [f] (println 5))
    (defn bar [f] (f 5))
    (foo println)
    (bar println)
    (let [a 1 b 2 c 3] (println (+ a b c)))
130  (let [a "string" b 2.30 c 3.0] (println (+ b c)))
    (let [a 1 b a] (println b))
    (let [a 1] (let [b a c b] (println c))))
    (println (let [b 1 c 2] (+ b 2) (+ c 2)))

135  ; Conditionals
140  (println (= false true))
    (println (= true true))
    (println (if (= false true) 88 99))
    (println (if (= 0 1) 88 99))
    (println (if (= 1 1) 88 99))
    (println (if (= true true) 88 99))
    (println (if false "hello" "hmm"))
    (if (not false) (println "hey!") (println "no")))
145  (when (= false true) (println 43))
    (when (= true true) (println 42))

```

## 7 Lessons Learned

### 7.1 Gudbergur

I learned a lot this summer, both in class and doing the project. Implementing the machinery needed for modern programming languages to work is a daunting task and although Rhine only scratched the surface of it, it was an eye opening experience. From scanning, parsing, code generation to test suites, LLVM intricacies etc there was a lot to do and learn. OCaml, the LLVM IR as the Lisp style were all pretty new to me in the beginning so it was hard at first to get into the mindset of working with all these different technologies.

OCaml in particular was very nice to work with. Algebraic data types with pattern matching made building AST using the lexer and parser incredibly smooth. Although we couldn't explore all the options, by using the LLVM infrastructure a lot of features can come cheaply by generating LLVM IR, such as garbage collection and different target like Javascript using Emscripten even though the JIT compiler does not seem to get a lot of attention. Having a regression test suite was a great boon for the development progress and I recommend future teams to incorporate them early.

### 7.2 Ramkumar

At the time of the proposal, we hadn't fully realized the repercussions of a fully dynamically-typed language. We initially thought we could get away with some sort of type inference, but the real challenge of the project was supporting arrays containing multiple types: it's impossible to associate a type to such an array, and hence reason about it.

We started out with zero experience in LLVM, and built up a high degree of expertise by the end of the term. At first, the task of using LLVM OCaml bindings seemed unsurmountable due to absolute lack of documentation or support. Over the weeks, we learnt mostly via type signatures; a typesystem is a powerful tool in reasoning about programs.

We didn't realize the problem with functions taking multiple value\_t\* arguments and returning a value\_t\* until we needed to implement first class functions (using function pointers).

Implementing complex functions as builtins (by directly generating IR) is perhaps more efficient than implementing them in Rhine, but the gap is very small due to optimization passes applied on the Rhine-generated IR. The marginal benefit outweighs the cost of correctly weaving complex IR; perhaps we should have chosen simpler string primitives than str-split and str-join.

if and dotimes were incredibly hard to get right. This is because we had to generate basic blocks and build a phi node to unify them correctly. We chose to do only one loop, but perhaps the language needs more looping constructs; recursion doesn't always cut it because of the inefficiency of creating a stack frame for each iteration.Â

## 8 Standard library

Listing 7: stdlib.rh

```

;; Absolute value of number
(defn abs [n] (if (< n 0) (* n -1) n))

;; Concatenates two strings
5 (defn concat [a b]
  (if (not (= [] a))
    (cons (first a) (concat (rest a) b))
    b))

10 ;; Factorial
(defn factorial [n]
  (if (< n 2)
    n
    (* n (factorial (- n 1)))))

15 ;; Decrement number by 1
(defn dec [n] (- n 1))

20 ;; Increment number by 1
(defn inc [n] (+ n 1))

;; Return first n items of coll
(defn take [n coll]
  (if
25    (and (> n 0) (not (= [] coll)))
    (cons (first coll) (take (- n 1) (rest coll)))
    []))

30 ;; Drop the first n items of coll
(defn drop [n coll]
  (if (and (> n 0) (not (= [] coll)))
    (drop (dec n) (rest coll))
    coll))

35 ;; Return the nth element of coll
(defn nth [n coll] (first (drop (dec n) coll)))

40 ;; Returns the result of applying f to each element of coll
(defn map
  [f coll]
  (if (not (= [] coll))
    (cons (f (first coll))
      (map f (rest coll))))
    []))

```

## 9 Appendix

### 9.1 Makefile

```

OBJS = parser.cmo lexer.cmo pretty.cmo codegen.cmo toplevel.cmo main.cmo bindings.o
ocamlc = ocamlc -g -w @5@8@10@11@12@14@23@24@26@29@40

5 rhine : $(OBJS)
    ocamlfind $(ocamlc) -package llvm -package llvm.executionengine -package llvm.analysis -package
lexer.ml : lexer.mll
    ocamlex lexer.mll
parser.ml parser.mli : parser.mly
10   ocamllex parser.mly
codegen.cmo: codegen.ml
    ocamlfind $(ocamlc) -c -package llvm -linkpkg $<
toplevel.cmo: toplevel.ml
    ocamlfind $(ocamlc) -c -package llvm -linkpkg $<
%.cmo : %.ml
15   $(ocamlc) -c $<
%.cmi : %.mli
    $(ocamlc) -c $<
%.o : %.c
20   cc -c -o $@ $<
clean :
    rm -f rhine parser.ml parser.mli lexer.ml *.o *.cmo *.cmi *.cmx

codegen.cmo : ast.cmi
25 codegen.cmx : ast.cmi
lexer.cmo : parser.cmi
lexer.cmx : parser.cmx
main.cmo : toplevel.cmo pretty.cmo parser.cmi lexer.cmo ast.cmi
main.cmx : toplevel.cmx pretty.cmx parser.cmx lexer.cmx ast.cmi
30 parser.cmo : ast.cmi parser.cmi
parser.cmx : ast.cmi parser.cmi
pretty.cmo : ast.cmi
pretty.cmx : ast.cmi
toplevel.cmo : codegen.cmo ast.cmi
toplevel.cmx : codegen.cmx ast.cmx
35 ast.cmi :
parser.cmi : ast.cmi

```

### 9.2 ast.mli

```

type atom =
    Symbol of string
| Int of int
| Bool of bool
| Double of float
| String of string
| Nil
5

```

```

10 type sexpr =
    Atom of atom
  | DottedPair of sexpr * sexpr
  | Vector of sexpr array

15 type prog =
    Prog of sexpr list

type proto =
    Prototype of string * string array

20 type func =
    Function of proto * sexpr

```

### 9.3 lexer.mll

```

{
  open Parser
  exception SyntaxError of string
}

5 let digit = ['0'-'9']
let characters = ['a'-'z' 'A'-'Z']
let symbol_chars = ['a'-'z' 'A'-'Z' '?' '-' '+' '*' '/' '<' '>' '=' '.' '%' '^']
let e = ['E' 'e'] ['- '+'']?['0'-'9']+

10 rule token = parse
  | [' ' '\t' '\r' '\n'] { token lexbuf }
  | ";" { comment lexbuf }
  | '(' { LPAREN }
  | ')' { RPAREN }
  | '[' { LSQBR }
  | ']' { RSQBR }
  | "nil" { NIL }
  | "true" { TRUE }
  15 | "false" { FALSE }
  | ([0'-'9']*).'['0'-'9']+e? as s { DOUBLE(float_of_string s) }
  | ([0'-'9']+).'['0'-'9']*e? as s { DOUBLE(float_of_string s) }
  | ([0'-'9']+)+e as s { DOUBLE(float_of_string s) }
  | ['- '+'']?digit+ as s { INTEGER(int_of_string s) }
  | (symbol_chars (digit|symbol_chars))* as s { SYMBOL(s) }
  | '"' { let b = Buffer.create 1024 in read_string b lexbuf }
  20 | eof { EOF }

and comment = parse
  '\n' { token lexbuf }
  | _ { comment lexbuf }

and read_string b = parse
  "\\\\" { Buffer.add_string b "\""; read_string b lexbuf }
  | '\"' { STRING(Buffer.contents b) }
  | [^'"] { Buffer.add_string b (Lexing.lexeme lexbuf); read_string b lexbuf }

```

## 9.4 parser.mly

```
%{ open Ast %}

%token LPAREN RPAREN LSQBR RSQBR NIL TRUE FALSE EOF
%token <int> INTEGER
5 %token <float> DOUBLE
%token <string> SYMBOL
%token <string> STRING

%start prog
10 %type <Ast.prog> prog
%type <Ast.atom> atom
%type <Ast.sexpr> sexpr

%%
15 prog:
    sexprs EOF { Prog($1) }

atom:
20 NIL { Nil }
| TRUE { Bool(true) }
| FALSE { Bool(false) }
| INTEGER { Int($1) }
| DOUBLE { Double($1) }
25 | STRING { String($1) }
| SYMBOL { Symbol($1) }

sexpr:
30 atom { Atom($1) }
| LPAREN sexprs RPAREN {
    let rec buildDP = function
        [] -> Atom(Nil)
        | h::t -> DottedPair(h, buildDP t)
    in buildDP($2)
35 }

qsexpr:
40 LSQBR sexprs RSQBR { Vector(Array.of_list $2) }
| LSQBR RSQBR { Vector([[]]) }

sexprs:
45 sexpr sexprs { $1::$2 }
| qsexpr sexprs { $1::$2 }
| sexpr { [$1] }
| qsexpr { [$1] }
```

## 9.5 main.ml

```
open Ast
type action = Pprint | Normal
```

```

let main () =
  let action =
    if Array.length Sys.argv > 1 then
      try
        List.assoc Sys.argv.(1) [ ("--p", Pprint) ]
        with Not_found -> Normal
    else
      Normal
  in
  let lexbuf = Lexing.from_channel stdin in
  let prog = Parser.prog Lexer.token lexbuf in
  match action with
    Normal -> (match prog with
                  Prog(ss) -> Toplevel.main_loop ss)
    | Pprint -> Pretty pprint prog
;;
main ()

```

## 9.6 toplevel.ml

```

open LLVM
open LLVM_ExecutionEngine
open LLVM_Target
open LLVM_Scalar_Opts
5  open Codegen

exception Error of string

let _ = initialize_native_target ()
10 let the_execution_engine = ExecutionEngine.create_jit the_module 1
let the_fpm = PassManager.create_function the_module

let emit_anonymous_f s =
  codegen_func(Ast.Function(Ast.Prototype("", [])), s))
15

let extract_strings args = Array.map (fun i ->
                                         (match i with
                                           Ast.Atom(Ast.Symbol(s)) -> s
                                           | _ -> raise (Error "Bad argument")))
20                                         args

let parse_defn_form sexpr = match sexpr with
  Ast.DottedPair(Ast.Atom(Ast.Symbol(sym)),
                 Ast.DottedPair(Ast.Vector(v), body)) ->
25    (sym, extract_strings v, body)
  | _ -> raise (Error "Unparseable defn form")

let parse_def_form sexpr = match sexpr with
  Ast.DottedPair(Ast.Atom(Ast.Symbol(sym)),
                 Ast.DottedPair(expr, Ast.Atom(Ast.Nil))) -> (sym, expr)
30

```

```

| _ -> raise (Error "Unparseable def form")

let sexpr_matcher sexpr =
  let value_t = match type_by_name the_module "value_t" with
    Some t -> t
  | None -> raise (Error "Could not look up value_t") in
  match sexpr with
    Ast.DottedPair(Ast.Atom(Ast.Symbol("defn")), s2) ->
      let (sym, args, body) = parse_defn_form s2 in
      codegen_func(Ast.Function(Ast.Prototype(sym, args), body))
  | Ast.DottedPair(Ast.Atom(Ast.Symbol("def")), s2) ->
    (* Emit initializer function *)
    let the_function = codegen_proto (Ast.Prototype("", [])) in
    let bb = append_block context "entry" the_function in
    position_at_end bb builder;
    let (sym, expr) = parse_def_form s2 in
    let llexpr = codegen_sexpr expr in
    let llexpr = build_load llexpr "llexpr" builder in
    let global = define_global sym (const_null value_t) the_module in
    ignore (build_store llexpr global builder);
    ignore (build_ret (const_int i64_type 0) builder);
    the_function
  | _ -> emit_anonymous_f sexpr

55 let print_and_jit se =
  let f = sexpr_matcher se in

  (* Validate the generated code, checking for consistency. *)
  (* Llvm_analysis.assert_valid_function f;*)

60 (* Optimize the function. *)
  ignore (PassManager.run_function f the_fpm);

  dump_value f;

65 if Array.length (params f) == 0 then (
  let result = ExecutionEngine.run_function f [] the_execution_engine in
  print_string "Evaluated to ";
  print_int (GenericValue.as_int result);
  print_newline ()
)

70 let main_loop ss =
  (* Do simple "peephole" optimizations and bit-twiddling optzn. *)

75 add_instruction_combination the_fpm;

  (* reassociate expressions. *)
  add_reassociation the_fpm;

80 (* Eliminate Common SubExpressions. *)
  add_gvn the_fpm;

```

```

(* Simplify the control flow graph (deleting unreachable blocks, etc). *)
85 add_cfg_simplification the_fpm;

ignore (PassManager.initialize the_fpm);

(* Declare global variables/ types *)
90 let llvalue_t = named_struct_type context "value_t" in
let value_t_elts = [| i32_type; (* value type of struct, integer: 1, bool: 2, string: 3 *)
                     i64_type; (* integer *)
                     i1_type; (* bool *)
                     (pointer_type i8_type); (* string *)
                     (pointer_type (pointer_type llvalue_t)); (* array *)
                     i64_type; (* array length *)
                     double_type; (* double *)
                     pointer_type (function_type
                                   (pointer_type llvalue_t)
                                   [| (pointer_type llvalue_t) |]);;
100   |] in
struct_set_body llvalue_t value_t_elts false;

(* Declare external functions *)
105 let ft = function_type (pointer_type i8_type) [| i64_type |] in
ignore (declare_function "malloc" ft the_module);
let ft = function_type i64_type [| pointer_type i8_type |] in
ignore (declare_function "strlen" ft the_module);
let ft = function_type i32_type
                     [| pointer_type i8_type; pointer_type i8_type;
                        i64_type; i32_type; i1_type |] in
110 ignore (declare_function "llvm.memcpy.p0i8.p0i8.i64" ft the_module);
ignore (codegen_proto (Ast.Prototype("println", Array.make 1 "v")));
ignore (codegen_proto (Ast.Prototype("print", Array.make 1 "v")));
115 ignore (codegen_proto (Ast.Prototype("cadd", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("cdiv", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("csub", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("cmul", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("cmod", Array.make 2 "v")));
120 ignore (codegen_proto (Ast.Prototype("cexponent", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("clt", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("cgt", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("clte", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("cgte", Array.make 2 "v")));
125 ignore (codegen_proto (Ast.Prototype("cequ", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("cand", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("cor", Array.make 2 "v")));
ignore (codegen_proto (Ast.Prototype("cnot", Array.make 1 "v")));
ignore (codegen_proto (Ast.Prototype("cstrjoin", Array.make 1 "v")));
130 List.iter (fun se -> print_and_jit se) ss

```

## 9.7 pretty.ml

```
open Ast
```

```

let print_bool = function true -> print_string "true"
                  | false -> print_string "false"

(* pretty print atoms *)
let ppatom p = match p with
  Symbol(s) -> print_string ("sym:" ^ s)
  | String(s) -> print_string ("str:" ^ s)
  | Int(i) -> print_string "int:"; print_int i
  | Bool(i) -> print_string "bool:"; print_bool i
  | Double(d) -> print_string "dbl:"; print_float d
  | Nil -> print_string "nil"

(* pretty print S-expressions *)
let rec ppsexpr p islist = match p with
  Atom(a) -> ppatom a
  | DottedPair(sel,se2) -> if islist then () else
    print_string "(" ;
    (match sel with
      Atom(a) -> ppatom a
      |_ -> ppsexpr sel false);
    print_char ' ';
    (match se2 with
      Atom(Nil) -> print_char ')'
      | Atom(_ as a) -> print_string ". ";
      ppatom a;
      print_string " )"
      |_ -> ppsexpr se2 true)
  | Vector(qs) -> print_string "[ ";
    Array.iter (fun i -> ppsexpr i false;
                print_char ' ') qs;
    print_char ']'

(* pretty print the program *)
let pprint p = match p with
  Prog(ss) -> List.iter (fun i -> ppsexpr i false;
                           print_newline ();
                           print_newline ()) ss

```

## 9.8 codegen.ml

```

open Llvm

module StringSet = Set.Make(String)

exception Error of string

let context = global_context ()
let the_module = create_module context "Rhine JIT"
let builder = builder context
let named_values:(string, llvalue) Hashtbl.t = Hashtbl.create 10
let i8_type = i8_type context
let i32_type = i32_type context

```

```

let i64_type = i64_type context
let i1_type = i1_type context
let double_type = double_type context
let void_type = void_type context

15 let int_of_bool = function true -> 1 | false -> 0

let (--) i j =
  let rec aux n acc =
    if n < i then acc else aux (n-1) (n :: acc)
  in aux j []

20 let arith_ops = List.fold_left (fun s k -> StringSet.add k s)
  StringSet.empty
  [ "+"; "-"; "*"; "/"; "./"; "<"; ">"; "%"; "^";
  "<="; ">="; "="; "and"; "or"; "not" ]

25 let array_ops = List.fold_left (fun s k -> StringSet.add k s)
  StringSet.empty
  [ "first"; "rest"; "cons"; "length" ]

let string_ops = List.fold_left (fun s k -> StringSet.add k s)
  StringSet.empty
  [ "str-split"; "str-join"; "str-length" ]

30 let cf_ops = List.fold_left (fun s k -> StringSet.add k s)
  StringSet.empty
  [ "if"; "when"; "dotimes" ]

35 let binding_ops = List.fold_left (fun s k -> StringSet.add k s)
  StringSet.empty
  [ "let"; "def" ]

40 let create_entry_block_alloca the_function var_name =
  let value_t = match type_by_name the_module "value_t" with
    Some t -> t
    | None -> raise (Error "Could not look up value_t")
  in
  let builder = builder_at context (instr_begin (entry_block the_function)) in
  build_alloca value_t var_name builder

45 let build_malloc llsizer llt id builder =
  let callee = match lookup_function "malloc" the_module with
    Some callee -> callee
    | None -> raise (Error "Unknown function referenced") in
  let raw_ptr = build_call callee [| llsizer |] id builder in
  build_bitcast raw_ptr (pointer_type llt) "malloc_value" builder

50 let build_strlen llv =
  let callee = match lookup_function "strlen" the_module with
    Some callee -> callee
    | None -> raise (Error "Unknown function referenced") in
  build_call callee [| llv |] "strlen" builder

```

```

let build_memcpy src dst llsizE =
  let callee = match lookup_function "llvm.memcpy.p0i8.p0i8.i64" the_module with
    Some callee -> callee
    | None -> raise (Error "Unknown function referenced") in
  build_call callee [| dst; src; llsizE;
                      const_int i32_type 0;
                      const_int i1_type 0 |] "memcpy" builder

75
let idx n = [| const_int i32_type 0; const_int i32_type n |]

let undef_vec len =
  let undef_list = List.map (fun i -> undef i64_type) (0--(len - 1)) in
  const_vector (Array.of_list undef_list)

80
let box_llar llval llen =
  let value_t = match type_by_name the_module "value_t" with
    Some t -> t
    | None -> raise (Error "Could not look up value_t")
  in
  let value_ptr = build_malloc (size_of value_t) value_t "value" builder in
  let type_dst = build_in_bounds_gep value_ptr (idx 0) "boxptr" builder in
  let lenptr = build_in_bounds_gep value_ptr (idx 5) "lenptr" builder in
  let dst = build_in_bounds_gep value_ptr (idx 4) "boxptr" builder in
  let lltype_tag = const_int i32_type 4 in
  ignore (build_store lltype_tag type_dst builder);
  ignore (build_store llen llenptr builder);
  ignore (build_store llval dst builder);
  value_ptr

95
let box_value llval =
  let value_t = match type_by_name the_module "value_t" with
    Some t -> t
    | None -> raise (Error "Could not look up value_t")
  in
  let rharray_type size = array_type (pointer_type value_t) size in
  let value_ptr = build_malloc (size_of value_t) value_t "value" builder in
  let match_pointer ty = match ty with
    | ty when ty = pointer_type (function_type (pointer_type value_t)
                                  [| (pointer_type value_t) |]) ->
        (7, llval)
    | _ ->
        match element_type ty with
          ty when ty = i8_type ->
            let len = build_strlen llval in
            let lenptr = build_in_bounds_gep value_ptr (idx 5) "lenptr" builder in
            ignore (build_store len lenptr builder);
            (3, llval)
105
    | ty when ty = rharray_type (array_length ty) ->
        let len = const_int i64_type (array_length ty) in
        let lenptr = build_in_bounds_gep value_ptr (idx 5) "lenptr" builder in
        ignore (build_store len lenptr builder);

```

```

120           (4, build_in_bounds_gep llval (idx 0) "llval" builder)
121           | ty -> raise (Error "Don't know how to box type") in
122 let match_composite ty = match classify_type ty with
123   TypeKind.Pointer -> match_pointer ty
124   | _ -> raise (Error "Don't know how to box type") in
125 let (type_tag, llval) = match type_of llval with
126   ty when ty = i64_type ->
127     (1, llval)
128   | ty when ty = i1_type ->
129     (2, llval)
130   | ty when ty = double_type ->
131     (6, llval)
132   | ty -> match_composite ty
133 in
134 let type_dst = build_in_bounds_gep value_ptr (idx 0) "boxptr" builder in
135 let dst = build_in_bounds_gep value_ptr (idx type_tag) "boxptr" builder in
136 let lltype_tag = const_int i32_type type_tag in
137 ignore (build_store lltype_tag type_dst builder);
138 ignore (build_store llval dst builder);
139 value_ptr

140 let get_type llval =
141   let type_num = build_in_bounds_gep llval (idx 0) "boxptr" builder in
142   build_load type_num "load" builder

143 let unbox_dbl llval =
144   let dst = build_in_bounds_gep llval (idx 6) "boxptr" builder in
145   build_load dst "load" builder

146 let unbox_int llval =
147   let dst = build_in_bounds_gep llval (idx 1) "boxptr" builder in
148   build_load dst "load" builder

149 let unbox_bool llval =
150   let dst = build_in_bounds_gep llval (idx 2) "boxptr" builder in
151   build_load dst "load" builder

152 let unbox_function llval =
153   let dst = build_in_bounds_gep llval (idx 7) "boxptr" builder in
154   build_load dst "load" builder

155 let unbox_str llval =
156   let dst = build_in_bounds_gep llval (idx 3) "boxptr" builder in
157   build_load dst "load" builder

158 let unbox_length llval =
159   let dst = build_in_bounds_gep llval (idx 5) "boxptr" builder in
160   build_load dst "load" builder

161 let unbox_ar llval =
162   let value_t = match type_by_name the_module "value_t" with
163     Some t -> t
164     | None -> raise (Error "Could not look up value_t")

```

```

in
let ptr = build_in_bounds_gep llval (idx 4) "boxptr" builder in
let el = build_load ptr "el" builder in
let rharray_type size = pointer_type (array_type
                                         (pointer_type value_t) size) in
let vec n = build_bitcast el (rharray_type n) "arptr" builder in
let arload n = build_load (vec n) "load" builder in
arload 10

175 let codegen_atom atom =
let value_t = match type_by_name the_module "value_t" with
  Some t -> t
| None -> raise (Error "Could not look up value_t")
in
let unboxed_value = match atom with
  Ast.Int n -> const_int i64_type n
| Ast.Bool n -> const_int i1_type (int_of_bool n)
| Ast.Double n -> const_float double_type n
| Ast.Nil -> const_null (pointer_type value_t)
| Ast.String s -> build_global_stringptr s "string" builder
| Ast.Symbol n -> match lookup_global n the_module with
  Some v -> v
| None ->
  match lookup_function n the_module with
    Some f -> box_value f
  | None ->
    try Hashtbl.find named_values n with
      Not_found -> raise (Error "Symbol not bound")
180 in match atom with
  Ast.Symbol n -> unboxed_value
| Ast.Nil -> unboxed_value
| _ -> box_value unboxed_value

185 let rec extract_args s = match s with
  Ast.DottedPair(s1, s2) ->
begin match (s1, s2) with
  (Ast.Atom m, Ast.DottedPair(_, _)) ->
    (codegen_atom m)::(extract_args s2)
| (Ast.Atom m, Ast.Atom(Ast.Nil)) -> [codegen_atom m]
| (Ast.DottedPair(_, _), Ast.DottedPair(_, _)) ->
    (codegen_sexp s1)::(extract_args s2)
| (Ast.DottedPair(_, _), Ast.Atom(Ast.Nil)) -> [codegen_sexp s1]
| (Ast.Vector(qs), Ast.DottedPair(_, _)) ->
    (codegen_array qs)::(extract_args s2)
| (Ast.Vector(qs), Ast.Atom(Ast.Nil)) -> [codegen_array qs]
| _ -> raise (Error "Malformed sexp")
200 end
| _ -> raise (Error "Expected sexp")

205 and codegen_one_arg s = match s with
  Ast.DottedPair(s1, s2) ->
begin match (s1, s2) with
  (Ast.Atom m, Ast.DottedPair(_, _)) ->

```

```

225      codegen_atom m
| (Ast.Atom m, Ast.Atom(Ast.Nil)) -> codegen_atom m
| (Ast.DottedPair(_, _), Ast.DottedPair(_, _)) ->
  codegen_sexp s1
| (Ast.DottedPair(_, _), Ast.Atom(Ast.Nil)) -> codegen_sexp s1
| (Ast.Vector(qs), Ast.DottedPair(_, _)) ->
  codegen_array qs
| (Ast.Vector(qs), Ast.Atom(Ast.Nil)) -> codegen_array qs
| _ -> raise (Error "Malformed sexp")
  end
235 | _ -> raise (Error "Expected sexp")

and codegen_arith_op op args =
  let hd = List.hd args in
  let tl = List.tl args in
  match op with
    "not" -> codegen_call_op "cnot" [hd]
240 | _ ->
  if tl == [] then hd else
    let snd = List.nth args 1 in
    match op with
      "+" -> codegen_call_op "cadd" [hd; (codegen_arith_op op tl)]
      | "-" -> codegen_call_op "csub" [hd; snd]
      | "/" -> codegen_call_op "cdiv" [hd; snd]
      | "*" -> codegen_call_op "cmul" [hd; (codegen_arith_op op tl)]
250      | "%" -> codegen_call_op "cmod" [hd; snd]
      | "^" -> codegen_call_op "cexponent" [hd; snd]
      | "<" -> codegen_call_op "clt" [hd; snd]
      | ">" -> codegen_call_op "cgt" [hd; snd]
      | "<=" -> codegen_call_op "clte" [hd; snd]
      | ">=" -> codegen_call_op "cgte" [hd; snd]
255      | "=" -> codegen_call_op "cequ" [hd; snd]
      | "and" -> codegen_call_op "cand" [hd; snd]
      | "or" -> codegen_call_op "cor" [hd; snd]
      | _ -> raise (Error "Unknown arithmetic operator")
260

and codegen_array_op op args =
  let value_t = match type_by_name the_module "value_t" with
    Some t -> t
    | None -> raise (Error "Could not look up value_t") in
  let arg = List.hd args in
  match op with
    "first" ->
      let ar = unbox_ar arg in
      build_extractvalue ar 0 "extract" builder
270    | "rest" ->
      let ptr = build_in_bounds_gep arg (idx 4) "boxptr" builder in
      let lenptr = build_in_bounds_gep arg (idx 5) "boxptr" builder in
      let len = build_load lenptr "load" builder in
      let el = build_load ptr "el" builder in
      let newptr = build_in_bounds_gep el [| const_int i64_type 1 |]
275        "rest" builder in
      let newlen = build_sub len (const_int i64_type 1) "restsub" builder in

```

```

    box_llar newptr newlen
| "length" ->
  box_value (unbox_length arg)
| "cons" ->
  let tail = List.nth args 1 in
  let lenptr = build_in_bounds_gep tail (idx 5) "boxptr" builder in
  let len_32 = build_load lenptr "lenptr" builder in
  let len = build_zext len_32 i64_type "len_64" builder in
  let sizeof = size_of value_t in
  let size = build_mul len sizeof "size" builder in
  let newlen = build_add len (const_int i64_type 1) "conslen" builder in
  let newsize = build_mul newlen sizeof "newsize" builder in
  let ptr = build_malloc newsize (pointer_type value_t) "malloc" builder in
  let ptrhead = build_in_bounds_gep ptr [| const_int i32_type 0 |]
    "ptrhead" builder in
  let ptrrest = build_in_bounds_gep ptr [| const_int i32_type 1 |]
    "ptrrest" builder in
  let tailptr = build_in_bounds_gep tail (idx 4) "ptrhead" builder in
  let tailel = build_load tailptr "tailptr" builder in
  let rawsrc = build_bitcast tailel (pointer_type i8_type)
    "rawsrc" builder in
  let rawdst = build_bitcast ptrrest (pointer_type i8_type)
    "rawdst" builder in
  ignore (build_store arg ptrhead builder);
  ignore (build_memcpy rawsrc rawdst size);
  box_llar ptr newlen
| _ -> raise (Error "Unknown array operator")
305
and codegen_string_op op s2 =
  let value_t = match type_by_name the_module "value_t" with
    Some t -> t
  | None -> raise (Error "Could not look up value_t") in
  let rharel_type = pointer_type value_t in
  let rhcstring_type size = array_type i8_type size in
  let nullterm = const_int i8_type 0 in
  match op with
    "str-join" ->
      let arg = List.hd s2 in
      codegen_call_op "cstrjoin" [arg]
    | "str-split" ->
      let arg = List.hd s2 in
      let str = unbox_str arg in
310
      let len = unbox_length arg in
      let size = build_mul (size_of rharel_type)
        len "size" builder in
      let newar = build_malloc size rharel_type "newar" builder in
315
      let var_name = "i" in
      let loop_lim = box_value len in
      let start_val = codegen_sexpr (Ast.Atom(Ast.Int(0))) in
      let start_bb = insertion_block builder in
      let the_function = block_parent start_bb in
      let loop_bb = append_block context "loop" the_function in
320
325
330

```

```

    ignore (build_br loop_bb builder);
    position_at_end loop_bb builder;
    let variable = build_phi [(start_val, start_bb)] var_name builder in
    let old_val =
      try Some (Hashtbl.find named_values var_name) with Not_found -> None
  in
    Hashtbl.add named_values var_name variable;
    (* start body *)
    let loopidx = unbox_int variable in
  340  let ptr = build_in_bounds_gep str [| loopidx |]
        "extract" builder in
    let el = build_load ptr "extractload" builder in
    let strseg = build_alloca (rhstring_type 2) "strseg" builder in
    let strseg0 = build_in_bounds_gep strseg (idx 0) "strseg0" builder in
  345  let strseg1 = build_in_bounds_gep strseg (idx 1) "strseg1" builder in
    ignore (build_store el strseg0 builder);
    ignore (build_store nullterm strseg1 builder);
    let newptr = build_in_bounds_gep newar [| loopidx |] "arptra" builder in
    ignore (build_store (box_value strseg0) newptr builder);
    (* end body *)
  350  let next_var = build_add (unbox_int variable)
        (const_int i64_type 1) "nextvar" builder in
    let next_var = box_value next_var in
    let end_cond = build_icmp Icmp.Slt (unbox_int next_var)
      (unbox_int loop_lim) "end_cond" builder in
    let loop_end_bb = insertion_block builder in
  355  let after_bb = append_block context "after_loop" the_function in
    ignore (build_cond_br end_cond loop_bb after_bb builder);
    position_at_end after_bb builder;
    add_incoming (next_var, loop_end_bb) variable;
  360  begin match old_val with
      Some old_val -> Hashtbl.add named_values var_name old_val
      | None -> ()
    end;
  365  box_llar newar len
  | "str-length" ->
    box_value (unbox_length (List.hd s2))
  | _ -> raise (Error "Unknown string operator")

  370 and codegen_cf_op op s2 =
    let value_t = match type_by_name the_module "value_t" with
      Some t -> t
      | None -> raise (Error "Could not look up value_t") in
    match op with
  375  "if" ->
    let truese = match s2 with
      Ast.DottedPair(_, next) -> next
      | _ -> raise (Error "Malformed if expression") in
    let falsese = match truese with
      Ast.DottedPair(_, next) -> next
  380  | _ -> raise (Error "Malformed if expression") in
    let cond_val = unbox_bool (codegen_one_arg s2) in
    let start_bb = insertion_block builder in

```

```

385   let the_function = block_parent start_bb in
let truebb = append_block context "then" the_function in
position_at_end truebb builder;
let true_val = codegen_one_arg truese in
let new_truebb = insertion_block builder in
let falsebb = append_block context "else" the_function in
position_at_end falsebb builder;
390   let false_val = codegen_one_arg falsee in
let new_falsebb = insertion_block builder in
let mergebb = append_block context "ifcont" the_function in
position_at_end mergebb builder;
let incoming = [(true_val, new_truebb); (false_val, new_falsebb)] in
let phi = build_phi incoming "iftmp" builder in
position_at_end start_bb builder;
ignore (build_cond_br cond_val truebb falsebb builder);
position_at_end new_truebb builder; ignore (build_br mergebb builder);
position_at_end new_falsebb builder; ignore (build_br mergebb builder);
400   position_at_end mergebb builder;
phi
| "when" ->
let truese = match s2 with
  Ast.DottedPair(_, next) -> next
  | _ -> raise (Error "Malformed when expression") in
let cond_val = unbox_bool (codegen_one_arg s2) in
let start_bb = insertion_block builder in
let the_function = block_parent start_bb in
let truebb = append_block context "then" the_function in
410   position_at_end truebb builder;
let true_val = codegen_one_arg truese in
let new_truebb = insertion_block builder in
let falsebb = append_block context "else" the_function in
position_at_end falsebb builder;
415   let false_val = const_null (pointer_type value_t) in
let new_falsebb = insertion_block builder in
let mergebb = append_block context "ifcont" the_function in
position_at_end mergebb builder;
let incoming = [(true_val, new_truebb); (false_val, new_falsebb)] in
let phi = build_phi incoming "iftmp" builder in
position_at_end start_bb builder;
ignore (build_cond_br cond_val truebb falsebb builder);
position_at_end new_truebb builder; ignore (build_br mergebb builder);
position_at_end new_falsebb builder; ignore (build_br mergebb builder);
425   position_at_end mergebb builder;
phi
| "dotimes" ->
let qs, body = match s2 with
  Ast.DottedPair(Ast.Vector(qs), body) -> qs, body
  | _ -> raise (Error "Malformed dotimes expression") in
let var_name = match qs.(0) with
  Ast.Atom(Ast.Symbol(s)) -> s
  | _ -> raise (Error "Expected symbol in dotimes") in
430   let loop_lim = codegen_sexpr qs.(1) in
let start_val = codegen_sexpr (Ast.Atom(Ast.Int(0))) in

```

```

let start_bb = insertion_block builder in
let the_function = block_parent start_bb in
let loop_bb = append_block context "loop" the_function in
440 ignore (build_br loop_bb builder);
position_at_end loop_bb builder;
let variable = build_phi [(start_val, start_bb)] var_name builder in
let old_val =
  try Some (Hashtbl.find named_values var_name) with Not_found -> None
445 in
Hashtbl.add named_values var_name variable;
ignore (codegen_sexpr body);
let next_var = build_add (unbox_int variable)
  (const_int i64_type 1) "nextvar" builder in
450 let next_var = box_value next_var in
let end_cond = build_icmp Icmp.Slt (unbox_int next_var)
  (unbox_int loop_lim) "end_cond" builder in
let loop_end_bb = insertion_block builder in
let after_bb = append_block context "after_loop" the_function in
455 ignore (build_cond_br end_cond loop_bb after_bb builder);
position_at_end after_bb builder;
add_incoming (next_var, loop_end_bb) variable;
begin match old_val with
  Some old_val -> Hashtbl.add named_values var_name old_val
460 | None -> ()
end;
box_value (const_int i64_type 0)
| _ -> raise (Error "Unknown control flow operation")

465 and codegen_call_op f args =
let callee = match lookup_function f the_module with
  Some callee -> callee
| None ->
  let v = try Hashtbl.find named_values f with
    Not_found -> raise (Error ("Unknown function: " ^ f)) in
470 unbox_function v
in
let args = Array.of_list args in
build_call callee args "call" builder;

475 and codegen_binding_op f s2 =
let old_bindings = ref [] in
match f with
  "let" ->
480    let bindlist, body = match s2 with
      Ast.DottedPair(Ast.Vector(qs), next) -> qs, next
    | _ -> raise (Error "Malformed let") in
    let len = Array.length bindlist in
    if len mod 2 != 0 then
      raise (Error "Malformed binding form in let");
485    let bind n a =
      let s = match n with
        Ast.Atom(Ast.Symbol(s)) -> s
      | _ -> raise (Error "Malformed binding form in let") in

```

```

490   let llaptr = codegen_sexp a in
491   let lla = build_load llaptr "load" builder in
492   let the_function = block_parent (insertion_block builder) in
493   let alloca = create_entry_block_alloca the_function s in
494   ignore (build_store lla alloca builder);
495   begin try let old_value = Hashtbl.find named_values s in
496         old_bindings := (s, old_value) :: !old_bindings;
497         with Not_found -> ()
498       end;
499   Hashtbl.add named_values s alloca in
500   Array.iteri (fun i m ->
501     if (i mod 2 == 0) then
502       bind m (bindlist.(i+1)) bindlist;
503   let llbody = codegen_sexp body in
504   List.iter (fun (s, old_value) ->
505     Hashtbl.add named_values s old_value
506     ) !old_bindings;
507   llbody
508   | _ -> raise (Error "Unknown binding operator")

510 and match_action s s2 =
511   if StringSet.mem s binding_ops then
512     codegen_binding_op s s2
513   else if StringSet.mem s cf_ops then
514     codegen_cf_op s s2
515   else
516     let args = extract_args s2 in
517     if StringSet.mem s arith_ops then
518       codegen_arith_op s args
519     else if StringSet.mem s array_ops then
520       codegen_array_op s args
521     else if StringSet.mem s string_ops then
522       codegen_string_op s args
523     else
524       codegen_call_op s args

525 and codegen_sexp s = match s with
526   Ast.Atom n -> codegen_atom n
527   | Ast.DottedPair(Ast.Atom n, Ast.Atom Ast.Nil) -> codegen_atom n
528   | Ast.DottedPair(s1, s2) ->
529     begin match s1, s2 with
530       (Ast.Atom(Ast.Symbol s), _) -> (* single sexpr *)
531       match_action s s2
532       | (Ast.DottedPair(Ast.Atom(Ast.Symbol ss1), ss2), _) ->
533         begin match s2 with
534           Ast.DottedPair(_, _) ->
535             let _ = match_action ss1 ss2 in
536               codegen_sexp ss2
537               | Ast.Atom(Ast.Nil) -> match_action ss1 ss2
538               | _ -> raise (Error "Sexpr parse error");
539             end
540           | _ -> raise (Error "Expected function call");
541         end
542       end
543     end

```

```

| Ast.Vector(qs) -> codegen_array qs

545 and codegen_array qs =
  let value_t = match type_by_name the_module "value_t" with
    Some t -> t
  | None -> raise (Error "Could not look up value_t") in
let len = Array.length qs in
let rharray_type size = array_type (pointer_type value_t) size in
let new_array = build_alloca (rharray_type len) "ar" builder in
let ptr n = build_in_bounds_gep new_array (idx n) "arptr" builder in
let llqs = Array.map codegen_sexpr qs in
Array.iteri (fun i m -> ignore (build_store m (ptr i) builder)) llqs;
555 box_value new_array

let codegen_proto p =
  let value_t = match type_by_name the_module "value_t" with
    Some t -> t
  | None -> raise (Error "Could not look up value_t")
in
match p with
  Ast.Prototype (name, args) ->
    let args_len = Array.length args in
    let argt = Array.make args_len (pointer_type value_t) in
    let ft = if args_len == 0 then
     565       function_type i64_type argt
    else
      function_type (pointer_type value_t) argt in
let f =
  match lookup_function name the_module with
    None -> declare_function name ft the_module

(* If 'f' conflicted, there was already something named 'name'. If it
 * has a body, don't allow redefinition or reextern. *)
575 | Some f ->
  (* If 'f' already has a body, reject this. *)
  if block_begin f <> At_end f then
    raise (Error "redefinition of function");
  f
580   (* If 'f' took a different number of arguments, reject. *)
  if element_type (type_of f) <> ft then
    raise (Error "redefinition of function with different # args");
  f
in

(* Set names for all arguments. *)
585 Array.iteri (fun i a ->
  let n = args.(i) in
  set_value_name n a;
  Hashtbl.add named_values n a;
  ) (params f);
  f

590 let codegen_func = function

```

```

| Ast.Function (proto, body) ->
  Hashtbl.clear named_values;
  let the_function = codegen_proto proto in
  (* Create a new basic block to start insertion into. *)
  let bb = append_block context "entry" the_function in
  position_at_end bb builder;

  try
    let ret_val =
      if Array.length (params the_function) == 0 then
        unbox_int (codegen_sexp body)
      else
        codegen_sexp body in

      (* Finish off the function. *)
      let _ = build_ret ret_val builder in
      the_function
    with e ->
      delete_function the_function;
      raise e

```

## 9.9 REPL: rrhine

```

#!/usr/bin/env python

from os import walk
from subprocess import Popen, PIPE
import sys

5

class colors:
    HEADER = '\x1b[95m'
    OK = '\x1b[92m'
    WARNING = '\x1b[93m'
    FAIL = '\x1b[91m'
    END = '\x1b[0m'

10

def run():
    stdlib = open("stdlib.rh").read()
    pasting = False
    i = ""
    last_llvm = ""
    last_io = ""
    current_input = ""
    total_input = ""
    total_output = " "
    total_failed_input = ""
    20
    while i not in ["quit", "exit", "q"]:
        if pasting:
            sys.stdout.write(colors.HEADER)
        else:
            sys.stdout.write(colors.END)
        25
        try:

```

```
30         i = raw_input('> ')
31         i = i.strip()
32         if pasting:
33             ci += i + "\n"
34             continue
35     else:
36         ci = i
37 except KeyboardInterrupt:
38     if pasting:
39         pasting = False
40         sys.stdout.write(colors.HEADER)
41         print "\nPASTED:"
42         print ci
43     else:
44         continue
45 except EOFError:
46     sys.stdout.write(colors.WARNING)
47     print "\n\nThanks for using Rhine! :)"
48     exit(1)
49
50     if ci == "":
51         continue
52     elif ci in ["paste", "p"]:
53         sys.stdout.write(colors.HEADER)
54         pasting = True
55         ci = ""
56         print "\n\nNow in paste mode..."
57         continue
58     elif ci in ["llvm", "ll"]:
59         print last_llvm
60         continue
61     elif ci in ["i", "input"]:
62         print total_input
63         continue
64     elif ci in ["o", "output"]:
65         print total_output
66         continue
67     elif ci in ["last"]:
68         print last_io
69         continue
70
71     p = Popen(["./rhine", "-"], stdin=PIPE, stdout=PIPE, stderr=PIPE)
72     output = ""
73     stdout, stderr = p.communicate(stdlib+"\n"+total_input+"\n"+ci)
74
75     if stderr.find("error") >= 0:
76         sys.stdout.write(colors.FAIL)
77         print stderr.strip()
78         continue
79     else:
80         total_input += "\n"+ci
81         for line in stdout.split("\n"):
82             if line.startswith("Evaluated to ") or line.strip() == "":
```

```

    continue
    output += line.strip()+"\n"
85

    from_idx = len(total_output)-1
    if from_idx < 0:
        from_idx = 0
90
    print output[:-1][from_idx:]
    total_output = output

    last_io = ci+"\n\n"+output[:-1][len(total_output):]
    last_llvm = stderr
95

if __name__ == "__main__":
    run()

```

## 9.10 bindings.c

```

#include <stdio.h>
#include <stdlib.h>
#include <stdbool.h>
5 #include <math.h>
#include <string.h>

10 struct value_t {
    int type_tag;
    long int_val;
    bool bool_val;
    char *string_val;
    struct value_t **array_val;
    long array_len;
    double dbl_val;
15 };
};

void print_atom(struct value_t *v) {
    int i;
20    if (!v) {
        printf("(nil)");
        return;
    }
    switch(v->type_tag) {
25    case 1:
        printf("(int) %ld", v->int_val);
        break;
    case 2:
        printf("(bool) %s", !v->bool_val ? "false" : "true");
30        break;
    case 3:
        printf("(string len %ld) %s", v->array_len, v->string_val);
        break;
}

```

```

    case 4:
35     printf("(array len %ld) [", v->array_len);
      for (i = 0; i < v->array_len; i++) {
        struct value_t *el = (v->array_val)[i];
        print_atom(el);
        printf(";");
      }
      printf("]");
      break;
    case 6:
40     printf("(double) %f", v->dbl_val);
      break;
    default:
45     printf("Don't know how to print type %d", v->type_tag);
   }
}

50 extern struct value_t *print(struct value_t *v) {
  struct value_t *ret;
  print_atom(v);
  ret = malloc(sizeof(struct value_t));
55  ret->int_val = 0;
  ret->type_tag = 1;
  return ret;
}

60 extern struct value_t *println(struct value_t *v) {
  struct value_t *ret = print(v);
  printf("\n");
  return ret;
}

65 double get_value(struct value_t *v, int *ret_type) {
  if (v->type_tag == 6) {
    *ret_type = 6;
    return v->dbl_val;
  } else {
70    *ret_type = 1;
    return (double) v->int_val;
  }
}

75 struct value_t *save_value(double val, int ret_type) {
  struct value_t *ret;
  ret = malloc(sizeof(struct value_t));

  if (ret_type == 6) {
80    ret->dbl_val = val;
    ret->type_tag = 6;
  } else if (ret_type == 2) {
    ret->bool_val = (bool) val;
    ret->type_tag = 2;
  } else {
85    ret->int_val = (int) val;
  }
}

```

```

        ret->type_tag = 1;
    }
    return ret;
90 }

extern struct value_t *cadd(struct value_t *v, struct value_t *v2) {
    int ret_type = 0;
    double val = get_value(v, &ret_type) + get_value(v2, &ret_type);
95   struct value_t *ret = save_value(val, ret_type);
    return ret;
}

extern struct value_t *cdiv(struct value_t *v, struct value_t *v2) {
100  int ret_type = 6; // force float
    double val = get_value(v, &ret_type) / get_value(v2, &ret_type);
    struct value_t *ret = save_value(val, ret_type);
    return ret;
}

105 extern struct value_t *csub(struct value_t *v, struct value_t *v2) {
    int ret_type = 0;
    double val = get_value(v, &ret_type) - get_value(v2, &ret_type);
    struct value_t *ret = save_value(val, ret_type);
    return ret;
}

110

extern struct value_t *cmul(struct value_t *v, struct value_t *v2) {
    int ret_type = 0;
    double val = get_value(v, &ret_type) * get_value(v2, &ret_type);
    struct value_t *ret = save_value(val, ret_type);
    return ret;
}

115

120 extern struct value_t *clt(struct value_t *v, struct value_t *v2) {
    int ret_type = 0;
    struct value_t *ret;
    if (get_value(v, &ret_type) < get_value(v2, &ret_type)) {
        ret = save_value(1.0, 2);
    } else {
        ret = save_value(0.0, 2);
    }
    return ret;
}

130

135 extern struct value_t *cgt(struct value_t *v, struct value_t *v2) {
    int ret_type = 0;
    struct value_t *ret;
    if (get_value(v, &ret_type) > get_value(v2, &ret_type)) {
        ret = save_value(1.0, 2);
    } else {
        ret = save_value(0.0, 2);
    }
    return ret;
}

```

```

140    }

141    extern struct value_t *clte(struct value_t *v, struct value_t *v2) {
142        int ret_type = 0;
143        struct value_t *ret;
144        if (get_value(v, &ret_type) <= get_value(v2, &ret_type)) {
145            ret = save_value(1.0, 2);
146        } else {
147            ret = save_value(0.0, 2);
148        }
149        return ret;
150    }

151    extern struct value_t *cgte(struct value_t *v, struct value_t *v2) {
152        int ret_type = 0;
153        struct value_t *ret;
154        if (get_value(v, &ret_type) >= get_value(v2, &ret_type)) {
155            ret = save_value(1.0, 2);
156        } else {
157            ret = save_value(0.0, 2);
158        }
159        return ret;
160    }

161    extern struct value_t *cequ(struct value_t *v, struct value_t *v2) {
162        int ret_type = 0;
163        struct value_t *ret;
164        // only makes sense for integers and bools currently
165        switch(v->type_tag) {
166            case 1:
167                if (v->int_val == v2->int_val) {
168                    ret = save_value(1.0, 2);
169                } else {
170                    ret = save_value(0.0, 2);
171                }
172                break;
173            case 2:
174                if (!v->bool_val == !v2->bool_val) {
175                    ret = save_value(1.0, 2);
176                } else {
177                    ret = save_value(0.0, 2);
178                }
179                break;
180            case 4:
181                if (v->array_len == v2->array_len) {
182                    ret = save_value(1.0, 2);
183                } else {
184                    ret = save_value(0.0, 2);
185                }
186                break;
187            case 3:
188                if (v->array_len == v2->array_len && memcmp(v->array_val, v2->array_val, sizeof(char)*v->array_len) == 0) {
189                    ret = save_value(1.0, 2);
190                }
191        }
192    }

```

```

    } else {
        ret = save_value(0.0, 2);
    }
break;
}
return ret;
}

extern struct value_t *cand(struct value_t *v, struct value_t *v2) {
    int ret_type = 0;
    struct value_t *ret;
    if (!(!v->bool_val) && !(!v2->bool_val)) {
        ret = save_value(1.0, 2);
    } else {
        ret = save_value(0.0, 2);
    }
return ret;
}

extern struct value_t *cor(struct value_t *v, struct value_t *v2) {
    int ret_type = 0;
    struct value_t *ret;
    if (!(!v->bool_val) || !(!v2->bool_val)) {
        ret = save_value(1.0, 2);
    } else {
        ret = save_value(0.0, 2);
    }
return ret;
}

extern struct value_t *cnot(struct value_t *v) {
    int ret_type = 0;
    struct value_t *ret;
    if (!(!v->bool_val)) {
        ret = save_value(0.0, 2);
    } else {
        ret = save_value(1.0, 2);
    }
return ret;
}

extern struct value_t *cmod(struct value_t *v, struct value_t *v2) {
    int ret_type = 1;
    int val = v->int_val % v2->int_val;
    struct value_t *ret = save_value(val, ret_type);
return ret;
}

extern struct value_t *cexponent(struct value_t *v, struct value_t *v2) {
    int ret_type = 0;
    double val = pow(get_value(v, &ret_type), get_value(v2, &ret_type));
}

```

```

        struct value_t *ret = save_value(val, ret_type);
        return ret;
    }

250
extern struct value_t *cstrjoin(struct value_t *v) {
    struct value_t *ret;
    int i = 0;
    ret = malloc(sizeof(struct value_t));
    ret->string_val = malloc(sizeof(char) * (v->array_len+1));
    ret->type_tag = 3;
    ret->array_len = v->array_len;
    while (i < v->array_len) {
        ret->string_val[i] = *((v->array_val)[i]->string_val);
        i++;
    }
    *(ret->string_val+i) = '\0';

260
265
    return ret;
}

```

## 9.11 run\_tests.py

```

from os import walk, unlink
from subprocess import Popen, PIPE

5
class colors:
    HEADER = '\033[95m'
    OK = '\033[92m'
    WARNING = '\033[93m'
    FAIL = '\033[91m'
    END = '\033[0m'

10
def get_test_files():
    filelist = []
    for (dirpath, dirnames, filenames) in walk("tests/"):
        filelist.extend(filenames)
    return filelist

15
def run():
    stdlib = open("stdlib.rh").read()
    tests = get_test_files()
    no_tests = len(tests)
    no_successes = 0

20
    print colors.HEADER
    print "-----"
    print "RUNNING TESTS..."
    print "-----"
    print colors.END
25

```

```

30     for filename in tests:
31         if filename.startswith("output.") or not filename.endswith(".rht"):
32             no_tests -= 1
33             continue
34
35         contents = open("tests/" + filename).read().split("---")
36         test_input = contents[0].strip()
37         expected_output = "---".join(contents[1:]).strip().lower()
38
39         p = Popen(["./rhine", "-"], stdin=PIPE, stdout=PIPE, stderr=PIPE)
40         stdout, stderr = p.communicate(stdlib+"\n"+test_input)
41         stdout = stdout.lower()
42         stderr = stderr.lower()
43
44         if stderr.find(expected_output) >= 0 or stdout.find(expected_output) >= 0:
45             no_successes += 1
46             try:
47                 unlink('tests/output.' + filename)
48             except OSError:
49                 pass
50             print "%s %s: SUCCESS%s" % (colors.OK, filename, colors.END)
51         else:
52             f = open('tests/output.' + filename, 'w')
53             f.write(stdout+stderr)
54             f.close()
55             print "%s %s: FAILED (output written to tests/)" % (colors.FAIL, filename)
56
57         if no_successes == no_tests:
58             print colors.OK
59         else:
60             print colors.FAIL
61
62
63         print "-----"
64         print "TOTAL TESTS: %i" % no_tests
65         print "SUCCESSES: %i" % no_successes
66         print "FAILS: %i" % (no_tests - no_successes)
67         print "-----"
68         print colors.END
69
70
71     if __name__ == "__main__":
72         run()

```