A Short History of the Apple II

Prof. Stephen A. Edwards sedwards@cs.columbia.edu


> Columbia University Spring 2008





2066 Crist Drive, Los Altos, CA





c. 1976



July 1976: The Apple I

Apple Introduces the First Low Cost Microcomputer System with a Video Terminal and 8K Bytes of RAM on a Single PC Card.

The Apple Computer. A truly complete microcomputer system on a single PC board. Based on the MOS Technology 6502 microprocessor, the Apple also has a built-in video terminal and sockets for 8K bytes of on-board RAM memory. With the addition of a keyboard and video monitor, you'll have an extremely powerful computer system that can be used for anything from developing programs to playing games or running BASIC.

Combining the computer, video terminal and dynamic memory on a single board has resulted in a large reduction in chip count, which means more reliability and lowered cost. Since the Apple comes fully assembled, tested & burned-in and has a complete power supply on-board, initial set-up is essentially "hassle free" and you can be running within minutes. At \$666.66 (including 4K bytes RAM!) it opens many new possibilities for users and systems manufacturers.

You Don't Need an Expensive Teletype.

Using the built-in video terminal and keyboard interface, you avoid all the expense, noise and maintenance associated with a teletype. And the Apple video terminal is six times faster than a teletype, which means more throughput and less waiting. The Apple connects directly to a video monitor (or home TV with an inexpensive RF modulator) and displays 960 easy to read characters in 24 rows of 40 characters per line with automatic scrolling. The video display section contains its own 1K bytes of memory, so all the RAM memory is available for user programs. And the Keyboard Interface lets you use almost any ASCII-encoded keyboard.

The Apple Computer makes it possible for many people with limited budgets to step up to a video terminal as an I/O device for their computer.

No More Switches, No More Lights.

Compared to switches and LED's, a video terminal can display vast amounts of information simultaneously. The Apple video terminal can display the contents of 192 memory locations at once on the screen. And the firmware in PROMS enables you to enter, display and debug programs (all in hex) from the keyboard, rendering a front panel unnecessary. The firmware also allows your programs to print characters on the display, and since you'll be looking at letters and numbers instead of just LED's, the door is open to all kinds of alphanumeric software (i.e., Games and BASIC).

8K Bytes RAM in 16 Chips!

The Apple Computer uses the new 16-pin 4K dynamic memory chips. They are faster and take ¹/₄ the space and power of even the low power 2102's (the memory chip that everyone else uses). That means 8K bytes in sixteen chips. It also means no more 28 amp power supplies.


The system is fully expandable to 65K via an edge connector which carries both the address and data busses, power supplies and all timing signals. All dynamic memory refreshing for both on and off-board memory is done automatically. Also, the Apple Computer can be upgraded to use the 16K chips when they become available. That's 32K bytes on-board RAM in 16 IC's —the equivalent of 256 2102's!



Steve Wozniak




Steve Jobs



A Short History of the Apple II -p. 5

April 1977: The Apple II

Introducing Apple II.





April 1977: The Apple II

The home computer that's ready to work, play and grow with you.

Clear the kitchen table. Bring in the color T.V. Plug in your new Apple II,* and connect any standard cassette recorder/player. Now you're ready for an evening of discovery in the new world of personal computers.

Only Apple II makes it that easy. It's a complete, ready to use computer-not a kit. At \$1298, it includes features you won't find on other personal computers costing twice as much.

history or math. But the biggest benefit-no matter how you use Apple II-is that you and your family increase your familiarity with the computer itself. The more you experiment with it, the more you discover about its potential.

Start by playing PONG. Then invent your own games using the input keyboard, game paddles and built-in speaker. As you experiment you'll acquire new programming skills which will open up new ways to use your Apple II. You'll learn to "paint" dazzling color displays using the unique color graphics com-mands in Apple BASIC, and write programs to create beautiful kaleidoscopic designs. As you master Apple BASIC, you'll be able to organize, index and store data on household finances, income tax, recipes, and record collections. You can learn to chart your biorhythms. balance your checking ac-

count, even control your home environment. Apple II will go as far as your imagination can take it. Best of all, Apple II is designed to grow with you. As your skill and experience with

computing increase, you may want to add new Apple peripherals. For example, a refined, more sophisticated BASIC language is being developed for advanced scientific and



color graphics, ASCII keyboard, lightweight, efficient switching power supply and molded case. It is supplied with BASIC in ROM, up to 48K bytes of RAM, and with cassette tape, video and game I/O interfaces built-in. Also included are two game paddles and a demonstration cassette.

Apple II[™] is a completely self-contained

computer system with BASIC in ROM.

SPECIFICATIONS Microprocessor: 6502 (1 MHz)

- · Video Display: Memory mapped, 5 modes-all Software-selectable: Text-40 characters/line, 24 lines upper case.
- Color graphics-40h x 48v, 15 colors High-resolution graphics-280h x 192v; black, white, violet, green (16K RAM minimum required)
- Both graphics modes can be selected to include 4 lines of text at the bottom of the display area. Completely transparent memory
- access. All color generation done digitally.
- Memory: up to 48K bytes on-board RAM (4K supplied) · Uses either 4K or new 16K dynamic memory chips
- · Up to 12K ROM (8K supplied) Software
- · Fast extended Integer BASIC in ROM with color graphics commands Extensive monitor in ROM
- · 1/0 · 1500 bps cassette interface
- 8-slot motherboard · Apple game I/O connector
- ASCII keyboard port · Speaker
- Composite

Apple II is also available in board-only form for the do-it-yourself hobbyist. Has all of the features of the Apple II system, but does not include case, keyboard, power supply or game paddles. \$598.

PONG is a trademark of Atari Inc. *Apple II plugs into any standard TV using an inexpensive modulator (not supplied).

detailed brochure. Or write Apple Computer



Features such as video graphics in 15 colors. And a built-in memory capacity of 8K bytes ROM and 4K bytes RAM-with room for lots more. But you don't even need to know a RAM from a ROM to use and enjoy Apple II. It's the first personal computer with a fast version of BASIC-the English-like programming language - permanently built in. That means you can begin running your Apple II the first evening, entering your own instructions and watching them work, even if you've had no previous computer experience.

The familiar typewriter-style keyboard makes communication easy. And your programs and data can be stored on (and retrieved from) audio cassettes, using the builtin cassette interface, so you can swap with other Apple II users. This and other peripherals-optional equipment on most personal computers, at hundreds of dollars extra cost-are built into Apple II. And it's designed to keep up with changing technology, to expand easily whenever you need it to. As an educational tool, Apple II is a sound investment. You can program it to tutor your



mathematical

power and capability as your

If you'd like to see for yourself how easy it is to use and enjoy

requirements change.

applications. And in addition to the built-in audio, video and game interfaces, there's room for eight plug-in

options such as a prototyping board for exvideo perimenting with interfaces to other equipment; a serial board for connecting teletype, printer and other terminals; a parallel interface for communicating with a printer or another computer; an EPROM board for storing programs permanently; and a modem board communications interface. A floppy disk interface with software and complete operating systems will be available at the end

1979: Visicalc: The First Spreadshee



A Visible Calculator

For the APPLE II

usually erases the last thing enough times, it will abor VisiCalc to a blank prompt

Moy dow

Swi

twe

If t

fron

Gio

nate

curs

SETTING A LABEL

Label entries start with a lett ter ("). Terminate enter \leftarrow . \rightarrow . or RETURN. Corre prompt line will say LABEL A Short History of the Apple II - p. 8

Apple II Specifications

Processor	1 MHz 8-bit NMOS 6502
Memory	4–64K
ROM	8–12K
Display	40×24 text (uppercase only)
	40×48 16-color
	280×192 4-color
Storage	Cassette interface
	140K 5.25" floppy
I/O	Keyboard
	1-bit sound with speaker
	Two-axis, three-button joystick
Supplied s/w	Monitor
	BASIC interpreter A Short History of