

The C Language Reference Manual

Stephen A. Edwards

Columbia University

Fall 2013



Katsushika Hokusai, *In the Hollow of a Wave off the Coast at Kanagawa*, 1827

C vs. The C Train



Built in the 1960s



Attempts to replace have failed



No garbage collection



Sometimes takes you to parties in Brooklyn



Part I

The History of C

C History

Developed between 1969 and 1973
along with Unix

Due mostly to Dennis Ritchie

Designed for systems programming

- ▶ Operating systems
- ▶ Utility programs
- ▶ Compilers
- ▶ Filters

Evolved from B, which evolved from BCPL



BCPL



Martin Richards, Cambridge, 1967

Typeless

- ▶ Everything a machine word
(n-bit integer)
- ▶ Pointers (addresses) and integers identical

Memory: undifferentiated array of words

Natural model for word-addressed machines

Local variables depend on frame-pointer-relative addressing: no dynamically-sized automatic objects

Strings awkward: Routines expand and pack bytes to/from word arrays

BCPL Example: 8 Queens

```
GET "libhdr"
GLOBAL { count:ug; all }

LET try(ld, row, rd) BE
  TEST row=all
  THEN count := count + 1
  ELSE { LET poss = all & ~(ld | row | rd)
        WHILE poss DO
          { LET p = poss & -poss
            poss := poss - p
            try(ld+p << 1, row+p, rd+p >> 1)
          }
        }

LET start() = VALOF
{ all := 1
  FOR i = 1 TO 16 DO
    { count := 0
      try(0, 0, 0)
      writef("Number of solutions to %i2-queens is %i7*n", i, count)
      all := 2*all + 1
    }
  RESULTIS 0
}
```

C History

Original machine, a DEC PDP-11, was very small:

24K bytes of memory, 12K used for operating system

Written when computers were big, capital equipment

Group would get one, develop new language, OS



C History

Many language features designed to reduce memory

- ▶ Forward declarations required for everything
- ▶ Designed to work in one pass: must know everything
- ▶ No function nesting

PDP-11 was byte-addressed

- ▶ Now standard
- ▶ Meant BCPL's word-based model was insufficient

Euclid's Algorithm in C

```
int gcd(int m, int n)
{
    int r;
    while ((r = m % n) != 0) {
        m = n;
        n = r;
    }
    return n;
}
```



“New style” function declaration lists number and type of arguments.

Originally only listed return type. Generated code did not care how many arguments were actually passed, and everything was a word.

Arguments are call-by-value

Euclid's Algorithm in C


```
int gcd(int m, int n)
{
    int r;
    while ((r = m % n) != 0) {
        m = n;
        n = r;
    }
    return n;
}
```

Automatic variable r

Allocated on stack when function entered, released on return

Parameters & automatic variables accessed via frame pointer


Other temporaries also stacked



Euclid on the PDP-11

```
int gcd(int m, int n)
{
    int r;
    while ((r = m % n) != 0) {
        m = n;
        n = r;
    }
    return n;
}
```

```
.globl _gcd
.text
_gcd:
    jsr r5, rsave          Save SP in FP
L2:  mov 4(r5), r1         r1 = n
    sxt r0                sign extend
    div 6(r5), r0         r0, r1 = m ÷ n
    mov r1, -10(r5)      r = r1 (m % n)
    jeq L3                if r == 0 goto L3
    mov 6(r5), 4(r5)     m = n
    mov -10(r5), 6(r5)  n = r
    jbr L2
L3:  mov 6(r5), r0       r0 = n
    jbr L1                not an optimizing compiler
L1:  jmp rretrn          return r0 (n)
```




Part II

The Design of C

Taken from Dennis Ritchie's *C Reference Manual*

(Appendix A of Kernighan & Ritchie)



Lexical Conventions

Identifiers (words, e.g., foo, printf)

Sequence of letters, digits, and underscores, starting with a letter or underscore

Keywords (special words, e.g., if, return)

C has fairly few: only 23 keywords. Deliberate: leaves more room for users' names

Comments (between /* and */)

Most fall into two basic styles: start/end sequences as in C, or until end-of-line as in Java's //

Lexical Conventions

C is a *free-form* language where whitespace mostly serves to separate tokens. Which of these are the same?

1+2

return this

1 + 2

returnthis

foo bar

foobar

Space is significant in some language. Python uses indentation for grouping, thus these are different:

```
if x < 3:
```

```
    y = 2
```

```
    z = 3
```

```
if x < 3:
```

```
    y = 2
```

```
z = 3
```

Constants/Literals

Integers (e.g., 10)

Should a leading - be part of an integer or not?

Characters (e.g., 'a')

How do you represent non-printable or ' characters?

Floating-point numbers (e.g., 3.5e-10)

Usually fairly complex syntax, easy to get wrong.

Strings (e.g., "Hello")

How do you include a " in a string?

What's in a Name?

In C, each name has a **storage class** (where it is) and a **type** (what it is).

Storage classes:

1. automatic
2. static
3. external
4. register

Fundamental types:

1. char
2. int
3. float
4. double

Derived types:

1. arrays
2. functions
3. pointers
4. structures

Objects and lvalues

Object: area of memory

lvalue: refers to an object

An lvalue may appear on the left side of an assignment

```
a = 3; /* OK: a is an lvalue */  
3 = a; /* 3 is not an lvalue */
```

Conversions

C defines certain automatic conversions:

- ▶ A char can be used as an int
- ▶ int and char may be converted to float or double and back. Result is undefined if it could overflow.
- ▶ Adding an integer to a pointer gives a pointer
- ▶ Subtracting two pointers to objects of the same type produces an integer

Expressions

Expressions are built from identifiers (foo), constants (3), parenthesis, and unary and binary operators.

Each operator has a **precedence** and an **associativity**

Precedence tells us

$1 * 2 + 3 * 4$ means
 $(1 * 2) + (3 * 4)$

Associativity tells us

$1 + 2 + 3 + 4$ means
 $((1 + 2) + 3) + 4$

C's Operators in Precedence Order

f(r,r,...)	a[i]	p->m	s.m
!b	~i	-i	
++l	--l	l++	l--
*p	&l	(type) r	sizeof(t)
n * o	n / o	i % j	
n + o	n - o		
i << j	i >> j		
n < o	n > o	n <= o	n >= o
r == r	r != r		
i & j			
i ^ j			
i j			
b && c			
b c			
b ? r : r			
l = r	l += n	l -= n	l *= n
l /= n	l %= i	l &= i	l ^= i
l = i	l <<= i	l >>= i	
r1 , r2			

Declarators

Declaration: string of specifiers followed by a declarator

basic type
`static unsigned int (*f[10])(int, char*);`
specifiers declarator

Declarator's notation matches that of an expression: use it to return the basic type.

Largely regarded as the worst syntactic aspect of C: both pre-(pointers) and post-fix operators (arrays, functions).

Storage-Class Specifiers

<code>auto</code>	Automatic (stacked), default
<code>static</code>	Statically allocated
<code>extern</code>	Look for a declaration elsewhere
<code>register</code>	Kept in a register, not memory

C trivia: Originally, a function could only have at most three `register` variables, may only be `int` or `char`, can't use address-of operator `&`.

Today, `register` simply ignored. Compilers try to put most automatic variables in registers.

Type Specifiers

int

char

float

double

struct { *declarations* }

struct *identifier* { *declarations* }

struct *identifier*

Declarators

identifier

(*declarator*)

Grouping

declarator ()

Function

declarator [*optional-constant*]

Array

* *declarator*

Pointer

C trivia: Originally, number and type of arguments to a function wasn't part of its type, thus declarator just contained ().

Today, ANSI C allows function and argument types, making an even bigger mess of declarators.

Declarator syntax

Is `int *f()` a pointer to a function returning an `int`, or a function that returns a pointer to an `int`?

Hint: precedence rules for declarators match those for expressions.

Parentheses resolve such ambiguities:

`int *(f())` Function returning pointer to `int`

`int (*f)()` Pointer to function returning `int`

Statements

```
expression ;  
{ statement-list }  
if ( expression ) statement else statement  
while ( expression ) statement  
do statement while ( expression );  
for ( expression ; expression ; expression ) statement  
switch ( expression ) statement  
case constant-expression :  
default:  
break;  
continue;  
return expression ;  
goto label ;  
label :
```

External Definitions

“A C program consists of a sequence of external definitions”

Functions, simple variables, and arrays may be defined.

“An external definition declares an identifier to have storage class `extern` and a specified type”

Function definitions

```
type-specifier declarator ( parameter-list )  
type-decl-list  
{  
    declaration-list  
    statement-list  
}
```

Example:

```
int max(a, b, c)  
int a, b, c;  
{  
    int m;  
    m = (a > b) ? a : b ;  
    return m > c ? m : c ;  
}
```

More C trivia

The first C compilers did not check the number and type of function arguments.

The biggest change made when C was standardized was to require the type of function arguments to be defined:

Old-style

```
int f();  
  
int f(a, b, c)  
int a, b;  
double c;  
{  
}
```

New-style

```
int f(int, int, double);  
  
int f(int a, int b, double c)  
{  
}
```

Data Definitions

type-specifier init-declarator-list ;

declarator optional-initializer

Initializers may be constants or brace-enclosed, comma-separated constant expressions. Examples:

```
int a;
```

```
struct { int x; int y; } b = { 1, 2 };
```

```
float a, *b, c;
```

Scope Rules

Two types of scope in C:

1. Lexical scope

Essentially, place where you don't get "undeclared identifier" errors

2. Scope of external identifiers

When two identifiers in different files refer to the same object.
E.g., a function defined in one file called from another.

Lexical Scope

Extends from declaration to terminating } or end-of-file.

```
int a;

int foo()
{
    int b;
    if (a == 0) {
        printf("A was 0");
        a = 1;
    }
    b = a; /* OK */
}

int bar()
{
    a = 3; /* OK */
    b = 2; /* Error: b out of scope */
}
```


External Scope

file1.c:

```
int foo()
{
    return 0;
}

int bar()
{
    foo(); /* OK */
}
```

file2.c:

```
int baz()
{
    foo(); /* Error */
}

extern int foo();

int baff()
{
    foo(); /* OK */
}
```

The Preprocessor

Violates the free-form nature of C: preprocessor lines *must* begin with #.

Program text is passed through the preprocessor before entering the compiler proper.

Define replacement text:

```
# define identifier token-string
```

Replace a line with the contents of a file:

```
# include " filename "
```

C's Standard Libraries



<code><assert.h></code>	Generate runtime errors	<code>assert(a > 0)</code>
<code><ctype.h></code>	Character classes	<code>isalpha(c)</code>
<code><errno.h></code>	System error numbers	<code>errno</code>
<code><float.h></code>	Floating-point constants	<code>FLT_MAX</code>
<code><limits.h></code>	Integer constants	<code>INT_MAX</code>
<code><locale.h></code>	Internationalization	<code>setlocale(...)</code>
<code><math.h></code>	Math functions	<code>sin(x)</code>
<code><setjmp.h></code>	Non-local goto	<code>setjmp(jb)</code>
<code><signal.h></code>	Signal handling	<code>signal(SIGINT,&f)</code>
<code><stdarg.h></code>	Variable-length arguments	<code>va_start(ap, st)</code>
<code><stddef.h></code>	Some standard types	<code>size_t</code>
<code><stdio.h></code>	File I/O, printing.	<code>printf("%d", i)</code>
<code><stdlib.h></code>	Miscellaneous functions	<code>malloc(1024)</code>
<code><string.h></code>	String manipulation	<code>strcmp(s1, s2)</code>
<code><time.h></code>	Time, date calculations	<code>localtime(tm)</code>

Language design

Language design is library design.

— Bjarne Stroustrup

Programs consist of pieces connected together.

Big challenge in language design: making it easy to put pieces together *correctly*. C examples:

- ▶ The function abstraction (local variables, etc.)
- ▶ Type checking of function arguments
- ▶ The `#include` directive