Parsing

Stephen A. Edwards

Columbia University

Fall 2013



An Add-Only Calculator

$$12 + 57 + 8 + 10 =$$

An Add-Only Calculator

$$12 + 57 + 8 + 10 =$$

```
S = 0
do {
   get next token
   if (token is not a number) error
   add token to S
   get next token
} while (token is "+")
if (token is not "=") error
return S
```

Adding and Multiplying

$$12 + 57 * 8 + 10 * 5 * 3 + 2 =$$

Adding and Multiplying

```
12 + 57 * 8 + 10 * 5 * 3 + 2 =
```

```
S = 0
do {
   P = 1
   do {
      get next token
      if (token is not a number) error
      multiply P by token
      get next token
   } while (token is "*")
   add P to S
} while (token is +)
if (token is not "=") error
return S
```

Parentheses

12 + 57 * (8 + 3 * 2) + 10 * 5 * 3 + 2 =

Parentheses

```
12 + 57 * (8 + 3 * 2) + 10 * 5 * 3 + 2 =
int expr() {
  S = sop()
  if (token is not "=") error
  return S
int sop() {
  S = 0
  do {
    P = 1
    do {
      get next token
      if (token is "(") {
        N = sop()
        if (token is not ")") error
      } else if (token is a number)
        N = token
      else if (token is not a number) error
      multiply P by N
      get next token
    } while (token is "*")
    add P to S
  } while (token is +)
  return S
```

Context-Free Grammars

```
sum \rightarrow number

sum \rightarrow sum + number
```

Context-Free Grammars

```
sum → number
sum → sum + number

sum → product
sum → sum + product
product → number
product → product * number
```

Context-Free Grammars

```
sum → number
sum → sum + number
  sum → product
  sum → sum + product
product → number
product → product * number
  sum → product
  sum → sum + product
product → term
product → product * term
  term → number
  term \rightarrow (sum)
```