Matchings 000000000 Perfect Graphs

MAP Estimation

◆□ > ◆□ > ◆臣 > ◆臣 > ─ 臣 ─ のへで

MAP Estimation, Message Passing and Perfect Graphs

Tony Jebara

November 25, 2009

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

Background

- Perfect Graphs
- Graphical Models

2 Matchings

- Bipartite Matching
- Generalized Matching

3 Perfect Graphs

- nand Markov Random Fields
- Packing Linear Programs
- Recognizing Perfect Graphs

MAP Estimation

- Proving Exact MAP
- Pruning NMRFs
- MAP Experiments
- Conclusions

Matchings 000000000 Perfect Graphs

MAP Estimation

Perfect Graphs

Background on Perfect Graphs



• In 1960, Berge introduces perfect graphs and two conjectures

- Perfect: every induced subgraph of G has clique# = coloring#
- Weak conjecture: G is perfect iff its complement is perfect
- Strong conjecture: a graph is perfect iff it is Berge
- Weak perfect graph theorem (Lovász 1972)
- Link between perfection and integral LPs (Lovász 1972)
- Strong perfect graph theorem (SPGT) open for 4+ decades

Background ○●○○○ Matchings 000000000 Perfect Graphs

MAP Estimation

▲日▼ ▲□▼ ▲ □▼ ▲ □▼ ■ ● ● ●

Perfect Graphs

Background on Perfect Graphs



- SPGT Proof (Chudnovsky, Robertson, Seymour, Thomas 2003)
- Berge passes away shortly after hearing of the proof
- Many NP-hard and hard to approximate problems are P for perfect graphs
 - Graph coloring
 - Maximum clique
 - Maximum independent set
- Recognizing perfect graphs is $O(n^9)$ (Chudnovsky *et al.* 2006)

Background	Matchings	Perfect Graphs	MAP Estimation
00000			000000000
Graphical Models			
Graphical Mode	els		



- Perfect graph theory for MAP and graphical models (J 2009)
- Graphical model: a factor graph G = (V, E) representing a distribution p(X) where $X = \{x_1, \ldots, x_n\}$ and $x_i \in \mathbb{Z}$
- Distribution factorizes as product of functions (squares) over subsets of variables (adjacent nodes)

$$p(x_1,\ldots,x_n) = \frac{1}{Z}\prod_{c\in C}\psi_c(X_c)$$

• E.g.
$$p(x_1, \ldots, x_6) = \psi(x_1, x_2)\psi(x_2, x_3)\psi(x_3, x_4, x_5)\psi(x_4, x_5, x_6)$$

Background ○○○●○	Matchings 00000000	Perfect Graphs 000000000000	MAP Estimation
Graphical Models			
MAP Estimation	n		

• A canonical problem, find most probable configuration

$$X^* = \operatorname{argmax} p(x_1, \ldots, x_n)$$

- Useful for image processing, protein folding, coding, etc.
- Brute force requires $\prod_{i=1}^{n} |x_i|$
- Efficient for trees and singly linked graphs (Pearl 1988)
- NP-hard for general graphs (Shimony 1994)
- Approach A: relaxations and variational methods
 - First order LP relaxations (Wainwright et al. 2002)
 - TRW max-product (Kolmogorov & Wainwright 2006)
 - Higher order LP relaxations (Sontag et al. 2008)
 - Fractional and integral LP rounding (Ravikumar et al. 2008)
 - Open problem: when are LPs tight?
- Approach B: max product and message passing

Background	Matchings	Perfect Graphs	MAP Estimation
00000			
Graphical Models			

Max Product Message Passing

- 1. For each x_i to each X_c : $m_{i \to c}^{t+1} = \prod_{d \in Ne(i) \setminus c} m_{d \to i}^t$ 2. For each X_c to each x_i : $m_{c \to i}^{t+1} = \max_{X_c \setminus x_i} \psi_c(X_c) \prod_{j \in c \setminus i} m_{j \to c}^t$
- 3. Set t = t + 1 and goto 1 until convergence
- 4. Output $x_i^* = \operatorname{argmax}_{x_i} \prod_{d \in Ne(i)} m_{d \to i}^t$
 - Simple and fast algorithm for MAP
 - Exact for trees (Pearl 1988)
 - Converges for single-loop graphs (Weiss & Freeman 2001)
 - Local optimality guarantees (Wainwright et al. 2003)
 - Performs well in practice for images, turbo codes, etc.
 - Similar to first order LP relaxation
 - Recent progress
 - Exact for matchings (Bayati et al. 2005)
 - Exact for generalized b matchings (Huang and J 2007)

シック・ 川 ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・

Background	

Matchings

Perfect Graphs

MAP Estimation

Bipartite Matching

	Motorola	Apple	IBM	I	<u>آ</u> م	1	∩ 7	
"laptop"	0\$	2\$	2\$		0	1	1	
"server"	0\$	2\$	3\$	\rightarrow C =	0	0		
"phone"	2\$	3\$	0\$	l		U	υJ	

- Given W, $\max_{C \in \mathbb{B}^{n \times n}} \sum_{ij} W_{ij}C_{ij}$ such that $\sum_i C_{ij} = \sum_j C_{ij} = 1$
- Classical Hungarian marriage problem $O(n^3)$
- Creates a very loopy graphical model
- Max product takes $O(n^3)$ for exact MAP (Bayati *et al.* 2005)

Background	Matchings	Perfect Graphs	MAP Estimation
	0000000		
Bipartite Matching			

	Motorola	Apple	IBM	I	۰ T	1	17
"laptop"	0\$	2\$	2\$		1	1	1
"server"	0\$	2\$	3\$	$\rightarrow C \equiv$	1	1	
"phone"	2\$	3\$	0\$	l	- 1	T	0]

- Given W, $\max_{C \in \mathbb{B}^{n \times n}} \sum_{ij} W_{ij}C_{ij}$ such that $\sum_i C_{ij} = \sum_j C_{ij} = b$
- Combinatorial *b*-matching problem $O(bn^3)$, (Google Adwords)
- Creates a very loopy graphical model
- Max product takes $O(bn^3)$ for exact MAP (Huang & J 2007)

Background	Matchings	Perfect Graphs	MAP Estimation
	0000000		
Bipartite Matching			



- Graph G = (U, V, E) with $U = \{u_1, \dots, u_n\}$ and $V = \{v_1, \dots, v_n\}$ and M(.), a set of neighbors of node u_i or v_j
- Define $x_i \in X$ and $y_i \in Y$ where $x_i = M(u_i)$ and $y_i = M(v_j)$
- Then $p(X, Y) = \frac{1}{Z} \prod_i \prod_j \psi(x_i, y_j) \prod_k \phi(x_k) \phi(y_k)$ where $\phi(y_j) = \exp(\sum_{u_i \in y_j} W_{ij})$ and $\psi(x_i, y_j) = \neg(v_j \in x_i \oplus u_i \in y_j)$

Background	Matchings	Perfect Graphs	MAP Estimation
	0000000		
Bipartite Matching			

Theorem (Huang & J 2007)

Max product on G converges in $O(bn^3)$ time.

Proof.

Form unwrapped tree T of depth $\Omega(n)$, maximizing belief at root of T is equivalent to maximizing belief at corresponding node in G



Theorem (Salez & Shah 2009)

Under mild assumptions, max product 1-matching is $O(n^2)$.

Background	Matchings	Perfect Graphs	MAP Estimation
	00000000		
Bipartite Matching			

• Code at http://www.cs.columbia.edu/~jebara/code

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三回 ● のへで

Matchings ○○○○●○○○○

Perfect Graphs

MAP Estimation

Generalized Matching

Generalized Matching



Applications: unipartite matching clustering (J & S 2006) classification (H & J 2007) collaborative filtering (H & J 2009) semisupervised (J *et al.* 2009) visualization (S & J 2009)

・ロト ・ 一下・ ・ ヨト ・ 日 ・

3

Max product is $O(n^2)$, beats other solvers (Salez & Shah 2009)

Matchings ○○○○○●○○○ Perfect Graphs

MAP Estimation

Generalized Matching

Unipartite Generalized Matching



• Above is k-nearest neighbors with k = 2

Matchings

Perfect Graphs

MAP Estimation

◆□ > ◆□ > ◆臣 > ◆臣 > ─ 臣 ─ のへで

Generalized Matching

Unipartite Generalized Matching



• Above is unipartite *b*-matching with b = 2

Background	Matchings	Perfect Graphs	MAP Estimation
00000	000000000	00000000000	0000000000
Generalized Matching			



• Left is *k*-nearest neighbors, right is unipartite *b*-matching.

◆□ > ◆□ > ◆臣 > ◆臣 > ─ 臣 ─ のへで

Background	Matchings	Perfect Graphs	MAP Estimation
	00000000		
Generalized Matching			

	p_1	<i>p</i> ₂	<i>p</i> ₃	<i>p</i> 4		- 0	1	Λ	1 7
p_1	0	2	1	2	-	1	T	1	
P_{2}	2	0	2	1	$\rightarrow C = 1$	T	0	T	0
· 2	1	2 2	0	2	, C	0	1	0	1
p_3	T	2	0	2		1	0	1	0
p_4	2	1	2	0	I		Ũ	-	Ϋ́

- $\max_{C \in \mathbb{B}^{n \times n}, C_{ij}=0} \sum_{ij} W_{ij} C_{ij}$ such that $\sum_{i} C_{ij} = b, C_{ij} = C_{ji}$
- Combinatorial unipartite matching is efficient (Edmonds 1965)
- Makes an LP with exponentially many blossom inequalities
- Max product exact if LP is integral (Sanghavi *et al.* 2008) $p(X) = \prod_{i \in V} \delta \left[\sum_{j \in Ne(i)} x_{ij} \le 1 \right] \prod_{ij \in E} \exp(W_{ij}x_{ij})$

Background	Matchings	Perfect Graphs	MAP Estimation

Back to Perfect Graphs

- Max product and exact MAP depend on the LP's integrality
- Matchings have special integral LPs (Edmonds 1965)
- How to generalize beyond matchings?
- Perfect graphs imply LP integrality (Lovász 1972)

Lemma (Lovász 1972)

For every non-negative vector $\vec{f} \in \mathbb{R}^N$, the linear program

$$\beta = \max_{\vec{x} \in \mathbb{R}^N} \vec{f}^\top \vec{x} \text{ subject to } \vec{x} \ge 0 \text{ and } A \vec{x} \le \vec{1}$$

recovers a vector \vec{x} which is integral if and only if the (undominated) rows of A form the vertex versus maximal cliques incidence matrix of some perfect graph.

Matchings 000000000 Perfect Graphs

MAP Estimation

Back to Perfect Graphs

Lemma (Lovász 1972)

$$\beta = \max_{\vec{x} \in \mathbb{R}^N} \vec{f}^\top \vec{x} \text{ subject to } \vec{x} \ge 0 \text{ and } A \vec{x} \le \vec{1}$$



$$A = \begin{bmatrix} 1 & 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 1 & 1 & 0 \\ 0 & 0 & 0 & 1 & 1 & 1 \end{bmatrix}$$

◆ロト ◆母 ▶ ◆ 臣 ▶ ◆ 臣 ▶ ○ 包 ◆ ○ ◆

 Background
 Matchings
 Perfect Graphs
 MAP Estimation

 00000
 000000000
 0000000000
 0000000000

 nand Markov Random Fields

nand Markov Random Fields

- Lovász's lemma is not solving $\max p(X)$ on G
- We have $p(x_1, \ldots, x_n) = \frac{1}{Z} \prod_{c \in C} \psi_c(X_c)$
- How to apply the lemma to any model G and space X?
- Without loss of generality assume $\psi_c(X_c) \leftarrow \frac{\psi_c(X_c)}{\min_{X_c}\psi_c(X_c)} + \epsilon$

▲日▼ ▲□▼ ▲ □▼ ▲ □▼ ■ ● ● ●

- Consider procedure to convert G to \mathcal{G} in NMRF form
- NMRF is a nand Markov random field over space X
 - all variables are binary $\mathbf{X} = \{\mathbf{x}_1, \dots, \mathbf{x}_N\}$
 - all potential functions are pairwise nand gates $\Phi(\mathbf{x}_i, \mathbf{x}_j) = \delta[\mathbf{x}_i + \mathbf{x}_j \le 1]$

	000000000000000000000000000000000000000	
nand Markov Random Fields		

nand Markov Random Fields





Figure: Binary graphical model G (left) and nand MRF \mathcal{G} (right).

Initialize \mathcal{G} as the empty graph For each clique c in graph \mathcal{G} do For each configuration $k \in X_c$ do add a corresponding binary node $\mathbf{x}_{c,k}$ to \mathcal{G} for each $\mathbf{x}_{d,l} \in \mathcal{G}$ which is incompatible with $\mathbf{x}_{c,k}$ connect $\mathbf{x}_{c,k}$ and $\mathbf{x}_{d,l}$ with an edge
 Background
 Matchings
 Perfect Graphs
 MAP Estimation

 00000
 000000000
 0000000000
 0000000000

 nand Markov Random Fields

nand Markov Random Fields

- NMRF \mathcal{G} yields the following distribution $\rho(\mathbf{X}) = \prod_{c \in C} \prod_{k=1}^{|X_c|} \psi_c(k)^{\mathbf{x}_{c,k}} \prod_{d \in C} \prod_{l=1}^{|X_d|} \Phi(\mathbf{x}_{c,k}, \mathbf{x}_{d,l})^{\mathbf{E}(\mathbf{x}_{c,k}, \mathbf{x}_{d,l})}.$
- Cardinality of \mathcal{G} is $|\mathbf{X}| = \sum_{c \in C} \left(\prod_{i \in c} |x_i| \right) = N$
- If node $\mathbf{x}_{c,k} = 1$ then clique c is in configuration $k \in X_c$.
- Clearly surjective, more configurations **X** than X
- Nand relationship prevents inconsistent settings $\sum_k \mathbf{x}_{c,k} \leq 1$

Theorem (J 2009)

For $\psi_c(k) > 1$, the MAP estimate X^* of $\rho(X)$ yields $\sum_k \mathbf{x}_{c,k}^* = 1$ for all cliques $c \in C$.

Background	Matchings	Perfect Graphs	MAP Estimation
		000000000000	
Packing Linear Programs			
Packing Linea	ar Programs		

Lemma (J 2009)

The MAP estimate for $\rho(\mathbf{X})$ on \mathcal{G} recovers MAP for p(X)

- Relaxed MAP on log $\rho(\mathbf{X}) \equiv$ set packing linear program
- If graph $\mathcal G$ is perfect, LP efficiently solves MAP

Lemma (Lovász 1972)

For every non-negative vector $\vec{f} \in \mathbb{R}^N$, the linear program

$$\beta = \max_{\vec{x} \in \mathbb{R}^N} \vec{f}^\top \vec{x} \text{ subject to } \vec{x} \ge 0 \text{ and } A \vec{x} \le \vec{1}$$

recovers a vector \vec{x} which is integral if and only if the (undominated) rows of A form the vertex versus maximal cliques incidence matrix of some perfect graph.

Background	Matchings	Perfect Graphs	MAP Estimation
00000	00000000	0000000000	0000000000
Packing Linear Programs			
Packing Linea	r Programs		

- For general graph G, MAP is NP-hard (Shimony 1994)
- Convert G to \mathcal{G} (polynomial time)
- If graph ${\mathcal G}$ is perfect
 - Find maximal cliques (polynomial time)
 - Solve MAP via packing linear program (polynomial time)

Theorem (J 2009)

MAP estimation of any graphical model G with cliques $c \in C$ over variables $\{x_1, \ldots, x_n\}$ producing a nand Markov random with a perfect graph G is in P and requires no more than $O\left(\left(\sum_{c \in C} \left(\prod_{i \in c} |x_i|\right)\right)^3\right).$

Background 00000	Matchings 00000000	Perfect Graphs	MAP Estimation
Packing Linear Programs			
Packing Line	ar Programs		

- For general graph G, MAP is NP-hard (Shimony 1994)
- Convert G to \mathcal{G} (polynomial time)
- If graph \mathcal{G} is perfect (? time)
 - Find maximal cliques (polynomial time)
 - Solve MAP via packing linear program (polynomial time)

Theorem (J 2009)

MAP estimation of any graphical model G with cliques $c \in C$ over variables $\{x_1, \ldots, x_n\}$ producing a nand Markov random with a perfect graph G is in P and requires no more than $O\left(\left(\sum_{c \in C} \left(\prod_{i \in c} |x_i|\right)\right)^3\right).$

Background 00000	Matchings 00000000	Perfect Graphs	MAP Estimation
Packing Linear Programs			
Packing Line	ar Programs		

- For general graph G, MAP is NP-hard (Shimony 1994)
- Convert G to \mathcal{G} (polynomial time)
- If graph G is perfect (polynomial time!!!)
 - Find maximal cliques (polynomial time)
 - Solve MAP via packing linear program (polynomial time)

Theorem (J 2009)

MAP estimation of any graphical model G with cliques $c \in C$ over variables $\{x_1, \ldots, x_n\}$ producing a nand Markov random with a perfect graph G is in P and requires no more than $O\left(\left(\sum_{c \in C} \left(\prod_{i \in c} |x_i|\right)\right)^3\right).$

Background 00000	Matchings 00000000	Perfect Graphs ○○○○○○●○○○○○	MAP Estimation
Recognizing Perfect Graphs			
Perfect Graphs			

- \bullet To determine if ${\cal G}$ is perfect
 - Run algorithm on \mathcal{G} in $O(N^9)$ (Chudnovsky *et al.* 2005)
 - or use tools from perfect graph theory to prove perfection
- Clique number of a graph $\omega(\mathcal{G})$: size of its maximum clique
- Chromatic number of a graph χ(G): minimum number of colors such that no two adjacent vertices have the same color
- A perfect graph G is a graph where every induced subgraph
 ℋ ⊆ G has ω(ℋ) = χ(ℋ)



Perfect

Not Perfect

Perfect

 Background
 Matchings
 Perfect Graphs
 MAP Estimation

 00000
 00000000
 00000000
 00000000

 Recognizing Perfect Graphs
 V
 V

Strong Perfect Graph Theorem

- A graph is perfect iff it is Berge (Chudnovsky et al. 2003)
- Berge graph: a graph that contains no odd hole and whose complement also contains no odd hole
- Hole: an induced subgraph of \mathcal{G} which is a chordless cycle of length at least 5. An odd hole has odd cycle length.
- Complement: a graph $\overline{\mathcal{G}}$ with the same vertex set $V(\mathcal{G})$ as \mathcal{G} , where distinct vertices $\mathbf{u}, \mathbf{v} \in V(\mathcal{G})$ are adjacent in $\overline{\mathcal{G}}$ just when they are not adjacent in \mathcal{G}







odd hole

even hole

odd hole

Recognition using Perfect Graphs Algorithm

- Could use slow $O(N^9)$ algorithm (Chudnovsky *et al.* 2005)
- Runs on ${\cal G}$ and then on complement ${ar {\cal G}}$
 - Detect if the graph contains a pyramid structure by computing shortest paths between all nonuples of vertices. This is $O(N^9)$
 - Detect if the graph contains a jewel structure or other easily-detectable configuration
 - Perform a cleaning procedure. A vertex in the graph is *C*-major if its set of neighbors in *C* is not a subset of the vertex set of any 3-vertex path of *C*. *C* is clean if there are no *C*-major vertices in the graph
 - Search for the shortest odd hole in the graph by computing the shortest paths between all triples of vertices
- Faster methods find all holes (Nikolopolous & Palios 2004)
- Less conclusive than Chudnovsky but can run on $N \ge 300$

 Background
 Matchings
 Perfect Graphs
 MAP Estimation

 00000
 000000000
 0000000000
 000000000

 Recognizing Perfect Graphs
 V
 V
 V

Recognition using Strong Perfect Graph Theorem

- SPGT implies that a Berge graph is one of these primitives
 - bipartite graphs
 - complements of bipartite graphs
 - line graphs of bipartite graphs
 - complements of line graphs of bipartite graphs
 - double split graphs
- or decomposes structurally (into graph primitives)
 - via a 2-join
 - via a 2-join in the complement
 - via an *M*-join
 - via a balanced skew partition
- Line graph: L(G) a graph which contains a vertex for each edge of G and where two vertices of L(G) are adjacent iff they correspond to two edges of G with a common end vertex

Background	Matchings	Perfect Graphs	MAP Estimation
		0000000000000	
Recognizing Perfect Graphs			

Recognition using Strong Perfect Graph Theorem

- SPGT and theory give tools to analyze graph
- Decompose using replication, 2-join, *M*-joins, skew partition...
- May help diagnose perfection when algorithm is too slow

Lemma (Replication, Lovász 1972)

Let \mathcal{G} be a perfect graph and let $v \in V(\mathcal{G})$. Define a graph \mathcal{G}' by adding a new vertex v' and joining it to v and all the neighbors of v. Then \mathcal{G}' is perfect.



Background	Matchings	Perfect Graphs	MAP Estimation
		000000000000	
Recognizing Perfect Graphs			

Recognition using Strong Perfect Graph Theorem

- SPGT and theory give tools to analyze graph
- Decompose using replication, 2-join, *M*-joins, skew partition...
- May help diagnose perfection when algorithm is too slow

Lemma (Gluing on Cliques, Skew Partition, Berge & Chvátal 1984)

Let \mathcal{G} be a perfect graph and let \mathcal{G}' be a perfect graph. If $\mathcal{G} \cap \mathcal{G}'$ is a clique (clique cutset), then $\mathcal{G} \cup \mathcal{G}'$ is a perfect graph.



< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

Matchings 000000000 Perfect Graphs

MAP Estimation

Proving Exact MAP

Proving Exact MAP for Tree Graphs

Theorem (J 2009)

Let G be a tree, the NMRF G obtained from G is a perfect graph.

Proof.

First prove perfection for a star graph with internal node v with |v| configurations. First obtain \mathcal{G} for the star graph by only creating one configuration for non internal nodes. The resulting graph is a complete |v|-partite graph which is perfect. Introduce additional configurations for non-internal nodes one at a time using the replication lemma. The resulting \mathcal{G}_{star} is perfect. Obtain a tree by induction. Add two stars \mathcal{G}_{star} and $\mathcal{G}_{star'}$. The intersection is a fully connected clique (clique cutset) so by (Berge & Chvátal 1984), the resulting graph is perfect. Continue gluing stars until full tree G is formed.

▲ロと▲聞と▲臣と▲臣と 臣 めんの

Background	Matchings	Perfect Graphs	MAP Estimation
			000000000
Proving Exact MAP			

Proving Exact MAP for Bipartite Matchings

Theorem (J 2009)

The maximum weight bipartite matching graphical model

$$p(X) = \prod_{i=1}^{n} \delta \left[\sum_{j=1}^{n} x_{ij} \leq 1 \right] \delta \left[\sum_{j=1}^{n} x_{ji} \leq 1 \right] \prod_{k=1}^{n} e^{f_{ik} x_{ik}}$$

with $f_{ij} \ge 0$ has integral LP and yields exact MAP estimates.

Proof.

The graphical model is in NMRF form so G and \mathcal{G} are equivalent. \mathcal{G} is the line graph of a (complete) bipartite graph (Rook's graph). Therefore, \mathcal{G} is perfect, the LP is integral and recovers MAP.



Background	Matchings	Perfect Graphs	MAP Estimation
			000000000
Proving Exact MAP			

Proving Exact MAP for Unipartite Matchings

Theorem (J 2009)

The unipartite matching graphical model G = (V, E) with $f_{ij} \ge 0$

$$p(X) = \prod_{i \in V} \delta \left[\sum_{j \in Ne(i)}^{n} x_{ij} \leq 1 \right] \prod_{ij \in E} e^{f_{ij} x_{ij}}$$

has integral LP and produces the exact MAP estimate if G is a perfect graph.

Proof.

The graphical model is in NMRF form and graphs G and G are equivalent. The set packing LP relaxation is integral and recovers the MAP estimate if G is a perfect graph.

Background 00000	Matchings 00000000	Perfect Graphs 000000000000	MAP Estimation			
Pruning NMRFs						
Pruning NMRFs						

- \bullet Possible to prune ${\mathcal G}$ in search of perfection and efficiency
- Two optional procedures: **Disconnect** and **Merge**
- Disconnect: For each c ∈ C, denote the minimal configurations of c as the set of nodes {x_{c,k}} such that f_{c,k} = min_κ f_{c,κ} = log(1 + ε). Disconnect removes the edges between these nodes and all other nodes in the clique X_c.
- Merge: For any pair of unconnected nodes x_{c,k} and x_{d,l} in G where Ne(x_{c,k}) = Ne(x_{d,l}), combine them into a single equivalent variable x_{c,k} with the same connectivity and updates its corresponding weight as f_{c,k} ← f_{c,k} + f_{d,l}.
- Easy to get MAP for G from Merge(Disconnect(G))

Background	Matchings	Perfect Graphs	MAP Estimation			
			0000000000			
Pruning NMRFs						
Convergent Message Passing						

 Instead of LP solver, use convergent message passing (Globerson & Jaakkola 2007) get faster solution

Input: Graph
$$\mathcal{G} = (\mathcal{V}, \mathcal{E})$$
 and θ_{ij} for $ij \in \mathcal{E}$.
1. Initialize all messages to any value.
2. For each $ij \in \mathcal{E}$, simultaneously update
 $\lambda_{ji}(\mathbf{x}_i) \leftarrow -\frac{1}{2} \sum_{k \in Ne(i) \setminus j} \lambda_{ki}(\mathbf{x}_i)$
 $+\frac{1}{2} \max_{\mathbf{x}_j} \left[\sum_{k \in Ne(j) \setminus i} \lambda_{kj}(\mathbf{x}_j) + \theta_{ij}(\mathbf{x}_i, \mathbf{x}_j) \right]$
 $\lambda_{ij}(\mathbf{x}_j) \leftarrow -\frac{1}{2} \sum_{k \in Ne(j) \setminus i} \lambda_{kj}(\mathbf{x}_j)$
 $+\frac{1}{2} \max_{\mathbf{x}_i} \left[\sum_{k \in Ne(i) \setminus j} \lambda_{ki}(\mathbf{x}_i) + \theta_{ij}(\mathbf{x}_i, \mathbf{x}_j) \right]$
3. Repeat 2 until convergence.
4. Find $b(\mathbf{x}_i) = \sum_{j \in Ne(i)} \lambda_{ji}(\mathbf{x}_i)$ for all $i \in \mathcal{V}$.
5. Output $\hat{\mathbf{x}}_i = \operatorname{argmax}_{\mathbf{x}_i} b(\mathbf{x}_i)$ for all $i \in \mathcal{V}$.

Matchings 000000000 Perfect Graphs

MAP Estimation

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

Pruning NMRFs

Convergent Message Passing

Theorem (Globerson & Jaakkola 2007)

With binary variables x_i , fixed points of convergent message passing recover the optimum of the LP.

Corollary (J 2009)

Convergent message passing on an NMRF with a perfect graph finds the MAP estimate.



- Investigate LP and message passing for unipartite matching
- Exact MAP estimate possible via Edmonds' blossom algorithm
- Consider graphical model G = (V, E) with $f_{ij} \ge 0$

$$p(X) = \prod_{i \in V} \delta \left[\sum_{j \in \mathsf{Ne}(i)}^{n} x_{ij} \leq 1 \right] \prod_{ij \in E} e^{f_{ij} x_{ij}}$$

• Compare solution found by message passing on the NMRF

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

• Try various topologies for graph G, perfect or otherwise

Background	Matchings	Perfect Graphs	MAP Estimation			
			00000000000			
MAP Experiments						
MAP Experiments						



Figure: Scores for the exact MAP estimate (horizontal axis) and message passing estimate (vertical axis) for random graphs and weights. Figure (a) shows scores for four types of basic Berge graphs while (b) shows scores for arbitrary graphs. Minor score discrepancies on Berge graphs arose due to numerical issues and early stopping.

Background 00000	Matchings 000000000	Perfect Graphs 000000000000	MAP Estimation
Conclusions			
Conclusions			

- Perfect graph theory is fascinating
- It is a crucial tool for exploring LP integrality
- Many recent theoretical and algorithmic breakthroughs
- Integrality of LP is also crucial for exact MAP estimation
- \bullet MAP for any graphical model is exact if ${\cal G}$ is perfect
- Efficient tests for perfection, maximum clique and LP
- Can use max product or message passing instead of LP

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

- Perfect graphs extend previous results on MAP for
 - Trees and singly-linked graphs
 - Single loop graphs
 - Matchings
 - Generalized matchings

Perfect Graphs

MAP Estimation

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● の Q @

Conclusions

Further Reading and Thanks

- MAP Estimation, Message Passing, and Perfect Graphs, T. Jebara. Uncertainty in Artificial Intelligence, June 2009.
- Graphical Models, Exponential Families and Variational Inference, M.J. Wainwright and M.I. Jordan. *Foundations and Trends in Machine Learning*, Vol 1, Nos 1-2, 2008.
- Loopy Belief Propagation for Bipartite Maximum Weight b-Matching, B. Huang and T. Jebara. *Artificial Intelligence and Statistics*, March 2007.
- Thanks to Maria Chudnovsky, Delbert Dueck and Bert Huang.