## Learning from Online Health Communities

Noémie Elhadad noemie@dbmi.columbia.edu

# Apps/tools for health consumers & patients

### iPhone "health apps"



### A (not social) tracking tool



#### How Facebook Saved My Son's Life My social network helped diagnose initially missed. By Deborah Kogan | Updated Wednesday, July 1 \*\*\*\*\* Wait Time <sup>46</sup> 4:00 Moth e explaining my inquiry beforehand. As soon a ras GINGER.io 🚽 y message and was very knowledgeable and to ig from view my inquiry beforehand. He wasn't in a 3 class ssional and helpful. I'd highly recommend him was office and smart. It was one of my best medical 405,023 resu som Total data points gathered so far. my s face 0 Face Self-portrait of the author and her son. Leo, on a stretcher in triage Happ 3.203 4.534 Location Samples **Questions Answered** the r 📩 📩 📩 Wait Time foursquare E Very good. 2.045 6.943 Phone Calls Text Messages Sent The studio is one of simplicity, allowing the students to practice the art of yoga in a peaceful, pressure-free environment. We Irma M saw Felix Chu, DO offer 60 classes/wk including Vinyasa, We take your privacy very seriously. Map Hatha, Prenatal, Mommy&Me, Privates, ۰ We never read or listen to any of your communication. We're only West 105th and workshops. The teaching staff at LIM \*\*\*\*\* Recommendat interested in the patterns of how you use your phone. All we get is reet Dog Run are some of the most sought after Strau anonymized bits of data - never any content. instructors in NYC. Very good, excellent Learn More YOUR CHECK-INS TOTAL PEOPLE TOTAL CHECK-INS 103 St 0 0 78 366 sle jon 07st Map data @2011 Google - Therms of Use About this app Mayor oga, prenatal yoga Ashley H. 40 checkins Popular Recent

### **Breast Cancer Mailing List Archives**

A wealth of information about breast cancer, from the experts.

Search) 2012

### Links

bclist.org

Friends of BC List

BC List Gathering

Abbreviation list

Rec Area

Information

<u>Cancer Survivors</u>
 <u>Online</u>

January 2012	February 2012	March 2012	April 2012
<u>May 2012</u>	June 2012	July 2012	August 2012
September 2012	October 2012	November 2012	December 2012

2011

January 2011	February 2011	March 2011	April 2011
May 2011	lune 2011	July 2011	August 2011

<u>Donations</u>: \$75 in November 2012 (target = \$500); \$5090 overall for 2012
 <u>Click here to log into the chat room.</u>
 Join the list (you need an email address)

Post a message to the list (list members only)

### . ....

osted on: 12 Posts: 1,423	12 hours ago     + Post a Re       chainsawz wrote:
g nill, n ed: Jan 20 s: 346	Wow wee Pee - great news!! I'm glad you found Reggie, but I hope you dump him soon for the cuter oneNED! Herceptin sure is great stuffso is tykerb if I must add :> Lisa -mets to lungs & brain - clear lymph nodesthe weakest step toward the top of the hill, towa sunrise, toward hope, is stronger than the fiercest storm. Diagnosis: 7/21/2008, IDC, 3cm, Stage IV, Grade 3, 0/2 nodes, mets, ER-/PR-, HER2+
<b>jeanne46</b> CA <b>Joined:</b> Nov 2006 <b>Posts:</b> 1,312	12 hours ago       + Post a Ro         jeanne46 wrote:       -         Great news. Dance away with Reggie until you can meet up with Ned. Shrink, shrank, shrunk Way to go!       -         Dx 12/05, Stage IV, Grade 3 ER+/PR- Her/2- YOU NEVER KNOW HOW STRONG YOU ARE UNBEING STRONG IS THE ONLY OPTION YOU HAVEanonymous
<b>justjudie</b> Simi valley, Ca <b>Joined:</b> Apr 2010 <b>Posts:</b> 42	12 hours ago       + Post a R         justjudie wrote:       Congratulations to you & Reggie!! Happy news is definitely the BEST!! Good for you Pee.         Judie
RobinWendy Long Island, NY Joined: Mar 2007 Posts: 1,841	11 hours ago       + Post a Re         RobinWendy wrote:       So wonderful to hear some good and great news. I'm so happy for you. I hope you and Reggin stay together until NED cuts in on the dance!!         dx Stage II primary BC in Jan. 2001;dx with DCIS on other breast in Jan. 2003; dx with mets to lu

### PatientsLikeMe: ALS (Amyotrophic Lateral Sclerosis)



### Find Patients Just Like **You >>**

#### Patient Spotlight





Male, 71 years, IA, United States

ALS: 15 yrs

Quite work (retired) 9/99 Got a scooter 10/99 moved to condo (no steps) 12/99 ... See Profile

#### PatientsLikeMe Videos



Visit our ALS YouTube channel..

### What is ALS?

ALS (amyotrophic lateral sclerosis) is a degenerative disorder affecting upper motor neurons in the brain and lower motor neurons in the brain stem and spinal cord. Symptoms include progressive weakness, atrophy, fasciculation, dysphagia, and eventual paralysis of respiratory function.

Amyotrophic Lateral Sclerosis (ALS) is a neurodegenerative disease caused by the degeneration of motor neurons. Around 3,000 to 5,000 new cases of ALS are diagnosed every year in the United States alone.

### Why PatientsLikeMe?

Imagine knowing what treatments work for people just like you — and having the ability to easily connect with those people. That's what makes PatientsLikeMe different. By sharing your symptoms, treatments and more, you can gain insight into what affects your condition while helping others learn from your experiences. Together, we can learn more. Begin making a difference today!

### Who Will You Find?



Numbers based on subset of users who provided data.

### What Are Patients Sharing?

Common Symptoms		# of Patients	Symptom Severity
Stiffness/Spasticity		2346	
Emotional lability		2336	
Constipation		2337	
Excess saliva		2342	
Excessive yawning		2242	
see more ▼			
Commonly Prescribed Treatments	# of Patients	of % of Patients on Treatment tients	
Riluzole	1235	26%	
Baclofen	423	9%	

#### PatientsLikeMe Blog: The Value of Openness

"A White Coat Affair": A Wonderful Evening Celebrating ALS TDI November 4, 2011

Moving Genetic Data Discovery Forward

### What Can You Learn?

#### Your Health Profile

By creating and sharing your health profile with the community, you can learn more about how your condition affects you and help others learn from your experience.

#### Patient Learning in Action

The first thing that I thought might be your problem is malnutrition. Man, you're losing weight crazy fast. I think you better consider getting peg tube if you desire. They are easy to care for and are literally a life saver. What are your thoughts on this? — A PatientsLikeMe Member



More on Learning »

#### PatientsLikeMe Research Updates

Take a minute to read recently published reports from the PatientsLikeMe R&D team

#### What are others saying about PatientsLikeMe?

Tune in to Twitter

Find us In the News

Read patient Testimonials

#### Newsletter Archive

Browse past editions of our Newsletters



# **Online Health Communities**

Individuals with chronic disease rely on disease-specific

- blogs
- mailing lists
- discussions forums

Research questions

- reach several fields (clinical discovery, epidemiology, health communication, HCI, data sciences)
- benefit different audiences (patients, health researchers)

# Is it good or bad?

Are there health outcomes associated with participation in an online health community?

What about psycho-social outcomes?

## Who are the members?

What are members' demographics and socio economic status? What are their levels of health literacy?

Are there specific personalities which correlate with participation?

How much are members ready to disclose about their conditions?

What are the patterns of interaction amongst the participants?

## Misinformation, trust

What is the prevalence of misinformation in a given forum? How to characterize misinformation?

Are there mechanisms for members to identify/flag misinformation?

Are there circles of trust? What are the mechanisms for a member to identify them?

To which extent are the findings community/disease dependent?

## What do members talk about?

What types of support do members get from each other? What are topics of discussions? What are the types of emotions expressed?

Are there evidence of collective sensemaking?

How much variation are there from one community to another and if so, why is that?

## Does it advance clinical discovery?

Can we discover side effects of drugs, co-morbidities, new symptoms from the contents of online health communities? Can we recruit patients for clinical trials through an online health community?

# Qualitative and data-driven methods

### Qualitative methods

- Content analysis (select sample based on keywords reflective of research question at hand / establish a coding schema / manually code the samples)

- Surveys, focus groups

• • •

Data-driven

. . .

- Topic modeling
- Association studies
- Social network analysis

Predicting cancer stage of members in a breast cancer online community (Jha & Elhadad, 2010)

Only 10% of members in a breast cancer forum give their clinical profile

Can we infer the stage of a member based on their discourse

- what they talk about
- who they talk to

### (and why do we want to do so?)

I've managed to keep a pretty sunny outlook through all of this (until lately) and now that the hard stuff is over, I can't bring myself to do the easiest thing of all....take one pill a day. Is anyone else facing this?? HELP!!

SAN :-\

Mastectomy ~ 9/23/11, chemo (TAC x 6) ~ 11/4/11, radiation x 36 (28 to two fields & 8 boosts to incision) ~ 3/24/12

Dx 8/5/2011, IDC, 5cm, Stage IIb, Grade 3, 0/6 nodes, ER+/PR+, HER2-

## Dataset

# Users with entered profile information

Stage I	2,226
Stage II	2,406
Stage III	1,031
Stage IV	749
Total	6,412

Active users with entered profile information (post > 50 words)

Stage I	1,317
Stage II	I,400
Stage III	580
Stage IV	448
Total	3,745

### Overall forum usage

(as of March 2010; compare to 119,000 members as of September 2012)

Nb. of participants	62,000
Nb. of threads	26,160
Nb. of posts	524,247
Nb. of threads with < 20 posts	22,334

## Cancer stage prediction

### What participants say

- text-based prediction
- Who the participants interact with
  - network-based prediction

### Machine learning, supervised framework

- Active participants with cancer stage information
- 5-fold stratified cross validation

## Text-based classification

## Full post history, concatenated Signatures removed

Stages	Min nb. words	Max nb. words	Average nb. words	Median nb. words
I	4	609,608	8,429	3,123
II	2	353,731	8,142	3,112
Ш	8	211,655	9,297	3,189
IV	10	893,326	17,083	326

Lexical features only (unigram, bigrams, trigrams)

# Network-based classification

### Build network of interactions

- Nodes = forum participants
- Edges = level of interaction among participants

Propagate labels



## Network-based classification

Represents presence of interaction between two participants

Participants post in the same threads, within 5 posts of each other One participant explicitly mentions the other

- Extract real names and aliases

# Results

### Baseline

Stage	Ρ	R	F
I	76.2	26.4	39.3
П	79.4	18.7	30.3
Ш	76.6	35.0	48.0
IV	76.4	50.7	60.9

### Network-based

Stage	Ρ	R	F
I	50.4	56.7	53.4
II	49.6	49.I	49.3
III	65.7	27.7	39.0
IV	59.3	83.7	69.4

### Text-based

Stage	Ρ	R	F
I	54.9	63.9	59.I
П	51.6	55.0	53.2
Ш	52.7	30.3	38.5
IV	82.5	71.2	76.4
_			

### Combined

Stage	Ρ	R	F
I	57.I	65.4	61.0
П	56.6	53.5	55.0
III	56.I	48.3	51.9
IV	84.7	81.3	83.0

Detecting salient concepts of discussion in ASD forums (ongoing work)

Autism spectrum disorder forums caregivers and parents of patients

Can we identify salient concepts of discussion, where
Concept = semantic concept determined by a set of lexical variants (e.g., heart attack, myocardial infarct, heart attacks)
Salient = significantly more discussed in ASD forum than in a control, non-ASD forum

(and why we want to do so?)

## Build a lexicon of concepts

Start with a known health dictionary (UMLS), but... it's technical, it's noisy, it might not have good coverage of ASD concepts Add spelling variants of UMLS concepts Double Metaphone algorithm (phonetic encoding) e.g., risperdal: 'rhisperdol', 'respirdol', 'risperdall', 'rispardal' Add frequent bigrams from texts we know are relevant to ASD PubMed articles on ASD

# Identify salient concepts

## Control forum: general parenting forum Association study

Is concept "Aggressive Behaviors" Salient in Autism Forum ?							
	Observed (O)	Expected (E)	(O - E) <sup>2</sup> /E				
Autism	281	101.97	314.33				
Control	75	257.03	126.73				
x <sup>2</sup> = ? p-value = ?							

### Multiple hypothesis testing, false discovery rate

## Identify salient concepts

Raw frequency is not a valid measurement of prevalence of a concept in a forum!

VACCINE Raw freq: 9939 Post support: 4134 Member support: 850

SOCIAL SKILLS Raw freq: 6794 Post support: 5227 Member support: 1006 EARLY INTERVENTION Raw freq: 4345 Post support: 3632 Member support: 1063

SPEECH THERAPY Raw freq: 3712 Post support: 3245 Member support: 1048

### Dataset

### Autism: 47M words, vocabulary 165K

	Autism	Control
Years active	2005-2011	2003-2011
Nb. members	8,856	21,427
Nb. posts	387,327	201,895
Nb. sentences	979,278	1,037,837

# Results

### Lexicon

Semantic grouping	Nb. Terms
Activities & Behaviors (ACTI)	4,074 (1.28%)
Anatomy (ANAT)	11,576 (3.64%)
Chemicals & Drugs (CHEM)	92,232 (29.02%)
Concepts & Ideas (CONC)	14,184 (4.46%)
Devices (DEVI)	3,113 (0.98%)
Disorders (DISO)	55,418 (17.43%)
Genes & Molecular Seq. (GENE)	20,190 (6.35%)
Geographic Areas (GEOG)	2,517 (0.79%)
Living Beings (LIVE)	17,111 (5.38%)
Objects (OBJC)	6,667 (2.10%)
Occupations (OCCU)	1,816 (0.57%)
Organizations (ORGA)	1,516 (0.48%)
Phenomena (PHEN)	2,482 (0.78%)
Physiology (PHYS)	6,991 (2.20%)
Procedures (PROC)	20,668 (6.50%)
From PubMed (PUBMED)	57,300 (18.03%)
Total	317,855

# Results

### Salient concepts

### 8K concepts frequent enough for hypothesis testing, 79% are significant for ASD; 3% are significant for Control

Autism concept	members		Control concept	members
eye contact	1,540	Activities & Behaviors	sex	1,896
hand flapping	311	Anatomy	pubic hair	101
gluten	746	Chemicals & Drugs	cigarette	267
language	1,421	Concepts & Ideas	lying	358
tympanostomy tube	520	Devices	tampons	178
speech	2,779	Disorders	tattoo	255
speech therapist	592	Living Beings	boyfriend	1,416
supplement	1,345	Objects	high school	1,682
neurology	127	Occupations	gyn	100
sounds	1,584	Phenomena	room clean	170
movements	516	Physiology	sexual orientation	242
early intervention	1,004	Procedures	abortion	242
behavior stimming	1,177	PubMed	Harry potter	241

## Concept-concept associations

O ssri started my 8 year old DD on Risperdal...It hasn't really helped O antidepressants ANAT anti depressants with her anxiety, but it did decrease her trantrums and made CHEM anxiety zoloft O psychotropic her interact more... At the low dose I didn't notice any side effects. manic paxil zvorexa But as we increased the dosage she gained weight and became CONC tics tired all the time. stimulant O antipsychotic DISO O focalin O ritalino strattera prozac O seroquel mood GENDER O mood\_stabilizer O abilify O depakote GENE adhd o concerta risperdal...has helped take the edge off and decrease aggressive behaviors but overall he did not have a huge change. He also side effects O adderall LIVE O geodon gained about 15 pounds on that dose. O low dose risperdal OBJC common side weight gain trileptal PHYS child\_psychiatrist aggressive ... My son was so violent and aggressive ... We were willing to PROC O risperidone dose try anything. He was off of it for 1 week last spring-his anxiety went O clonodine PUBMED thru the roof and had a couple of raging episodes (throwing chairs, O anticonvulsant tipping over the huge oak dining table, etc)-Raging for him when  $\bigcirc$ rage not on risperdal was horrible ...- trying to kill his younger sister, choking lbś behavioral therapy me in the van while I'm driving, etc. anti\_psychotic tardive dyskinesia violent

Example excerpts taken from ASD forum posts containing concepts found through exploration of all neighbors I & 2 edges from Risperdal. Relative size of node depicts relative member mention of concept. Color of node depicts semantic group.

# Concept "school", in ASD forum





# Concept "school", in ASD forum

When my dd was really having a hard time a few years ago (about age 5), we were able to have the behavioral therapist from the school do an eval and help us with a game plan of how to redirect the behavior.

The autism school is run through the scholarship which is taken from the school district's funds they would get for having our ryan.

If you chose to home school will you be able to do any private speech or ot services?

The behavioral therapist has done wonders with her, gave us tips and i have used those at home-taylor was totally unruley when she started school 5 years ago.

...great dvd for our kids starting school and modeling what is expected ..."time for school" it is loaded with real kids and step by step the rules of school like " sitting and looking at teacher" and "standing in line", "sitting in circle time", "listening to a story" and peer social rules and many more...

You should be getting progress notes on the iep goals at least as frequently as the rest of the school gets report cards or progress reports.

# Concept "Language", in ASD forum



# Concept "Language", in ASD forum

"...it's called 'jargoning' and is a milestone along the way towardslangauge development."

"X never had an echolalia phase, at least that i noticed. it is definitely a pre-cursor to functional langauge, and i think that you have reason to be encouraged, given Y's young age."

"He recently started teaching himself sign language, he speaks and is conversational, but he is really interested in sign langauge."

"...their language tests in the normal range now (using the same test that they were given at three), though the test doesn't account for pragmatics issues and social use of langauge and conversation skills, both of which are still significantly delayed – their talent in rote memorization raises their score on these tests (the test way above age-level in things such as picture recognition and vocabulary)..."

# Concept "Language", in General parenting forum



# Final thoughts

Methodology

- social network – real interactions are more meaningful than naïve ones

- prevalence of a concept – raw frequency is not as meaningful as member support (and member support is a stringent metric)

Research

- beyond analysis, what interventions/tools can be built?