

# W4118: OS Overview



Junfeng Yang

References: Modern Operating Systems (3<sup>rd</sup> edition), Operating Systems Concepts (8<sup>th</sup> edition), previous W4118, and OS at MIT, Stanford, and UWisc


# Outline

- ❑ OS definitions
- ❑ OS abstractions/concepts
- ❑ OS structure
- ❑ OS evolution

# What is OS?

- "A program that acts as an intermediary between a user of a computer and the computer hardware."

"stuff between"



# Two popular definitions

- ❑ Top-down perspective: **hardware abstraction layer**, turn hardware into something that applications can use
- ❑ Bottom-up perspective: **resource manager/coordinator**, manage your computer's resources

# OS = hardware abstraction layer


- “standard library” “OS as virtual machine”
  - E.g. `printf("hello world")`, shows up on screen
  - App issue **system calls** to use OS abstractions
- Why good?
  - **Ease of use**: higher level, easier to program
  - **Reusability**: provide common functionality for reuse
    - E.g. each app doesn't have to write a graphics driver
  - **Portability / Uniformity**: stable, consistent interface, different OS/ver/hw look same
    - E.g. scsi/ide/flash disks
- Why hard?
  - What are the **right** abstractions ?

# Two popular definitions

- Top-down perspective: hardware abstraction layer, turn hardware into something that applications can use
- Bottom-up perspective: **resource manager/coordinator**, manage your computer's resources

# OS = resource manager/coordinator

- Computer has resources, OS must manage.
  - Resource = CPU, Memory, disk, device, bandwidth, ...



Hardware

# OS = resource manager/coordinator (cont.)

## □ Why good?

- **Sharing/Multiplexing**: more than 1 app/user to use resource
- **Protection**: protect apps from each other, OS from app
  - Who gets what when
- **Performance**: efficient/fair access to resources

## □ Why hard? Mechanisms vs policies

- **Mechanism**: how to do things
- **Policy**: what will be done
- **Ideal**: general mechanisms, flexible policies
  - Difficult to design right



# Outline

- OS definitions
- OS abstractions/concepts
- OS structure
- OS evolution

# OS abstraction: process

- Running program, stream of running instructions + process state
  - A key OS abstraction: the applications you use are built of processes
    - Shell, powerpoint, gcc, browser, ...
- Easy to use
  - Processes are protected from each other
    - process = address space
  - Hide details of CPU, when&where to run

# Unix process-related system calls

## ❑ `int fork (void)`

- Create a copy of the invoking process
- Return **process ID** of new process in "parent"
- Return 0 in "child"

## ❑ `int execv (const char* prog, const char* argv[])`

- Replace current process with a new one
- `prog`: program to run
- `argv`: arguments to pass to `main()`

## ❑ `int wait (int *status)`

- wait for a child to exit

# Simple shell

```
// parse user-typed command line into command and args
```

```
...
```

```
// execute the command
```

```
switch(pid = fork ()) {
```

```
    case -1: perror ("fork"); break;
```

```
    case 0: // child
```

```
        execv (command, args, 0); break;
```

```
    default: // parent
```

```
        wait (0); break; // wait for child to terminate
```

```
}
```

# OS abstraction: file

- Array of bytes, persistent across reboot
  - Nice, clean way to read and write data
  - Hide the details of disk devices (hard disk, CDROM, flash ...)
- Related abstraction: **directory**, collection of file entries

# Unix file system calls

- ❑ `int open(const char *path, int flags, int mode)`
  - Opens a file and returns an integer called a file descriptor to use in other file system calls
  - Default file descriptors
    - 0 = stdin, 1 = stdout, 2 = stderr
  
- ❑ `int write(int fd, const char* buf, size_t sz)`
  - Writes `sz` bytes of data in `buf` to `fd` at current file offset
  - Advance file offset by `sz`
  
- ❑ `int close(int fd)`
  
- ❑ `int dup2 (int oldfd, int newfd)`
  - makes `newfd` an exact copy of `oldfd`
  - closes `newfd` if it was open
  - two file descriptors will share same offset

# Process communication: pipe

- ❑ `int pipe(int fds[2])`
  - Creates a one way communication channel
  - `fds[2]` is used to return two file descriptors
  - Bytes written to `fds[1]` will be read from `fds[0]`
- ❑ Often used together with `fork()` to create a channel between parent and child

# xv6 shell

- `sh.c`



# Outline


- OS definitions and functionalities
- OS abstractions/concepts
- OS structure
- OS evolution

# OS structure

- OS structure: what goes into the **kernel**?
  - Kernel: most interesting part of OS
    - Privileged; can do everything → must be careful
    - Manages other parts of OS
  
- Different structures lead to different
  - Performance, functionality, ease of use, security, reliability, portability, extensibility, cost, ...
  
- Tradeoffs depend on technology and workload

# Monolithic


- Most traditional functionality in kernel



Unix System Architecture

# Microkernel


- Move functionality out of kernel



## Minix 3 System Architecture

# Virtual machine

- Export a fake hardware interface so that multiple OS can run on top



Non-virtual Machine

Virtual Machine

# Outline

- ❑ OS definitions and functionalities
- ❑ OS abstractions/concepts
- ❑ OS structure
- ❑ OS evolution

# OS evolution

- Many outside factors affect OS
- User needs + technology changes → OS must evolve
  - New/better abstractions to users
  - New/better algorithms to implement abstractions
  - New/better low-level implementations (hw change)
- Current OS: evolution of these things

# Major trend in History

- ❑ Hardware: cheaper and cheaper
- ❑ Computers/user: increases
  
- ❑ Timeline
  - 70s: mainframe, 1 / organization
  - 80s: minicomputer, 1 / group
  - 90s: PC, 1 / user



# 70s: mainframe


- Hardware:
  - Huge, \$\$\$, slow
  - IO: punch card, line printer
  
- OS
  - simple library of device drivers (no resource coordination)
  - Human = OS: single programmer/operator programs, runs, debugs
  - One job at a time
  
- **Problem:** poor performance (utilization / throughput)  
Machine \$\$\$, but idle most of the time because  
**programmer slow**

# Batch Processing


- ❑ Batch: submit group of jobs together to machine
  - Operator collects, **orders**, runs (resource coordinator)
- ❑ Why good? can better optimize given more jobs
  - Cover setup overhead
  - Operator quite skilled at using machine
  - Machine busy more (programmers debugging offline)
- ❑ Why bad?
  - Must wait for results for long time
- ❑ Result: utilization increases, interactivity drops

# Spooling

- ❑ **Problem:** slow I/O ties up fast CPU
  - Input → Compute → Output
  - Slow punch card reader and line printer




- ❑ Idea: overlap one job's IO with other jobs' compute
- ❑ OS functionality
  - buffering, DMA, interrupts
- ❑ Good: better utilization/throughput
- ❑ Bad: still not interactive



# Multiprogramming

- ❑ Spooling → multiple jobs
- ❑ Multiprogramming
  - keep multiple jobs in memory, OS chooses which to run
  - When job waits for I/O, switch
- ❑ OS functionality
  - job scheduling, mechanism/policies
  - Memory management/protection
- ❑ Good: better throughput
- ❑ Bad: still not interactive



# 80s: minicomputer

- ❑ Hardware gets cheaper. 1 / group
- ❑ Need better interactivity, short response time
- ❑ Concept: timesharing
  - Fast switch between jobs to give impression of dedicated machine
- ❑ OS functionality:
  - More complex scheduling, memory management
  - Concurrency control, synchronization
- ❑ Good: immediate feedback to users

# 90s: PC

- ❑ Even cheaper. 1 / user
- ❑ Goal: easy of use, more responsive
- ❑ Do not need a lot of stuff
  
- ❑ Example: DOS
  - No time-sharing, multiprogramming, protection, VM
  - One job at a time
  - OS is subroutine again
  
- ❑ Users + Hardware → OS functionality

# Current trends?

- Large
  - Users want more features
  - More devices
  - Parallel hardware
  - Result: large system, millions of lines of code
  
- Reliability, Security
  - Few errors in code, can recover from failures
  - At odds with previous trend
  
- Small: e.g. handheld device
  - New user interface
  - Energy: battery life
  - One job at a time. OS is subroutine again

# Next lecture

- PC hardware and x86 programming