

An ANTLR Grammar for Esterel

COMS W4115


Prof. Stephen A. Edwards

Fall 2004

Columbia University

Department of Computer Science

ANTLR



ANTLR Parser Specifications

Look like

```
class MyParser extends Parser;
options {
  option = value
}
```

```
rule1 : Token1 Token2
      | Token3 rule2 ;
rule2 : (Token1 Token2)* ;
rule3 : rule1 ;
```

Looks at the next k tokens when deciding which option to consider next.

The Esterel LRM

- Keywords are reserved and cannot be used as identifiers. Many constructs are bracketed, like “**present ... end present**”. For such constructs, repeating the initial keyword is optional; one can also write “**present ... end**”.
- Simple comments start with % and end at end-of-line. Multiple-line comments start with %{ and end with }%.

An ANTLR grammar for Esterel

Esterel: Language out of France. Programs look like

```
module ABRO:
input A, B, R;
output O;

loop
  [ await A || await B ];
  emit O
each R

end module
```

A Lexer for Esterel

Operators from the language reference manual:

```
. # + - / * || < > , = ; : := ( )
[ ] ? ?? <= >= <> =>
```

Main observation: none longer than two characters. Need $k = 2$ to disambiguate, e.g., ? and ??.

```
class EsterelLexer extends Lexer;
options {
  k = 2;
}
```

ANTLR Lexer Specifications

Look like

```
class MyLexer extends Lexer;
options {
  option = value
}
```

```
Token1 : 'char' 'char' ;
Token2 : 'char' 'char' ;
Token3 : 'char' ('char')? ;
```

Tries to match all non-protected tokens at once.

The Esterel LRM

Lexical aspects are classical:

- Identifiers are sequences of letters, digits, and the underline character `_`, starting with a letter.
- Integers are as in any language, e.g., 123, and floating-point numerical constants are as in C++ and Java; the values 12.3, .123E2, and 1.23E1 are constants of type double, while 12.3f, .123E2f, and 1.23E1f are constants of type float.
- Strings are written between double quotes, e.g., “a string”, with doubled double quotes as in “a ” double quote”.

A Lexer for Esterel

Next, I wrote a rule for each punctuation character:

```
PERIOD :      '.' ;
POUND :      '#' ;
PLUS :       '+' ;
DASH :       '-' ;
SLASH :      '/' ;
STAR :       '*' ;
PARALLEL :   "||" ;
```

A Lexer for Esterel

Identifiers are standard:

```
ID
: ('a'..'z' | 'A'..'Z')
 ('a'..'z' | 'A'..'Z' | '_' | '0'..'9')*
;
```

A Lexer for Esterel

Another problem: ANTLR scanners check each recognized token's text against keywords by default.

A string such as "abort" would scan as a keyword!

```
options {
  k = 2;
  charVocabulary = '\3'..\377';
  exportVocab = Esterel;
  testLiterals = false;
}
```

```
ID options { testLiterals = true; }
: ('a'..'z' | 'A'..'Z') /* ... */ ;
```

Number Rules

```
Number
: ('0'..'9')+
 ( '.' ('0'..'9')* (Exponent)?
  ( ('f'|'F') { $setType(FloatConst); }
  | /* empty */ { $setType(DoubleConst); }
  )
 | /* empty */ { $setType(Integer); }
 )
;
```

A Lexer for Esterel

String constants must be contained on a single line and may contain double quotes, e.g.,

```
"This is a constant with ""double quotes""
```

ANTLR makes this easy: annotating characters with ! discards them from the token text:

```
StringConstant
: '""!
 ( ~('"' | '\n')
 | ('""! '""')
 )*
 '""!
;
```

Numbers Defined

From the LRM:

Integers are as in any language, e.g., 123, and floating-point numerical constants are as in C++ and Java; the values 12.3, .123E2, and 1.23E1 are constants of type double, while 12.3f, .123E2f, and 1.23E1f are constants of type float.

Number Rules Continued

```
FractionalNumber
: '.' ('0'..'9')+ (Exponent)?
 ( ('f'|'F') { $setType(FloatConst); }
 | /* empty */ { $setType(DoubleConst); }
 )
;

protected
Exponent
: ('e'|'E') ('+'|'-')? ('0'..'9')+
;
```

A Lexer for Esterel

I got in trouble with the ~ operator, which inverts a character class. Invert with respect to what?

Needed to change options:

```
options {
  k = 2;
  charVocabulary = '\3'..\377';
  exportVocab = Esterel;
}
```

Numbers

With $k = 2$, for each rule ANTLR generates a set of characters that can appear first and a set that can appear second. But it doesn't consider the possible combinations.

I split numbers into Number and FractionalNumber to avoid this problem: If the two rules were combined, the lookahead set for Number would include a period (e.g., from ".1") followed by end-of-token e.g., from "1" by itself).

Example numbers:	First	Second
.1\$.	EOT
.2	1	.
1\$	2	1

Comments

From the LRM:

Simple comments start with % and end at end-of-line. Multiple-line comments start with %{ and end with %}.

Comments

```
Comment
: '%'
( ('{' => '{'
  ( // Prevent .* from eating the whole file
    options {greedy=false};
    (
      ('\r' '\n') => '\r' '\n' { newline(); }
      | '\r'      { newline(); }
      | '\n'      { newline(); }
      | ~( '\n' | '\r' )
    )
  )*
  "%*"
  | ((~'\n')* '\n' { newline(); }
)
{ $setType(Token.SKIP); }
;
```

Grammar from the LRM

But in fact, the compiler accepts

```
module TestSemicolon1:
  nothing;
end module
module TestSemicolon2:
  nothing; nothing;
end module
module TestSemicolon3:
  nothing; nothing
end module
```

Rule seems to be “one or more statements separated by semicolons except for the last, which is optional.”

Nondeterminism

```
sequence : atomicStatement seq1 seq2 ;
seq1 : SEMICOLON atomicStatement seq1
      | /* nothing */ ;
seq2 : SEMICOLON
      | /* nothing */ ;
```

How does it choose an alternative in `seq1`?

First choice: next token is a semicolon.

Second choice: next token is one that may follow `seq1`.

But this may also be a semicolon!

A Parser for Esterel

Esterel's syntax started out using `;` as a separator and later allowed it to be a terminator.

The language reference manual doesn't agree with what the compiler accepts.

Grammar for Statement Sequences

Obvious solution:

```
sequence
: atomicStatement
  ( SEMICOLON atomicStatement )*
  ( SEMICOLON )?
;
```

warning: nondeterminism upon
`k==1:SEMICOLON`
between `alt 1` and `exit branch of block`

Which option do you take when there's a semicolon?

Nondeterminism

Solution: tell ANTLR to be greedy and prefer the iteration solution.

```
sequence
: atomicStatement
  ( options { greedy=true; }
    : SEMICOLON! atomicStatement )*
  ( SEMICOLON! )?
;
```

Grammar from the LRM

NonParallel:
AtomicStatement
Sequence

Sequence:
SequenceWithoutTerminator ; opt

SequenceWithoutTerminator:
AtomicStatement ; AtomicStatement
SequenceWithoutTerminator ; AtomicStatement

AtomicStatement:

nothing

pause

...

Nondeterminism

```
sequence : atomicStatement
          ( SEMICOLON atomicStatement )*
          ( SEMICOLON )? ;
```

Is equivalent to

```
sequence : atomicStatement seq1 seq2 ;
```

```
seq1 : SEMICOLON atomicStatement seq1
      | /* nothing */ ;
```

```
seq2 : SEMICOLON
      | /* nothing */ ;
```

Nondeterminism

Delays can be “A” “X A” “immediate A” or “[A and B].”

```
delay : expr bSigExpr
      | bSigExpr
      | "immediate" bSigExpr ;
```

```
bSigExpr : ID
          | "[" signalExpression "]" ;
```

```
expr : ID | /* ... */ ;
```

Which choice when next token is an ID?

Nondeterminism

```
delay : expr bSigExpr
      | bSigExpr
      | "immediate" bSigExpr ;
```

What do we really want here?

If the delay is of the form “expr bSigExpr,” parse it that way.

Otherwise try the others.

Turning Off Greedy Rules

The right way is to disable greedy:

```
COMMENT
: "/*"
  (options {greedy=false;} :.)*
  "**/" ;
```

This only works if you have two characters of lookahead:

```
class L extends Lexer;
options {
  k=2;
}
```

```
CMT : "/*" (options {greedy=false;} :.)* "**/" ;
```

Removing the Warning

```
class MyGram extends Parser;

stmt
: "if" expr "then" stmt
  (options {greedy=true;} : "else" stmt)?
;
```

Nondeterminism

```
delay : ( (expr bSigExpr) => delayPair
        | bSigExpr
        | "immediate" bSigExpr
        ) ;
```

```
delayPair : expr bSigExpr ;
```

The => operator means “try to parse this first. If it works, choose this alternative.”

The Dangling Else Problem

```
class MyGram extends Parser;
```

```
stmt : "if" expr "then" stmt ("else" stmt)? ;
```

Gives

```
ANTLR Parser Generator Version 2.7.1
gram.g:3: warning: nondeterminism upon
gram.g:3:      k==1:"else"
gram.g:3:      between alts 1 and 2 of block
```

A Simpler Language

```
class MyGram
  extends Parser;

stmt
: "if" expr
  "then" stmt
  ("else" stmt)?
  "fi"
;

match(LITERAL_if);
expr();
match(LITERAL_then);
stmt();
switch (LA(1)) {
case LITERAL_else:
  match(LITERAL_else);
  stmt();
  break;
case LITERAL_fi:
  break;
default:
  throw new SyntaxError(LT(1));
}
match(LITERAL_fi);
```

Greedy Rules

The author of ANTLR writes

I have yet to see a case when building a parser grammar where I did not want a subrule to match as much input as possible.

However, it is particularly useful in scanners:

```
COMMENT
: "/*" (.)* "**/"
;
```

This doesn't work like you'd expect...

Generated Code

```
stmt : "if" expr "then" stmt ("else" stmt)? ;
match(LITERAL_if);
expr();
match(LITERAL_then);
stmt();
if ((LA(1)==LITERAL_else)) {
  match(LITERAL_else); /* Close binding else */
  stmt();
} else if ((LA(1)==LITERAL_else)) {
  /* go on: else can follow a stmt */
} else {
  throw new SyntaxError(LT(1));
}
```