

Proposal: File and Directory Manipulation Language (FDL)

Rupayan Basu
Columbia University
rb3034@columbia.edu

Pranav Bhalla
Columbia University
pb2538@columbia.edu

Cara J. Borenstein
Columbia University
cjb2182@columbia.edu

Daniel Garzon
Columbia University
dg2796@columbia.edu

Daniel L. Newman
Columbia University
dln2111@columbia.edu

September 25, 2013

1 Motivation

With the proliferation of storage devices, and the rise of mobile and cloud computing, users must now manage a large number of files scattered across several locations. Furthermore, with the availability of inexpensive storage options, users do not feel the need to delete files, often leading to an unmanageable accumulation of files. Thus the problem of accessing and organizing multiple files quickly and easily across diverse storage media is becoming increasingly important.

While the GUI offered by various operating systems is inefficient for handling large number of files and directories at the same time, the command line interface on the other hand requires users to learn complex Swiss-knife like commands and their innumerable options, even to perform basic operations. What is required is a programming language, that allows users to write simple programs that perform both specialized as well as routine tasks to efficiently and easily organize their files and directories.

2 Description

File and Directory Manipulation Language (FDL, pronounced fiddle) solves this problem by providing a simple and intuitive syntax for managing files and directories. By providing the user with new data types, and an extensive list of mathematical and logical operators, what used to be tedious and time consuming will now be easy and fast.

Users can write programs that organize their file systems by conveniently copying files and directories to different locations, and removing files and directories from specific file paths, through the use of mathematical operators. Users can loop through subdirectories and files contained within a chosen directory, with a template to browse the file/directory tree stemming from that directory by specifying different levels. One example is the ability to perform a function on all nodes of the tree at a certain level away from the root directory.

Files can be organized in this manner by the attributes spanning from last modified date to size, and additional, customized tags can be added to files for organizational purposes. Customized tags can be serialized and stored on the machine in XML format, to be loaded when users are navigating the file system.

3 Syntax

3.1 Basic Data Types

primitive	Description
<i>int</i>	The set of all positive natural numbers: $\mathbb{N}^0 = \{0, 1, 2, 3, \dots, k\}$
<i>bool</i>	Used to compare two files or directories for equality. Returns 1 for <i>true</i> and 0 for <i>false</i> .
<i>string</i>	A sequence of <i>characters</i> surrounded by quotes.
<i>dir</i>	Object that holds the path to a <i>collection</i> of 0 or more <i>files</i> in memory. Directories can contain any number of <i>files</i> and any number of <i>sub-directories</i> .
<i>file</i>	Object that has a <i>file_type</i> , <i>modified_date</i> , <i>created_date</i> , and 0 or more customized <i>tags</i> .

3.2 File and Directory Attributes

attribute	Description
<i>created_date</i>	Field that holds the date when a <i>file</i> or <i>directory</i> was created.
<i>modified_date</i>	Field that holds the date of the last time a <i>file</i> or <i>directory</i> was modified.
<i>file_type</i>	Field that holds the type of a <i>file</i> . (ex. 'txt', 'jpeg').
<i>tag</i>	Field that holds a <i>customized association</i> of a <i>file</i> .
<i>path</i>	Field that holds the path of the <i>file</i> or <i>directory</i> .
<i>name</i>	Field that holds the name of the <i>file</i> or <i>directory</i> .
<i>level</i>	Field that tracks the depth (an integer) at which a given <i>file</i> or <i>directory</i> is with respect to the root.

3.3 Mathematical Operators

operator	Description
+	Used to add <i>files</i> to <i>directories</i> and also to append <i>strings</i> .
-	Used to remove 1 or more <i>files</i> from a <i>directory</i> .
,	Used to specify multiple objects that should be evaluated separately by the previous operator.
=	Assignment operator.
+ =	For a <i>directory</i> it is used to add a <i>file</i> or <i>sub-directory</i> to the <i>directory</i> . For integers, it is the <i>addition and assignment</i> operator.
- =	For a <i>directory</i> it is used to remove a <i>file</i> or <i>sub-directory</i> to from <i>directory</i> . For integers, it is the <i>subtraction and assignment</i> operator.

3.4 Logical Operators

operator	Description
==	Equality operator.
!=	Inequality operator.
>	Used for checking the level of a <i>sub-directory</i> (select <i>files</i> at a level <i>greater than</i> the current <i>directory</i>), and for comparing <i>integers</i> .
>=	Used for checking the level of a <i>sub-directory</i> (select <i>files</i> at a level <i>greater than or equal to</i> the current <i>directory</i>), and for comparing <i>integers</i> .
<	Used for checking the level of a <i>sub-directory</i> (select <i>files</i> at a level <i>less than</i> the current <i>directory</i>), and for comparing <i>integers</i> .
<=	Used for checking the level of a <i>sub-directory</i> (select <i>files</i> at a level <i>less than or equal to</i> the current <i>directory</i>), and for comparing <i>integers</i> .

3.5 Control Statements

3.5.1 *if-then-else*

```
if <condition> then
  <expression>
else
  <expression>
end
```

3.5.2 *while*

```
while <condition> then
  <expression>
end
```

3.5.3 *for*

```
for <identifier> in <directory> level <logical operator> <integer: default = all> do
  <expression>
end
```

3.6 Function Definition

```
def <identifier> (<parameter list>)
  <expression>
end
```

4 Example Programs

4.1 Case 1:

Write a program that can pickup all .jpg files in a directory, or sub-directory, and create new folders by date and save copies in the respective folder.

```
1  def main()
2      dir D1 = '/SAMPLE_PATH' //path to the source directory
3      string str = '' //path to the destination folder
4
5      // we expect file_temp will loop over all files in "D1" including subfolders
6      for file_temp in D1 do
7          if file_temp.type == 'jpeg' then
8              // we wish to name the folders with date on which images were created
9              // the below stmt creates(in case it didnt exist) or points dtemp to the folder.
10             dir dir_temp = str + file_temp.Date
11             dir_temp += file_temp
12         end
13     end
14 end
```

4.2 Case 2:

A user has downloaded several project folders from a course website and would like to separate the code and document files in these folders and organize them into two folders.

```
1  def main()
2      //Assuming project folders were unzipped in directory W4115
3      dir desktop = '~/Desktop'
4      dir projects = desktop.path + '/W4115'
5
6      //Create new directories in the desktop
7      dir project_code = desktop.path + '/projectCode'
8      dir project_docs = desktop.path + '/projectDocs'
9
10     for dir_temp in projects do
11         for file_temp in dir_temp level <= 3 do
12             if file_temp.type == 'ml' then
13                 projectCode += file_temp
14             else if file_temp.type == 'pdf'
15                 projectDocs += file_temp
16             end
17         end
18     end
19 end
```

4.3 Case 3:

Suppose there is a group of peers who want to share pictures, or any other file, amongst themselves. One of them should be able to take the shared files, and copy them, but some duplicates may exist. That individual should be able to write a program that deletes the duplicates and copies all the distinct files to a new directory.

```
1  def main()
2      dir D1 = '' //path to the first source directory
3      dir D2 = '' //path to the second source directory
4      dir D3 = '' //path to the destination directory with no duplicates
5      string duplicate_file_path //list of comma separated duplicate files paths
6
7      //We wish to compare files in the two folder(and subfolders)
8      for file_temp1 in D1 do
9          bool flag = true
10         for file_dest in D3 do
11             if file_temp1.type == 'jpeg' then
12                 if file_temp1.name == file_dest.name then
13                     // duplicate file found
14                     flag = false
15                     duplicate_file_path += ', ' + file_temp1.path
16                     D1 -= file_temp1 // delete duplicate from original
17                     break
18                 end
19             end
20         end
21         if flag == true then
22             D3 += file_temp1
23         end
24     end
25
26     for file_temp2 in D2 do
27         bool flag = true
28         for file_dest in D3 do
29             if file_temp.type == 'jpeg' then
30                 if file_temp2.name == file_dest.name then
31                     flag = false
32                     duplicate_file_path += ', ' + file_temp1.Path
33                     D1 -= file_temp2
34                     break
35                 end
36             end
37         end
38         if flag == true then
39             D3 += file_temp2
40         end
41     end
end
```

4.4 Case 4:

User has copied 500 image files from his camera to a folder Canon, and would like to rename all of them to something meaningful.

```
1  def main()
2      dir camera = input('Enter device path: ')
3      string name_prefix = input('Enter name prefix: ')
4      dir myPictures = '~/Desktop/MyPictures'
5
6      int count = 1
7      for file in camera do
8          if file.type == 'jpeg' then
9              file.name = name_prefix + string(count) //Convert int to string
10             count = count + 1
11             myPictures += file
12         end
13     end
14 end
```

4.5 Case 5:

Using custom tags to list all ebooks that have been read from a folder containing ebooks organized into subfolders A-Z, and add the wishlist tag to all other ebooks.

```
1  def main()
2      dir library = '~/Desktop/Ebooks'
3      print 'List of books read: \n'
4      for file in library level='all' do
5          if file.tag == 'read' then
6              print file.name + '\n'
7          else
8              file.tag = 'wishlist'
9          end
10     end
11 end
```