

High-level Synthesis from the Synchronous Language Esterel

Stephen A. Edwards

Department of Computer Science

Columbia University

www.cs.columbia.edu/~sedwards

Three Ideas for Esterel

Controller synthesis from Program Dependence Graph

- Control flow represented concurrently [Ferrante et al. 1987]
- Construction usually $O(n)$ [Cytron et al. 1991]
- Trivial, efficient translation into circuits

High-level State Assignment

- Optimizers need reachable states [Sentovich et al. 1997]
- High-level structure partitions, simplifies state assignment

Don't-Care Extraction

- Control-flow relationships easy to analyze
- Controllability don't-cares

An Example

sustain R ← Make R present forever

An Example

weak abort ← Make R present until A is
sustain R
when immediate A;

An Example

```
await I; ← Wait for next cycle where I is present
weak abort
  sustain R
when immediate A;
emit O ← Make signal O present this cycle
```

An Example

```
loop ←———— Infinite Loop
  await I;
  weak abort
    sustain R
  when immediate A;
  emit O
end
```

An Example

```
loop
  await I;
  weak abort
    sustain R
  when immediate A;
  emit O
end
```

|| ← **Run Concurrently**

```
loop
  pause; pause;
  present R then
    emit A
  end
end
```

An Example

```
every S do
  loop
    await I;
    weak abort
      sustain R
    when immediate A;
    emit O
  end
||
  loop
    pause; pause;
    present R then
      emit A
    end
  end
end
end
```

Restart on S




An Example

```
every S do
  loop
    await I;
    weak abort
      sustain R
    when immediate A;
    pause
  end
```

||

```
loop
  pause, pause;
  present R then
    emit A
  end
end
end
end
```

Same-cycle bidirectional communication



An Example

```
every S do
  loop
    await I;
    weak abort
      sustain R
    when immediate A;
    pause
  end
||
  loop
    pause; pause;
    present R then
      emit A
    end
  end
end
```

Esterel: [Berry 1992]

Good for hierarchical FSMs

Cycle-based semantics like
SystemC

High-level control constructs
(exceptions, preemption)

Weak at data manipulation
(e.g., no types, pointers)


Hardware Esterel variant
proposed to address this

Translation to CCFG



```

every S do
  loop
    await I;
    weak abort
      sustain R
    when immediate A;
    emit O
  end
  ||
  loop
    pause; pause;
    present R then
      emit A
    end
  end
end
end



```



Translation to PDG



Translation to Circuitry



Want more?

See the paper

<http://www.cs.columbia.edu/~sedwards>