
Analyzing Systems

- When presented with a system, how do you know it's secure?
- Often, you're called upon to analyze a system you didn't design — application architects and programmers build it; security people get to pick up the pieces. . .
- It's better to build security in from the start, but that doesn't happen nearly as often as it should

When to Analyze

- The earlier, the better
- Some design decisions are very hard to correct later on
- Better yet, have frequent reviews
- Early reviews concentrate on the broad architecture; later reviews can look at the pieces

Types of Analysis

- Individual programs
- Overall system flow
- Usually, a faulty program means a faulty system, but sometimes faults are containable

Individual Programs

- Look for typical errors: buffer overflow, race conditions, etc.
- Not as easy as it sounds — buffer sizes not always obvious:

```
void buildmsg(char *dst, char *s, char *msg)
{
    sprintf(dst, "Error: %s: %s\n", s, msg);
    return;
}
```

Which Programs to Check?

- Only check security-sensitive programs
- Which are those?
- Invoking `date` can be — how much output does it produce?

```
$ date
```

```
Sun Nov 27 18:26:48 EST 2005
```

```
$ TZ=/usr/share/zoneinfo/Pacific/Guam date
```

```
Sun Nov 27 13:24:08 ChST 2005
```

```
$ TZ=/usr/share/zoneinfo/Pacific/Tahiti date
```

```
Sat Nov 26 17:24:14 TAHT 2005
```

- Time zones aren't always 3 characters...

Another Lesson About Testing

- Blind testing, even in multiple time zones, wouldn't have found it
- Example: EEST — Eastern European Summer Time — applies during the summer
- Other time zones are in effect only during certain years
- You can write test cases if and only if you know there's something to test for
- What is the length of a time zone? At least three characters; maximum length is not specified

What To Look For

- Dangerous or potentially functions, i.e., `gets()`, `strcpy()`, `sprintf()`, etc.
- TOCTTOU races — look for `access()`, `stat()` instead of `fstat()`, etc.
- Trusting user input

This Isn't Easy!

- First step — `grep` for suspect functions
- Each hit requires investigation — and a large program will have hundreds of hits
- Most are obviously and trivially ok
- Most of the rest are ok anyway — but not obviously, and not trivially

Why is it Hard?

- Subprocedures make life difficult for the analyst
- Most routines are called from many different places, with different arguments
- The arguments passed may themselves be arguments from a higher-level procedure
- Buffers may be dynamically allocated, and of uncertain length

Flow Analysis

- We need to understand the *paths* to each suspect call
- Compilers already do that, albeit intra-module
- We can use compiler technology to help us understand complex paths

Is That Necessary?

- If it's very hard to understand, perhaps the analyst got it wrong, too
- There is little downside to using safe functions if there is any doubt at all
- There may be a slight performance hit — but the hit tends to be localize, and most sections of code are a very small part of total *system* performance

TOCTTOU is Harder

- Race conditions are generally part of multi-statement sequences
- Necessary to look for patterns — much more difficult
- Note: `grep` can only point to functions that are frequently involved in race conditions

We Need Tools

- Simple tools such as `grep` are just a starting point
- Custom-built tools can do a better job
- The benefit of tools is that they reduce the search space — they eliminate the many false alarms that `grep` will produce

Inappropriate Trust

- Some scans are relatively easy
- Example: look at `fopen()` calls and see if the input ultimately came from untrusted data
- The trick is knowing the sensitive destinations; depending on the program, it may or may not be easy

Digression: Run-Time Checks

- Sometimes, it's easier to do the checks at run-time
- Best example: Perl's "taint mode"
- Data from untrustworthy sources — command-line arguments, environment variables, file input, etc. — is marked as "tainted"
- Any variable derived from a tainted variable is marked "tainted"
- Certain operations cannot be performed with tainted input; a run-time exception is generated
- You can produce untainted variables by a regular expression memory reference; Perl assumes that you know what you're doing

Other Checks

- See how user inputs are read
- Is the data examined and, if necessary, rejected immediately?
- Are fixed-length buffers used or is `malloc()` called?
- For C++, is `string` used?

Analyzing Systems

- Both easier and harder
- Easier, because there are fewer components than lines of code
- Harder, because many of the details are abstracted away

Overall Flow

- Identify the separate system elements
- Identify the data flows
- Look for security barriers
- Look for untrusted inputs

System Elements

- System elements are things like web servers, database engines, etc.
- Each of these is itself a complex system that needs to be analyzed
- Establish the properties of each element: where its inputs come from, what its outputs are, what can happen if something is corrupted

Protecting Elements

- What are the forms of access?
- What sorts of access controls are there?
- What is logged? To where? (Who looks at the logs?)

Data Flows

- Who talks to whom?
- How do they talk?
- Is the link exposed to the outside? Is it encrypted? Authenticated?
- Is the protocol otherwise safe?

Security Barriers

- Do they block all attack vectors?
- Are they strong enough?
- Are they flexible enough?

Input Filtering

- Where can enemy input enter the entire *system*?
- Is it properly checked?
- What about back channels, such as DNS?

System Management

- How will the elements be managed?
- Is more connectivity needed?
- Are other network services used?
- How do system management functions authenticate themselves?

Backups

- How are disks backed up?
- Again, is more connectivity needed?
- How is the backup media protected?

Drilling Down

- Is there other connectivity, such as to the organization?
- If there isn't now, might there be in the future? (The answer to that one is usually “yes” . . .) What provisions are made for such connectivity?
- What parts of the design seem more vulnerable?

Weak Spots

- What parts of the design seem problematic?
- Some pieces are weaker than others
- Experience counts here — “trust your feelings, Luke”

Weak Spots: Web Server

- Web servers are quite complex
- CGI or ASP scripts are often locally written, and may have received less scrutiny
- How is the web server checked for intrusions?
- What are the consequences if it falls?

Outcomes of a Review

- All is cool (don't be afraid to say so, but it rarely happens. . .)
- A few fixable flaws
- Serious, unfixable problems
- Not deployable

Serious, Unfixable Problems

- There may be flaws that can't easily be fixed
- Example: a piece of vital third-party software that does stupid things
- Can you layer on something else to provide necessary protection?
- Example: to protect a vendor product that used plaintext passwords, you could add firewalls or a VPN

Not Deployable

- Sometimes, that's the right answer
- However — how important is the project?
- What is the *business* cost of not deploying it?
- It's important to be both honest and realistic — and that's a delicate balancing act

Making “No” Stick

- Be prepared to back up your assessment
- Demonstrate *exactly* how an enemy could get in
- Estimate the likelihood of the attack
- Estimate the *business* loss if it happens
- If you can't do that, it's more likely the previous category

Bad Excuses You'll Hear

- It's closed source; no one knows how it works
 - ☞ It's a lot easier to figure such things out than it appears to those who have never done it
 - ☞ What about corrupt insiders?
- Who'd attack us?
 - ☞ Some people will attack anything
- No one would try that
 - ☞ Some people will try anything

Making Recommendations

- This is often a political process
- Concrete suggestions for improvement are better than “this rots”
- Suggestions should be realistic in terms of cost, benefit, and business situation
- Security is *engineering*; it’s not an absolute goal to be pursued at any cost
- There are always legacy systems you can’t touch