

Freedom of Speech: Accountability



Sometimes People Misbehave

- Hacking
- Libel
- Copyright infringement
- Threats
- Child pornography
- Other illegal behavior

There's a Balance

- Last lecture, I said we needed anonymity
- Today, I'm saying there are reasons it can't be absolute
- Which is it?

Checks and Balances

- Few rights are absolute
- Who can track someone?
- Under what conditions can they track someone?
- Is it possible to bypass the restrictions?

Platforms versus Governments


- Platforms have great freedom to hold their users to account—that's part of their First Amendment rights
- Governments are far more limited
- We'll look at both

- Full power of wiretap law
- But—wiretaps are limited to certain serious offenses
- Also use pen registers, trap-and-trace, informants, bugs, etc.
- Must convince police or prosecutor that the offense is real and of sufficient magnitude to warrant prosecution: “de minimis non curat lex” (“the law does not care about trifles”)

- Can still get subpoenas, even against third parties
- But—you need a real case to get a subpoena
- De minimis non curat lex—and you generally can't get a subpoena until there's a real lawsuit

- SLAPP—*Strategic Lawsuit Against Public Participation*
- Sometimes filed by large organizations to harass opponents
- Force the opponents to spend a lot of money defending themselves, even if the lawsuit is preposterous
- Also—break their anonymity/pseudonymity

There Are Real Problems

- Can online commentary or harassment be actionable?
 - Certainly—though usually it isn't
 - The standards for libel online are the same as offline
 - Anonymity (or perceived anonymity) supposedly breeds irresponsible behavior (though this is disputed)
-  Of course, free speech applies online, too

Who Should Be Liable?

- Should newspapers be liable for article comments?
- Should Twitter be liable for illegal tweets?
- Should YouTube be liable for copyright infringement? Terrorist videos?
- Should Snapchat be liable for underage sexting? (What about a similar service marketed to younger teens?)
- What is the proper balance between disintermediation of speech and accountability?
- §230 shields (most) web sites

When Can You Trace a Connection?

- Some tracing can be done by individuals; other forms generally require legal process
- 👉 Many parties involved will not turn over data unless compelled to—and sometimes, this refusal is *required* by law
- Legal process generally requires some legal cause of action: libel, threats, (perhaps) harassment, hacking, etc.
- Sometimes, though, the point of the legal process is just to identify the “culprit”; there may not actually be any real follow-through contemplated

- They looked for people downloading a single instance of a pornographic movie, filed a lawsuit, and used that to trace the IP address
- They asked for damages a bit below what a “bare-bones defense” would cost, figuring that people would pay up rather than be exposed as downloading porn
- If someone did fight back, they’d drop the case—they never really intended to fight it out in court
- (They also forged evidence, lied to the court, and committed sufficiently many other offenses)
- “It was when the Court realized Plaintiffs engaged their cloak of shell companies and fraud that the Court went to battlestations.”

(<https://ia902603.us.archive.org/17/items/gov.uscourts.cacd.543744/gov.uscourts.cacd.543744.130.0.pdf>)

Tracing a Connection

- Available to recipient (e.g., in mail headers)
- Log files
- Higher layers (e.g., cookies)

Log Files: Mail

```
Feb 22 21:20:26 machshav postfix/smtpd[28530]: connect from brinza.cc.columbia.edu[128.59.29.8] Feb 22 21:20:26 machshav postfix/smtpd[28530]: 45ECC52D4E9: client=brinza.cc.columbia.edu[128.59.29.8] Feb 22 21:20:26 machshav postfix/cleanup[8850]: 45ECC52D4E9: message-id=45ECC52D4E9@brinza.cc.columbia.edu Feb 22 21:20:26 machshav postfix/qmgr[23733]: 45ECC52D4E9: from=<smb@cs.columbia.edu>, size=1023, nrcpt=1 (queue active) Feb 22 21:20:26 machshav postfix/smtpd[28530]: disconnect from brinza.cc.columbia.edu[128.59.29.8]
```

(recipient not shown here because of spam filter)

What's Interesting?

- IP address of the immediate (but not original) sender
- Timestamp—but no time zone. . .
- DNS hostname of sender—a spam clue. . .

```
Feb 22 21:31:53 machshav postfix/smtpd[19642]: connect from unknown[222.252.161.130] Feb 22 21:31:53 machshav postfix/NOQUEUE: reject: RCPT from unknown[222.252.161.130]: 550 5.1.1 <easycert@machshav.com>: Recipient address rejected: User unknown in local recipient table; from=<happenedb33@ldbrewer.com> to=<easycert@machshav.com> proto=ESMTP helo=<l
```

```
209.2.227.65 - - [22/Feb/2010:21:45:07 -0500] "GET / HTTP/1.1" 200 401 "-" "Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.6; en-US; rv:1.9.1.8) Gecko/20100202 Firefox/3.5.8" 209.2.227.65 - - [22/Feb/2010:21:45:07 -0500] "GET /favicon.ico HTTP/1.1" 404 328
```

Note all of the information about the browser version

Third Party Web Logs

http://images.pcworld.com/shared/graphics/cms/bizdev_msfttout_070609.jpg

http://images.pcworld.com/shared/graphics/cms/bizdev_acer_tout.jpg

<http://ad.doubleclick.net/ad/pcw.main.trackingpixel/DellDHS;sz=1x1>

<http://images.pcworld.com/shared/graphics/cms/DellDealMeetingsmall.jpg>

<http://images.pcworld.com/images/common/adMods/deals2.gif>

http://images.pcworld.com//shared/graphics/cms/LenovoRC_ThinkPadT500.jpg

<http://ad.doubleclick.net/adj/pcw.main.trackingpixel/LenovoDealsModule;sz=1x1>

<http://images.pcworld.com//shared/graphics/cms/Lenovo-ThinkPad-X200.gif>

<http://images.pcworld.com/images/common/v3/mod-header-drkgray.gif>

http://images.pcworld.com/images/common/leftnav_main_bg_sel.png

<http://images.pcworld.com/images/common/v3/shopping/backgrounds/productS...>

http://i.pgcdn.com/pi/73/94/24/739424541_75.jpg

- Remember that many ads on web sites are from third-party sites
- Each site has a log
- Each log has its own set of IP addresses
- Collect and correlate, especially for attacks on web sites. . .

Using an IP Address

- We now have the attacker's IP address
- What we want, though is a person
- How do we track down the target?

Address Registries

```
$ whois -a 128.59.0.0 NetRange: 128.59.0.0 - 128.59.255.255 CIDR: 128.59.0.0/16 NetName: CU-NET NetHandle: NET-128-59-0-0-1  
Parent: NET128 (NET-128-0-0-0-0) NetType: Direct Assignment OriginAS: Organization: Columbia University (COLUMB) RegDate:  
1985-02-05 Updated: 2008-12-12 Ref: https://rdap.arin.net/registry/ip/128.59.0.0
```

```
OrgName: Columbia University OrgId: COLUMB Address: 612 W 115TH ST City: NEW YORK StateProv: NY PostalCode: 10025 Country:  
US RegDate: Updated: 2017-01-28 Ref: https://rdap.arin.net/registry/entity/COLUMB ...
```

Contact information is in there, too—does CUIT know the owner?

IP Address Assignment

- Two types, static and dynamic
- Static: simple; consult a file
- Dynamic addresses: handed out for a short time; reclaimed and reassigned later
- Simple: unauthenticated *DHCP*
- More complex: based on some form of authentication, perhaps done by underlying hardware

- DHCP—Dynamic Host Configuration Protocol
- Assigns a *lease* to some IP address to the preferred *MAC address*
- A MAC address is manufactured into your network hardware
- It can be overridden, but most people don't know how to
- Most DHCP servers log the lease
- Who owns a given MAC address?

MAC Addresses

- Who owns a given MAC address?
- No a priori way to tell, though the first 3 bytes indicate the manufacturer of the network card
- If the machine is seized, its MAC address can be compared to the DHCP logs
- Some sites require MAC addresses to be registered
- Other sites divert you to a login page

- They keep logs of connections
- Yes, they can trace abuse
- Also: if they detect a virus-infected machine, its DHCP status is changed to put the machine on an isolated net—download patches and A/V software only

(Bandwidth Capping)

- Many places, including CU, cap bandwidth use
- CU: Don't bother tracing; just temporarily limit bandwidth
- ISPs: bill people

- Good hackers steal or make up IP and MAC addresses
- Even if they don't do that, even bad hackers use other people's machines as stepping stones
- Many have “botnets” of thousands—many thousands—of machines belonging to innocent people
- Conclusion: address-tracing goes only so far in locating the real guilty party

- Routers can keep logs of the “traffic matrix”: which IP addresses talk to which
- Sometimes usable to trace a connection
- But—logging is statistical; logs may not be kept that long
- (Primarily intended for traffic engineering.)

- The site's network hardware can log which IP addresses and which MAC addresses appear on a given port
- Helpful if the attacker is stealing IP and MAC addresses
- For wired networks, can trace the occurrence to a particular wall jack
- Not nearly as useful for WiFi networks; an access point can reach up to 100 meters—more if the attacker has a good antenna

Authenticating Devices


- For some networks, especially wireless ones, the device itself authenticates to the network
- The network provider then has logs associating a user with an IP address
- Again, this is a short-term (but generally renewable) lease

But...

- How long are the DHCP and switch logs retained?
- (What about the mail and web server logs?)
- Are the clocks properly synchronized?
- What time zone are the different logs in?

Network Address Translators

- We're basically out of IP addresses—there aren't enough to go around
- Most homes and many companies use *private address space* (sometimes known as *RFC 1918 space*)
- A *NAT* box (Network Address Translator) at the border translates from private space to a very few public addresses



Outbound packets will always have the public address of the NAT box. Because there can be multiple connections to a single destination, the source port number is also changed to allow disambiguation and routing of return packets.

- A packet from 192.168.2.79:2345 is sent to www.cnn.com:80
- Another machine sends traffic from 192.168.2.165:7890 to the same place
- After translation, they appear to be from 128.59.23.127:45678 and 128.59.23.127:46324
- The translation is reversed on inbound packets

Logs: Lost in Translation

- Most NAT boxes do not keep logs of translations
- They can't—it would have to be one per TCP connection
- Even if they did, it wouldn't help—receiving site logs do not include port numbers
- Attacks can be traced to the NAT, but rarely beyond it

Other Means of Attribution

- Remember all of those third-party web ads?
- They all have cookies and logs, and cookies pass unchanged through NATs and Tor networks
- Maybe one of those ads also appears on some site where the attacker has an account

Example: Cookie Crumb Tracing

- The attacker hits a web site via a page that has a Doubleclick cookie
- Doubleclick also serves ads on a NY Times page that person visits
- The NY Times registration is tied to the attacker's home subscription to the paper edition of the Times
- That, of course, is tied to a physical address

- You have to get logs from three different web sites to establish the linkage
- You have to get address data from a site that has no connection to the attack
- It takes persistence and court orders—and money...

Who Can Do All This?

- Law enforcement, with subpoenas and search warrants
- Plaintiffs in civil suits—if they have deep pockets or expect to win a big settlement
- Anti-terrorism investigators, with “National Security Letters”?
- What are the limits?

The Limits of Traceability

- In ideal circumstances—good logs, no evasive action, one jurisdiction, etc.—it's generally feasible to trace connections to a building
- Tracing past there can be difficult; you may need subsidiary evidence
- Hackers generally use “stepping stones” to launch real attacks
- (Poorly protected WiFi networks can be abused by outsiders)
- It can take significant effort, though, and there are often breaks that you can't go past
- Without legal process or an application-level leak, tracing can be difficult or impossible

Private Sanctions

- Social networks can apply sanctions in their own space
- Yank accounts (perhaps after a warning)
- Restrict posting for a while
- Perhaps arbitrarily delete some percentage of followers (though that can backfire)

Users Can React

- Some networks (e.g., Twitter and Facebook) allow users to “block” others
- Buttons to report abuse, spam, etc.
- But—some forms of harassment, especially in gender cases, can spill into the physical world, e.g., via “doxxing”
- Law enforcement doesn’t know how to cope with this very well

- Very popular platform for political statements
- Some people (of course) misbehave
- Is Twitter's response adequate?


Twitter Rules and Policies

- Twitter prohibits assorted misbehavior: spamming, abuse, harassment, posting personal or private information, “hateful conduct”, threats of violence, unwanted sexual advances, revenge porn, and more
- Sanctions include requiring deletion of offending posts, temporary or permanent suspension, etc.
- They even look at offline behavior: “[Y]ou can’t affiliate with and promote the illicit activities of a terrorist organization or violent extremist group.”
- (See <https://help.twitter.com/en/rules-and-policies#safety-and-cybercrime>)
- But—do they follow these policies?



Some claim they don't

They Don't Always Enforce Their Rules



- A woman received unsolicited nude pictures
- She complained
- Twitter decided that this didn't violate their rules

Politicians Can Get a Pass—How it Started



Donie O'Sullivan ✓

@donie



.@feliciasomez with the details.



washingtonpost.com

Rep. Paul Gosar tweets photoshopped anime video showing him killing Rep. Oc...

The Arizona Republican's tweeting of the video prompted condemnation and calls for his Twitter account to be suspended for glorification of violence.

11:47 PM · Nov 8, 2021 · Twitter for iPhone



Politicians Can Get a Pass—How it's Going



Donie O'Sullivan  @donie · 8h ...

Here's how Twitter has labeled Rep. Gosar's edited anime video of him stabbing [@AOC](#)



Paul Gosar  @DrPaulGosar · 1d ...

The creativity of my team is off the hook.

This Tweet violated the Twitter Rules about hateful conduct. However, Twitter has determined that it may be in the public's interest for the Tweet to remain accessible.

View

[Learn more](#)



156



414



1.2K



And it Probably Wasn't Illegal Behavior by Gosar

 **ForbiddnPopehat** @Popehat · 57m ...
No, Gosar's gross and creepy video is not actionable incitement or a true threat. To be outside the First Amendment, incitement must be intended and likely to cause imminent lawless action. This isn't. MIGHT it inspire a nut? Yes. That's not enough.

/1

 22  49  254 

 **ForbiddnPopehat** @Popehat · 57m ...
/2 It's also not a true threat — a reasonable person would not interpret it as a sincere expression of intent to do physical harm to the people depicted. So it's not a threat outside the First Amendment, if it's a threat at all.

 5  8  92 

 **ForbiddnPopehat** @Popehat · 57m ...
/3 At English law, it was treason to imagine or compass the death of the king. Not so here. Imagining, wishing for, even advocating for the death of a political figure is protected speech so long as it's not incitement or true threat, and so long as it's not a conspiracy to kill.

 4  11  103 

 **ForbiddnPopehat** @Popehat · 57m ...
/4 Of course, speech protected by the First Amendment can be despicable, and can and should be called out. This is particularly true when, as here, the speaker seems to hope that protected speech might lead to unprotected action by lone wolves, and seeks to sow fear.

Victims Can Get Banned

- There are repeated stories of victims being banned
- Someone is being harrassed, they call out the attacker—and the attacker files a complaint first
- The process seems to be subjective

- There are *many* fake users online
- Some are bots sold to people who want to appear to have many followers
- Some are bots that act for political reasons

Spotting Fakes

- It's a hard problem: 40% of Twitter's base only follows people
- Look for common creation times, IP address, repeated content
- Look for improbably high posting rates
- But none of this is foolproof

Facebook and Accountability

- Facebook has more than 3 billion users—a third of the planet's population
- Many people get most of their news from Facebook
- But there is a lot of false information on Facebook, and the platform has been implicated in, e.g., the 1/6 insurrection
- Even Mark Zuckerberg has gotten concerned
- What, if anything, should be done?

The Facebook “Supreme Court”

- Facebook has created an “Oversight Board”
- It can review individual takedown decisions, but not decisions to leave a post up
- It can only review cases sent to it by Facebook, not personal appeals
- It acts quasi-judicially, even giving its decisions citable case numbers
- Is that good enough?

Facebook and Trump

- On January 7, 2021, Facebook suspended Trump's account indefinitely
- (Twitter followed suit the next day)
- The case was referred to the Oversight Board
- It decided that the suspension was proper, but that an indefinite suspension violated Facebook's policies, and called on the company to set a definite term
- Facebook eventually decided on a two-year suspension, with reinstatement then "if conditions permit"

Haugen and the Oversight Board

- Frances Haugen, the Facebook whistleblower, says that “Facebook has lied to the board repeatedly”
- Facebook has a program, “Cross Check”, that (per Haugen) is letting VIPs get away with posts that would not be permitted by others
- The Oversight Board says that “Facebook has not been fully forthcoming with the Board on its ‘cross-check’ system”
- Stay tuned—this is still a work in progress

Questions?



(American goldfinch, Central Park, May 8, 2018)