

## Key Management

- Where do keys come from?
- More precisely, we have to distinguish between long-lived keys and *session keys*
- Need keys for secrecy and for MACs
- General solution: use long-lived key for authentication and to negotiate session key
- (We saw a simpler form of this when discussing RSA)
- Many different ways to do this

## Desired Properties

- Alice and Bob want to end up with a shared session key  $K$ , with the help of a key server  $S$ .
- They each want proof of the other's identity
- They want to be sure the key is *fresh*
- A fresh key is one that hasn't been used before, i.e., is not a replay

## Why is Freshness Important?

- For stream ciphers, it's crucial
- If too much traffic is encrypted with any key, it might help a cryptanalyst (remember the CBC block count limit)
- If too much traffic is encrypted with any one key, it's a very tempting target for a cryptanalyst
- An old key may have somehow been compromised

## Key Management for Symmetric Ciphers

- Simplest case: each pair of communicators has a shared key
- Doesn't scale — would require  $n^2$  keys for  $n$  nodes
- Besides, cryptographically unwise — each key is used too much
- Need a *Key Distribution Center* (KDC)

## Needham-Schroeder Protocol (1978)

$$A \rightarrow S : A \parallel B \parallel N_A \quad (1)$$

$$S \rightarrow A : \{N_A \parallel B \parallel K_{AB} \parallel \{K_{AB} \parallel A\}_{K_{BS}}\}_{K_{AS}} \quad (2)$$


$$A \rightarrow B : \{K_{AB} \parallel A\}_{K_{BS}} \quad (3)$$

$$B \rightarrow A : \{N_B\}_{K_{AB}} \quad (4)$$

$$A \rightarrow B : \{N_B - 1\}_{K_{AB}} \quad (5)$$

$A$  and  $B$  are names of parties that wish to talk;  $S$  is the KDC.  $N_x$  are *nonces* — one-time values.  $K_{xy}$  is the session key for use between  $x$  and  $y$ .

# Needham-Schroeder Protocol



## Explaining Needham-Schroeder

- (1) Alice sends  $S$  her identity, plus a random nonce
- (2)  $S$ 's response is encrypted in  $K_{AS}$ , which guarantees its authenticity.  $N_A$  guarantees its freshness. It includes a new random session key  $K_{AB}$ , plus a sealed package for Bob. (Note:  $K_{AB}$  includes both confidentiality and authentication keys.)
- (3) Alice sends the sealed package to Bob. Bob knows it's authentic, because it's encrypted with  $K_{BS}$  which is known only to Bob and  $S$
- (4) Bob sends his own random nonce to Alice, encrypted with the session key
- (5) Alice proves that she could read the nonce

## Cryptographic Protocol Design is Hard

- Bob never proved his identity to Alice
- If  $K_{AB}$  — the session key, which should be less sensitive — is ever compromised, the attacker can impersonate Alice forever
- Denning and Sacco proposed a fix for this problem in 1981.
- In 1994, Needham found a flaw in their fix.
- In 1995, a new flaw was found in the public key version of the original Needham-Schroeder protocol — in modern notation, that protocol is only 3 messages.
- Cryptographic protocol design is hard. . .



## Other Cryptographic Protocols

- Cryptographic protocols allow us to do many strange things, such as signing a message you can't see
- Too many to discuss in this class; here are a few small examples

## Coin Flips

- How do you flip a coin on the Internet, without a trusted third party?
- Alice picks a random number  $x$ , and sends  $H(x)$  to Bob, where  $H$  is a cryptographic hash function.
- Bob guesses if  $x$  is even or odd, and sends his guess to Alice.
- If Bob's guess is right, the result is heads; if he's wrong, the result is tails.
- Alice discloses  $x$ . Both sides can verify the result. Alice can't cheat, because she can't find an  $x'$  such that  $H(x) = H(x')$ .
- Note: this protocol is crucially dependent on the lack of correlation between the parity of  $x$  and the values of  $H(x)$ , or Bob can cheat.

## Kerberos

- Originally developed at MIT; now an essential part of Windows authentication infrastructure.
- Designed to authenticate users to servers
- Users must use their password as their initial key — and must not be forced to retype it constantly
- Based on Needham-Schroeder, with timestamps to limit key lifetime

## “Kerberos” in Greek Mythology

**Kerberos**; also spelled Cerberus. *n.* The watch dog of Hades, whose duty it was to guard the entrance—against whom or what does not clearly appear; . . . it is known to have had three heads. . .

—Ambrose Bierce, *The Enlarged Devil’s Dictionary*

## Design Goals

- Users only have passwords to authenticate themselves
- Users don't want to type passwords for every interaction
- The network is completely insecure
- It's possible to protect the Kerberos server
- The workstations have not been tampered with (dubious!)

## Resources Protected

- Workstation login
- Network access to home directory
- Printer
- IM system
- Remote login
- Anything else that requires authentication

## Principals

- A Kerberos entity is known as a *principal*
- Could be a user or a system service
- Principal names are triples:  $\langle \textit{primary name}, \textit{instance}, \textit{realm} \rangle$
- Examples: `username@some.domain.name`,  
`somehost/lpr@other.domain`
- The *realm* identifies the Kerberos server

## How Kerberos Works


- Users present *tickets* — cryptographically sealed messages with session keys and identities — to obtain a service.
- Use Needham-Schroeder (with password as Alice's key) to get a *Ticket-Granting Ticket* (TGT); this ticket (and the associated key) are retained for future use during its lifetime.
- Use the TGT (and TGT's key) in a Needham-Schroeder dialog to obtain keys for each actual service



## Shared Secrets

- Everyone shares a secret with the Kerberos KDC
- For users, this is their password (actually, a key derived from the password)
- The KDC is assumed to be secure and trustworthy; anything it says can be believed

## Kerberos Data Flow



## Getting a Ticket-Granting Ticket (TGT)

- The user sends its principal name to the Kerberos KDC
- The KDC responds with

$$\{K_{c,tgs} \parallel \{T_{c,tgs}\}_{K_{tgs}}\}_{K_c}$$

- That is, it contains a session key  $K_{c,tgs}$  and a TGT encrypted with a key known only to the KDC
- The ticket contains

$$\{tgs \parallel c \parallel addr \parallel timestamp \parallel lifetime \parallel K_{c,s}\}_{K_{tgs}}$$

- It has the service name (tgs), the principal's name, its IP address, the validity period, and the session key  $K_{c,tgs}$  sent to the client
- $K_c$  is the user's password, known to the user and the KDC

## Who Knows What Now?

- The user and the KDC know  $K_c$ ; the user use it to decrypt  $\{K_{c,tgs}\}_{K_c}$  and recover  $K_{c,tgs}$
- Only the KDC knows  $K_{tgs}$ ; therefore, anything encrypted with that key could only have been created by the KDC
- The user will use  $K_{c,tgs}$  plus the ticket-granting ticket to obtain more credentials

## Using the TGT

- The client uses the TGT to obtain tickets for other services
- To get a ticket for service  $s$  — say, email access — it sends  $s$  (email), the ticket, and an *authenticator* to the KDC
- The KDC uses this information to construct a service ticket

## Authenticators

- Authenticators prove two things: that the client knows  $K_{c,s}$ , and that the ticket is fresh
- An authenticator for a service  $s$  contains

$$\{c \parallel addr \parallel timestamp\}_{K_{c,s}}$$

- That is, it contains the client name and IP address, plus the current time, encrypted in the key associated with that ticket
- For a ticket-granting ticket,  $s$  is the  $tgs$

## Processing the Ticket Request

- The KDC decrypts the ticket to recover  $K_{c,tgs}$
- It uses that to decrypt the authenticator
- It verifies the IP address and the timestamp (permissible clock skew is typically a few minutes)
- If everything matches, it knows that the request came from the real client, since only it would have access to the  $K_{c,tgs}$  that was in the ticket
- It then sends a service ticket back to the client

## Service Tickets

- Service tickets are almost identical to ticket-granting tickets
- The difference is that they have the name of a different service — say, “email” — rather than the ticket-granting service
- They’re encrypted in a key shared by the KDC and the service



## Using Service Tickets

- The client sends the service ticket and an authenticator to the service
- The service decrypts the ticket, using its own key
- The service knows it's genuine, because only the KDC knows the key used to produce it
- The service verifies that the ticket is for it and not some other service
- It uses the enclosed key to decrypt and verify the authenticator
- The net result is that the service knows the client's principal name, extracted from the ticket

## Authentication, Not Authorization

- Kerberos is an *authentication* service
- It does not (usually) provide authorization
- The services know a genuine name for the client, vouched for by the KDC
- They then make their own authorization decision based on this name

## Bidirectional Authentication

- Sometimes, the client wants to be sure of the server's identity
- It asks the server to prove that it, too, knows the session key
- The server replies with  $\{timestamp + 1\}_{K_{c,s}}$  using the same timestamp as was in the authenticator

## Ticket Lifetime

- TGTs typically last about 8–12 hours — the length of a login session
- Service tickets can be long- or short-lived, but don't outlive the TGT
- Live tickets are cached by the client
- When service tickets expire, they're automatically and transparently renewed

## Inter-Realm Tickets

- A ticket from one realm can't be used in another, since a KDC in one realm doesn't share secrets with services in another realm
- Realms can issue tickets to each other
- A client can ask its KDC for a TGT to another realm's KDC
- The remote realm trusts the user's KDC to vouch for the user's identity
- It then issues service tickets *with the original realm's name* for the principal, not its own realm name
- As always, services use the principal name for authorization decisions

## Putting Authorization into Tickets

- Under certain circumstances, tickets can contain authorization information known or supplied to the KDC
- Windows KDCs use this, to centralize authorization data
- (As a result, Windows and open source Kerberos KDCs don't interoperate well. . . )
- Users can supply some authorization data, too, to restrict what other services do with *proxy tickets*

## Proxy Tickets

- Suppose a client wants to print a file
- The print spooler doesn't want to copy the user's file; that's expensive
- The user obtains a *proxy ticket* granting the print spooler access to its files
- The print spooler uses that ticket to read the user's file

## Restricting the Print Spooler

- The client doesn't want the spooler to have access to all of its files
- It lists the appropriate file names in the proxy ticket request; the KDC puts that list of names into the proxy ticket
- When the print spooler presents the proxy ticket to a file server, it will only be given those files
- Note: the file server must verify that the client has access to those files!



## Kerberizing Applications

- Replace (or supplement) existing authentication mechanisms with something that uses Kerberos
- Add authorization check
- If necessary (and it probably is, these days), change all network I/O to use the Kerberos session key to encrypt and authenticate all messages

## Limitations of Kerberos

- Ticket cache security
- Password-guessing
- Subverted login command

## Ticket Cache Security

- Where are cached tickets stored?
- Often in `/tmp` — is the OS protection good enough?
- Less of an issue on single-user workstations; often a threat on multi-user machines
- Note: `/tmp` needs to be a local disk, and not something mounted via NFS...

## Password-Guessing

- Kerberos tickets have verifiable plaintext
- An attacker can run password-guessing programs on intercepted ticket-granting tickets
- Kerberos uses *passphrases* instead of *passwords*
- Does this make guessing harder? No one knows

## It's Worse Than That

- On many Kerberos systems, anyone can ask the KDC for a TGT
- There's no need to eavesdrop to get them — you can get all the TGTs you want over the Internet!
- Solution: *preauthentication*
- The initial request includes a timestamp encrypted with  $K_c$
- It's still verifiable plaintext, but collecting TGTs becomes harder again

## Subverting Login

- No great solutions!
- Keystroke loggers are a real threat today
- Some theoretical work on secure network booting
- Perhaps use the Trusted Computing mechanisms to protect passphrase entry? Unclear if it will really help