## THE WHITE HOUSE

June 6, 1962

SECRET

NATIONAL SECURITY ACTION MEMORANDUM NO. 160

TO:

The Secretary of State

The Secretary of Defense

The Chairman, Atomic Energy Commission


The Director, Bureau of the Budget

SUBJECT:

Permissive Links for Nuclear Weapons in NATO

- l. After an examination of the problem of installing permissive links in nuclear weapons dispersed in NATO commands, I have decided we should now make the commitment to procure appropriate devices for all nuclear weapons, now dispersed and to be dispersed to NATO commands, for both non-U.S. and U.S. forces. (See attached memorandum to me from Dr. Wiesner dated May 29. This decision corresponds to Alternative 5 of that memorandum.)
- 2. This will require a supplementary appropriation for the Atomic Energy Commission budget. The Secretary of Defense, the Chairman, Atomic Energy Commission, and the Director, Bureau of the Budget will work out the details of the budget presentation.
- 3. At the earliest feasible time, the Secretary of Defense will submit for my approval a schedule for installation of these devices in NATO weapons. In making this schedule, the Secretary should consult with the Secretary of State on the political problems arising from the existence of weapons assigned to U.S. forces and weapons assigned to our Allies.

SECRET -RESTRICTED DATA



٠,

4. The Chairman, Atomic Energy Commission, in consultation with the Secretary of Defense, will carry on a research program on an urgent basis directed toward an examination of the feasibility and desirability of more advanced permissive link devices with a wider range of capabilities.


Julu-

Ce: Dr. Wiesner
General Taylor
Mrs. Lincoln
Mr. Bundy (3)
Mr. C. E. Jehnson
Mr. Kaysen (2)
White House Files
NSC Files

SECRET

## THE WHITE HOUSE

This distances contains restricted total in the Alemin Energy Art of 1956. Its contains at its contents in any a contents in any a



May 29, 1962

## MEMORANDUM FOR


## THE PRESIDENT

At your request, I have reviewed, in consultation with the AEC and the DOD, the technical and cost aspects of equipping nuclear weapons dispersed overseas with permissive link hardware. The object of this review was to establish the program options that were technically available to implement such a program as rapidly as possible, and to determine the amount of supplemental funds that would have to be requested in the AEC FY '63 Budget to accomplish these options.

A decision on this problem involves the following basic policy issues which, while not technical in themselves, are affected by the availability of equipment and the program timing and cost:

- (1) Should a permissive link be incorporated at this tire in all dispersed nuclear weapons or just in those critical weapon systems with quick reaction, high yield, and long range (e.g., Jupiter missiles and quick reaction aircraft)?
- (2) Should a permissive link be incorporated at this time in all weapons dispersed to NATO (U.S. as well as non-U.S.) or just to non-U.S. weapons?
- (3) Should a permissive link be incorporated at this tir e in weapons committed to NATO but based in the U.K. as well as we perbased on the European Continent?

These policy issues raise the more basic question as to what objective one is attempting to accomplish by incorporating a permis-





TENER.

This document contains experience date as delived in the Alamie Energy Act of 1824. Its framework of the electronic in any manager to an unauthorized Serson is prohibited.

sive link. A permissive link can attempt to meet any of the following objectives, each of which imposes increasingly difficult technical problems:

- (1) Safeguarding weapons against actions by an individual psychotic;
- (2) Mosting the legal and political requirements of
   U.S. control;
  - (3) Maintaining control against the unauthorized use of weapons by our own or allied military forces under conditions of high tension or actual military combat;
  - (4) Assuring that weapons could not be used, if forces by seized by an organized group of individuals or by a foreign power.

The first of these objectives (safeguarding against a psychotic) las already at least in part been met and the last objective (assuring weapons could not be used if seized) cannot be fully achieved wit to further development which would assure the self-destruction of the weapons if efforts were made to by-pass the permissive link. For the purpose of this review, I have not attempted to meet a special objective but rather have analyzed the operational value of the bist available equipment and attempted to determine how rapidly it could be incorporated in dispersed nuclear weapons.

While the permissive link equipment presently recommended by the AEC leaves something to be desired and can clearly be much improved with time. I believe that this equipment can be used as the basis for a crash program since development quality hardware axist and initial production and installation could begin in the immediate future.

Specifically, the AEC recommends that, if a permissive link progressive undertaken on a crash basis, bombs for aircraft and warhead in longer range missiles be equipped with an electro-mechanical lock which would have to receive a preset numerical code in order to mother weapon operable. In the case of certain bombs which cannot be easily retrofitted with this equipment, as an interim measure prodes the development of improved compatible permissive link hardware.





a he with

This document contains technical data as devito the Atomic Sames Are of 1927, the is seen to be the distincted of the contains in car to some only neglected matter to seen in

mechanical combination locks would be installed to cover a socket into which an arming plug must be inserted. In the case of these bombs as well as short range missiles, such as Honest John and Nike Hercules, and the 8-inch shell, the arming plugs would be stored in self-destruct safes. The proposed program does not include specific hardware for the Davy Crockett missile which presents a particularly difficult problem because of its small size and possible forward doployment.

The numbers which would operate both the electro-mechanical and the combination lock could be held at any echelon of command. It circumstances required, the combination could be held by the U. custodial officer himself. This procedure could therefore give the weapons the same state of readiness that they now possess.

	•			-	-	_	_	-	_				_	_	_	-		-				_	• •							-	_	_	_	_	-			-										- 1	•
									٠	٠	٠					٠	٠												•	•	٠		-			٠.	-	•	•	٠	٠	٠	٠		٠		-		٠
	_																																																
_	_				0.00																															•													
															٠		٠	٠												•										•	٠	,		٠	٠			. 1	
_	_															٠			•																								•	*		٠		4 .	4
-																																																	
																																																	•
_	_	_		-			-11			_	-					-																													•	٠	٠	-	٠
_		_																		-			D	ė	8 1	10	te	1	th		1	ţ	*	4+	*1	10	111	a	6	ď	ŧ	h	٤,	ı					
																																				0													
D	r	ot.		~+	i	٨T					_	_4	_	ı _	٤.	٤.	_1	s.		. 1															_	_			-			-							
_						-	_	-		11	г.	8	-	L	13		77	•	ч.	ı.	т	25		C	h	١t	it	. 4		11	١d		W	31	ı I ı	1			٠.	ı	n	١,	,	d	-1	•	٠.		
٠.	_						_	ام		**	<i>T</i> .	<b>a</b> :		12			77	a:	4.	. I	Į	25	y	C.	h	t	į	9		ŗ	ıd	١,	**	טנ	ų.	1	C	3.2	1	ı	n	1,	r	d	ei	ė	2		
u	n	a.	ıt1	b,¢	) :	i	z	ę¢	1	¥,		ŧ	b	Y	n	ai	1	t	2	۳y		fo	Ē	C	e:	3	h	٥1	d	ír	2		h	ė	¥	e:	a z	0	п	8	d	lu	r	ir	10	!			
u	n	a.	ıt1	b,¢	) :	i	z	ę¢	1	¥,		ŧ	b	Y	n	ai	1	t	2	۳y		fo	Ē	C	e:	3	h	٥1	d	ír	2		h	ė	¥	e:	a z	0	п	8	d	lu	r	ir	10	!			
u P	n e	a. Ti	t1	d	) Z	i	z ·	h	i g	h	t	e	b	y	n	n	1!	t	1	'n	il	fo ii	a	c	e: Y	C	h:	ol M	d	ir al	8	. t	1	•	×	e:	a;	•				lu	-	i,				•	
u P	n e	a. Ti	t1	d	) Z	i	z ·	h	i g	h	t	e	b	y	n	n	1!	t	1	'n	il	fo ii	a	c	e: Y	C	h:	ol M	d	ir al	8	. t	1	•	×	e:	a;	•				lu	-	i,				-	
. O	n e	au ri	ti O	de	5	i	Z	h	is	h	t	e	b	y 5	n	n	11	t	1	ry	il	fo ii	a.		e:	C	h o	ol M	d	ir ai			h	•	<b>X</b>	/e:	aş					lu	-	i		:		•	•
D	n e	a. Ti	o(	d	5	i	z ·	h	18	h		e	b	5	n	n	11	t:	1	n.	il	fo ii	a.		e:	C	h o	ol M	d	ir			h	•		/e:	a 5		*			lu	-	i:		:	•		•
D	n e	a.	00	d		0	z ·	h	18	h	t	e	b	y 5	n	n	11	t:		ry	il	fo ii	:a.	C	e:	C	h	o1	d	ir			h	e	*	e	aş						-	i:					•
D	n e	a.	00	d		0	z ·	h	18	h	t	e	b	y 5	n	n	11	t:		ry	il	fo ii	:a.	C	e:	C	h	o1	d	ir			h	e	*	e	aş						-	i:					•
T 0.	n e	a.	00	de	5	0	Z	h	18	h	**	e	b	5	n	n	11	t	1	, y	il.	fo iii	:a-	C	e: Y	C	h	ol M	d	ir			h		*	/e:	a 5				d	lu	-	ir			•		•
U D.	n	a v	00	de	5	0	Z f	e d	is	h	***	e	b	y 5	n	ai n	11	ti Ti	23	ry n	il.	fo iii	3.		e:	C	h		d	ir			h		×	e:	ay					lu	**	ir					•
U D.	n	a v	00	de	5	0	Z f	e d	is	h	***	e	b	y 5	n	ai n	11	ti Ti	23	ry n	il	fo iii	3.		e:	0	h		d	ir			h		×	e:	ay					lu	**	ir					•
T D	n e	au	ot i	d		0	Z	h:	ia	h		e e	b 11	y	n	ai n		1	1	ry n	il	fo ii	3.		e:	0	h	ol	d	ir ai			h		×	/e:	ay				d		-	i.			* * *		•
1 P	ne	a.	oti	d:	e de		z f	h:	18	h	ic	e	b 11	y	n c	ai h		t:	91	Ty Ty	i)	for it	T a	C	e: Y		he o	ol	d	ir ai			h		×	e:	ay				d		-	i.			* * *		•
1 P	ne	au	oti	d:	e de		z f	h:	18	h	ic	e	b 11	y	n c	ai h		t:	91	Ty Ty	i)	for it	T a	C	e: Y		he o	ol	d	ir ai			h		×	/e:	ay				d		-	i.			* * *		•

The question has been raised whether the installation of this davalogment quality hardware on a crash basis might reduce the reliability of the nuclear weapons. However, in view of the simple nature of



444 T 444 C

or the day are at the servents in any mann and an unauthorized person is prohibited.

of this equipment and the method of installation, I believe that it is now generally agreed that it would not reduce the inherent reliability of the weapons. The weapons would, of course, not be operable if the combination number were not received from a higher headquarters. This is a communication and management problem, which can be very simple or very complex, depending on the level of command at which the combination number is held and the degree of control maintained through coding procedures or the use of different combination number for different weapons. In its simplest form, it should be possible to handle this procedure wherever a "go code" can be transmitted which is presumably a requirement if any control is to exist. In any event, wish to emphasize that, if circumstances demand, a decision can be made to release the combination number to the U.S. custodian with the field unit and thereby revert to the state of readiness and control that exists today.

At my request, the AEC has estimated the cost and time for completic a of the following five alternative programs, which I believe represent the full range of possible application of the permissive link on a crash basis to nuclear weapons dispersed to the European Theater:

Alternative II - All nuclear weapons assigned to non-U.S.
NATO forces exclusive of those assigned to U.K. delivery systems balled in the U.K.;

Alternative III - All NATO weapons assigned to non-U.S. NATO forces including these assigned to U.K. delivery systems based in the U.K.;

Alternative IV - All nuclear weapons assigned to non-U.S. NA:
forces and all U.S. weapons committed to and dispersed to NATO excl is:
of U.S. weapons on U.S. delivery systems based in the U.K.;

Alternative V - All nuclear weapons assigned to non-U.S. NAT forces and all U.S. weapons committed to and dispersed to NATO incl distance based in the U.K. and assigned to the naval attack aircraft on carries based in European waters.

The estimated completion date, total cost, and FY '63 cost





BECRET

.

- 5 -

This dominating seems to the seed of the s

for each of these programs is as follows:

Alternative	Estimated Date Completed Installation	Total Cost (\$ Millions)	FY'63 Cost (\$ Millions)				
<b>t</b>	June 1963	2, 9	2, 9				
m, n,	Oct. 1963	8, 1	7.8				
m ,	Dec. 1963	10, 2	8, 7				
IV	Mar. 1964	15, 2	10,7				
V	Aug. 1964	23. 4	10.7				

A supplemental to the AEC FY '63 Budget would call for obligation of the total cost of the program but expenditure of only the FY '63 cost of the program.

On the basis of this review, I have concluded that it is technically possible to equip on a crash basis all nuclear weapons dispersed to the European Theater with reasonably effective permissive link equipment at relatively small cost. Therefore, the decision as to the extent to which permissive link equipment should in fact be incorporated in dispersed weapons can be made solely in terms of broad policy con siderations as to the desired objective.

Whatever decision is made on the crash program to install permissivink equipment on dispersed nuclear weapons equipment, I would recommend that a vigorous program be undertaken to develop an improved electronic lock which would be incorporated directly in the electronic package associated with all future weapons so that the option of a permissive link would always exist. This program should also include work to develop improved devices to retrofit the bombs and short range missiles which were equipped with combination locks only as an interim measure in the above crash program. I would also recommend that there be an aggressive research program to develop more advanced concepts of the permissive link including mechanisms to assure the self-destruction of a weapon if efforts were made to by-pa s the permissive link. It is my understanding that the AEC has funds available to cover the R&D necessary for these advanced programs.

Jerome B. Wiesner

FERET